




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**
PCB Thickness (Recommended): 1.57 – 1.83 mm [.062 – .072 in]
Mating Tab Width: 6.35 mm [.25 in]
Mating Tab Thickness: .81 mm [.032 in]
Wire Size: 28 – 23 AWG

Features

Product Type Features

Terminal Features	Stud Hole
Wire Insulation Support Retention Type	Open Barrel

Configuration Features

Connection Capacity	Single
---------------------	--------

Contact Features

PCB Contact Termination Area Plating Material Thickness	2.03 µm[80 µin]
Contact Mating Area Plating Material Thickness	2.03 µm[80 µin]
PCB Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	6.35
Terminal Orientation	45 Bend



Termination Features

Product Terminates To	Printed Circuit Board, Wire & Cable
-----------------------	-------------------------------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Stud Diameter	3.18 mm[.125 in]
Terminal Material Thickness	.81 mm[.032 in]
PCB Thickness (Recommended)	1.57 – 1.83 mm[.062 – .072 in]
Wire Size	.35 – .57 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]

Packaging Features

Packaging Quantity	5000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2-969049-1
STATOR-TERMINAL SERIES 4,8
AMPLIVAR

Also in the Series | AMPLIVAR

Crimp Wire Pins, Tabs & Ferrules(4)

Magnet Wire Terminals(4)

PCB Terminals(1)

Quick Disconnects(39)

Ring Terminals(28)

Splices(69)

Customers Also Bought

TE Part #3-640252-1
045 POST CONT 0126PTPBR

TE Part #640254-1
KEYING PLUG .045 SQ PST CONN

TE Part #770019-1
04P UMNLII IN-LNE PLUG HSG KIT

TE Part #770849-3
03P SL156 HSG W/LCK RMP & TABS





TE Part #1971795-1
NEW GI CONN2.5 REC. CONTACT



TE Part #2325347-2
Power Versa-Lock INTERFACE SEAL, 1X2



TE Part #2325349-2
Power Versa-Lock REAR SEAL, 1X2, LargeID



TE Part #2329914-1
Power Versa-Lock SEAL RECPT, 18-20 AWG



TE Part #2334614-2
Power Versa-Lock BACK COVER 2P



TE Part #455888-4
SPACER, CRIMPER(020)

Documents

Product Drawings
250 AMVAR TAB 200-860 TPBR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_63136-1_AK.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_63136-1_AK.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_63136-1_AK.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
FASTON Tabs
English

Product Specifications
Application Specification
English