# 2325347-1 ✔ ACTIVE

Power Versa-Lock | Power Versa-Lock 5.0

TE Internal #: 2325347-1

Interface Seal, -30 – 140 °C [-22 – 284 °F], Blue, Silicone Rubber, 1 Position, Power Versa-Lock 5.0

View on TE.com >

Connectors > Connector Accessories > Connector Seals & Cavity Plugs





Connector Seal & Plug Type: **Interface Seal**

Operating Temperature Range: **-30 – 140 °C [ -22 – 284 °F ]**

Primary Product Color: **Blue**

Primary Product Material: **Silicone Rubber**

Operating Temperature (Max): **140 °C [ 284 °F ]**

## Features

### Product Type Features

| | |
|---|---|
| Connector Seal & Plug Type | Interface Seal |

### Configuration Features

| | |
|---|---|
| Number of Positions | 1 |

### Body Features

| | |
|---|---|
| Primary Product Color | Blue |
| Primary Product Material | Silicone Rubber |

### Usage Conditions

| | |
|---|---|
| Operating Temperature Range | -30 – 140 °C[-22 – 284 °F] |
| Operating Temperature (Max) | 140 °C[284 °F] |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Out of Scope |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250) |

| | |
|---|---|
| | Candidate List Declared Against: JUNE 2025 (250)<br>SVHC > Threshold:<br>Decamethylcyclopentasiloxane (D5) (.5% in M-45545-1)<br>Octamethylcyclotetrasiloxane (D4) (.5% in M-45545-1)<br>Dodecamethylcyclohexasiloxane (D6) (.5% in M-45545-1)<br>**Article Safe Usage Statements:**<br>Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 1-2345728-1
Power Versa-Lock PLUG, 1X1 KEY A



TE Part # 1-2381260-1
Power Versa-Lock PLUG, 1X1 KEY A, GWT


## Also in the Series | Power Versa-Lock 5.0



Connector Caps & Covers(4)



Connector Contacts(12)



Connector Hardware(5)




Power Contacts(12)



Rectangular Connector Housings(77)



Rectangular Power Connectors(77)



Standard Rectangular Connectors(77)

## Customers Also Bought




TE Part #41450
250 FASTON REC 14-10 AWG TPBR



TE Part #41531
250 FASTON FLAG REC 18-12 AWG BR



TE Part #42660-2
250 FASTON REC 18-14 AWG TPBR



TE Part #63306-2
250 FASTON REC 18-14 AWG TPBR



TE Part #350537-1
UMNL SOK 20-14 .0126 PTPBR




TE Part #350538-1
UMNL PIN 20-14 .0126 PTPBR




TE Part #2-520263-2
ULTRA-FAST 250 ASY REC 22-18 TPBR



TE Part #640251-2
02P SL156 HSG W/O RAMP NATL



TE Part #1971783-1
PTL RECEPTACLE CONTACT, 16-19 AWG, 2X22



TE Part #1971789-1
CPA

## Documents

## Product Drawings

Power Versa-Lock INTERFACE SEAL, 1X1

English

## CAD Files

Customer View Model

ENG_CVM_CVM_2325347-1_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2325347-1_A1.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2325347-1_A1.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

## Datasheets & Catalog Pages

power-versa-lock-connectors-0421

English

## Product Specifications

Engineering Report

English