




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **.32 – .82 mm²**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Locking Lance Height	1.4 mm[.055 in]
Wire Insulation Support	With
Mating Retention Type	Locking Lance

Dimensions

Product Length	28.12 mm[1.107 in]
Compatible Insulation Diameter Range	2.16 – 3.18 mm[.085 – .125 in]
Terminal Material Thickness	.4 mm[.015 in]
Wire Size	.32 – .82 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

Packaging Features

Packaging Quantity	9000
Packaging Method	Strip/Reel

Compatible Parts



TE Part # 91514-1
CCII FASTON 250 REC 22-18 ASSY



TE Part # 880638-1
FF 110 TAB 1.0-2.5 MM2 0.40 X 14.1 BR



TE Part # 1969383-2
FF 187&250 TAB HSG 9P NYLON NAT



TE Part # 2150037-2
OCEAN_2.0_APPLICATOR-E-090F140F-REA



TE Part # 7-2150037-7
OCEAN_2.0_SPARE_PART_KIT-090F140F




TE Part # 880636-1
FF 250 TAB 1.0-2.5 MM2 0.39 X 13.2 BR



Also in the Series

FASTIN-FASTON 250



Crimp Terminal Housings(192)



Insertion & Extraction Tools(2)



Quick Disconnects(216)

Customers Also Bought




TE Part #D209003001
RAY-103-7.5(100)




TE Part #ZPF000000000105765
787-8055-12M




TE Part #42618-2
187 FASTON FLAG REC 20-16 AWG
TPBR



TE Part #180908-5
FF 250 TAB HSG 2P NYLON BLACK




TE Part #281839-8
HOUSING HE13 HE14 COSI 2X8 P



TE Part #368161-1
JPT 3P FOR FUEL TPS ASS'Y




TE Part #2-917659-6
DYNAMIC 3200 D/ROW REC HSG 12P



TE Part #928083-1
PL 187 REC HSG 1P NYLON NAT



TE Part #2232326-1
CLUSTER BLOCK HSG .090 DIA



TE Part #5-583853-2
CONT.CRP.SNAP TW.LF.STRIP

Documents

Product Drawings

FF 250 TAB 22-18AWG BR

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_62553-1_AB_c-62553-1-ab.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62553-1_AB_c-62553-1-ab.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62553-1_AB_c-62553-1-ab.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTIN_FASTON_Product_Line](#)

English

Product Specifications

[Application Specification](#)

English