








SURFACE FOR
COLOUR STRIPE
SEE NOTE 8





SHIPPING ARRAY

CKT	DIM A	DIM B	DIM C	DIM D
2	5	9.9	7.3	-
3	10	14.9	12.3	5
4	15	19.9	17.3	10
5	20	24.9	22.3	15
6	25	29.9	27.3	20
7	30	34.9	32.3	25
8	35	39.9	37.3	30
9	40	44.9	42.3	35
10	45	49.9	47.3	40
11	50	54.9	52.3	45
12	55	59.9	57.3	50


NOTES:

- MATERIAL: HOUSING: PA 6
TERMINAL: PHOSPHOR BRONZE OR COPPER ALLOY
PLATING: TIN(6A) OR SILVER(10A)
- PRODUCT SPECIFICATION: 916270001 PS
- SEE SUBSEQUENT SHEETS FOR PART NUMBERING INFORMATION
- LATCHES RECOMMENDED WHERE LOCKING VIA HEADER, GUIDEFRAME OR COMPONENT ENCLOSURE IS NOT POSSIBLE.
- APPLICATION SPECIFICATION: 916270001 AS
- 2 CCT OPTIONS WITH LATCH WILL HAVE HALF LATCH ONLY
3CCT OPTIONS WITH 2 LATCHES WILL HAVE HALF LATCH BETWEEN CCTS 1&2 AND FULL LATCH BETWEEN CCTS 2&3
- PACKAGING SPECIFICATION: 916270001 PK
- COLOUR STRIPE IS OPTIONAL.
AVAILABLE IN THE FOLLOWING COLOURS; BLUE, RED, GREEN & BLACK.
ASTERISK IN CHART INDICATES FULL SURFACE COVERAGE.



*SEE NOTE 6 FOR LATCHING INFORMATION

ADDITIONAL OPTIONS



























THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9				molex					
mm		10:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				RAST PWR IDT CONN 5MM PITCH									
ANGULAR TOL ± 2.0 °													
4 PLACES		±		PRODUCT CUSTOMER DRAWING									
3 PLACES		±											
2 PLACES		± 0.1		DOCUMENT NUMBER 916270001				DOC TYPE PSD		DOC PART 000		REVISION H2	
1 PLACE		± 0.2											
0 PLACES		±		INITIAL REVISION: DRWN: CFISHER01 2018/01/03 APPR: BRUTTLE 2018/02/07									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A2-SIZE		91627		SEE TABLES		GENERAL MARKET		1 OF 11	
















14	13	12	11	10	9	8	7	6	5	4	3	2	1	
H	2 CIRCUIT													
	MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
	91627-0001	91626-0002	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
	91627-0501	91690-2002	NONE	NONE		CCT 1&2	NONE	OPEN	OPEN	NONE				
	91627-0502	91690-2022	NONE	NONE		CCT 1&2	NONE	SHORT THIN	LONG THICK	NONE				
	91627-0002	91626-0002	NONE	NONE		NONE	NONE	OPEN	OPEN	YELLOW				
	91627-0003	91626-0002	NONE	d		NONE	NONE	OPEN	OPEN	YELLOW				
	91627-0004	91626-0002	NONE	NONE		NONE	NONE	OPEN	OPEN	RED				
	91627-0005	91626-0002	NONE	b		NONE	NONE	OPEN	OPEN	RED				
	91627-0006	91626-0002	NONE	d		NONE	NONE	OPEN	OPEN	NONE				
G	91627-0008	91626-0002	NONE	c		NONE	NONE	OPEN	OPEN	NONE				
	91627-0009	91626-0002	NONE	a b		NONE	NONE	OPEN	OPEN	NONE				
	91627-0010	91626-0002	NONE	a c		NONE	NONE	OPEN	OPEN	NONE				
	91627-0503	91690-2042	NONE	NONE		CCT 1&2	NONE	LONG THIN	SHORT THICK	NONE				
	91627-0011	91626-0002	NONE	b d		NONE	NONE	OPEN	OPEN	NONE				
	91627-0012	91626-0002	NONE	a b c		NONE	NONE	OPEN	OPEN	NONE				
	91627-0013	91626-0002	NONE	a c d		NONE	NONE	OPEN	OPEN	NONE				
	91627-0014	91626-0002	NONE	b c d		NONE	NONE	OPEN	OPEN	NONE				
	91627-0015	91626-0002	NONE	b		NONE	NONE	OPEN	OPEN	NONE				
	91627-0504	91690-2022	NONE	a b		CCT 1&2	NONE	SHORT THIN	LONG THICK	NONE				
F	91627-0505	91690-2022	NONE	a c		CCT 1&2	NONE	SHORT THIN	LONG THICK	NONE				
	91627-0506	91690-2022	NONE	c d		CCT 1&2	NONE	SHORT THIN	LONG THICK	NONE				
	91627-0016	91626-0002	NONE	b c		NONE	NONE	OPEN	OPEN	NONE				
	91627-0508	91690-2022	NONE	b d		CCT 1&2	NONE	SHORT THIN	LONG THICK	NONE				
	91627-0017	91626-0082	NONE	b c		NONE	NONE	LONG THICK	OPEN	NONE				
	91627-0018	91626-0082	NONE	NONE		NONE	NONE	LONG THICK	OPEN	NONE				
	91627-0019	91626-0062	NONE	NONE		NONE	NONE	OPEN	LONG THICK	NONE				
	91627-0020	91626-0002	NONE	b c		NONE	NONE	OPEN	OPEN	BLACK				
	91627-0021	91626-0002	NONE	c d		NONE	NONE	OPEN	OPEN	BLUE				
	91627-0022	91626-0062	NONE	a b		NONE	NONE	OPEN	LONG THICK	RED				
E	91627-0023	91626-0002	NONE	c d		NONE	NONE	OPEN	OPEN	NONE				
	91627-0024	91626-0002	NONE	a		NONE	NONE	OPEN	OPEN	NONE				
	DOCUMENT STATUS P1 RELEASE DATE 2024/04/12 15:13:28													
	4	13	12	11	10	9	8	7	6	5	4	3	2	1

2 CIRCUIT												
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE			
91627-0025	91626-0082	NONE	a c		NONE	NONE	LONG THICK	OPEN	YELLOW			
91627-0027	91626-0082	NONE	d		NONE	NONE	LONG THICK	OPEN	NONE			
91627-0028	91690-2062	NONE	NONE		CCT 1&2	NONE	OPEN	LONG THICK	NONE			
91627-0029	91626-0002	NONE	a d		NONE	NONE	OPEN	OPEN	NONE			
91627-0030	91626-0102	NONE	NONE		NONE	CCT 1&2	OPEN	OPEN	NONE			
91627-0509	91690-2082	NONE	NONE		CCT 1&2	NONE	LONG THICK	OPEN	BLUE			
91627-0031	91626-0002	NONE	NONE		NONE	NONE	OPEN	OPEN	BLUE			
91627-0032	91626-0062	NONE	b c d		NONE	NONE	OPEN	LONG THICK	NONE			
91627-0033	91626-0082	NONE	a b c		NONE	NONE	LONG THICK	OPEN	NONE			
91627-0035	91626-0002	NONE	a b c d		NONE	NONE	OPEN	OPEN	NONE			
91627-0036	91690-2013	NONE	a b c d		CCT 1&2	NONE	LONG THICK	LONG THICK	NONE			
91627-0037	91626-0102	NONE	a d		NONE	CCT 1&2	OPEN	OPEN	NONE			
91627-0038	91690-2042	NONE	a b c d		CCT 1&2	NONE	LONG THIN	SHORT THICK	NONE			
91627-0039	91626-0002	NONE	a b		NONE	NONE	OPEN	OPEN	RED			
91627-0040	91626-0022	NONE	a b c d		NONE	NONE	SHORT THIN	LONG THICK	NONE			
91627-0041	91690-2033	NONE	NONE		CCT 1&2	NONE	SHORT THIN	SHORT THIN	NONE			
91627-0042	91690-2062	NONE	NONE		CCT 1&2	NONE	OPEN	LONG THICK	RED			
91627-0043	91690-2013	NONE	NONE		CCT 1&2	NONE	LONG THICK	LONG THICK	BLACK			
91627-0044	91690-2033	NONE	NONE		CCT 1&2	NONE	SHORT THIN	SHORT THIN	YELLOW			
91627-0045	91690-2013	NONE	NONE		CCT 1&2	NONE	LONG THICK	LONG THICK	NONE			
91627-0046	91626-2002	NONE	b d a2 b2 c2		NONE	NONE	OPEN	OPEN	NONE			
91627-0047	91626-2002	NONE	a d b2 c2 d2		NONE	NONE	OPEN	OPEN	NONE			
91627-0048	91626-2002	NONE	b d b2 c2 d2		NONE	NONE	OPEN	OPEN	NONE			

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				
DIMENSION UNITS		SCALE	CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9																	
mm		1:1																		
GENERAL TOLERANCES (UNLESS SPECIFIED)			EC NO: 783013 DRWN: GOPIS CHK'D: RAHULH3 APPR: MRAMAKRISHNA				2024/03/07 2024/04/12 2024/04/12													
ANGULAR TOL ± 2.0 °																				
4 PLACES ±			INITIAL REVISION: DRWN: CFISHER01 APPR: BRUTTLE				2018/01/03 2018/02/07													
3 PLACES ±																				
2 PLACES ± 0.1			DOCUMENT NUMBER 916270001						DOC TYPE PSD		DOC PART 000		REVISION H2							
1 PLACE ± 0.2																				
0 PLACES ±			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						THIRD ANGLE PROJECTION		DRAWING A2-SIZE		SERIES 91627		MATERIAL NUMBER SEE TABLES		CUSTOMER GENERAL MARKET		SHEET NUMBER 4 OF 11	

















DOCUMENT STATUS	P1	RELEASE DATE	2024/04/12 15:13:28										
4	13	12	11	10	9	8	7	6	5	4	3	2	1

14	13	12	11	10	9	8	7	6	5	4	3	2	1
4 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-2001	91626-0004	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-2501	91690-2004	NONE	NONE		1&2	NONE	OPEN	OPEN	NONE				
91627-2002	91626-0204	NONE	d e f g h		NONE	2&3	OPEN	OPEN	RED				
91627-2003	91626-0204	NONE	NONE		NONE	2&3	OPEN	OPEN	RED				
91627-2004	91626-0204	NONE	b d e f g h		NONE	2&3	OPEN	OPEN	RED				
91627-2005	91626-0004	NONE	d e f g		NONE	NONE	OPEN	OPEN	NONE				
91627-2006	91626-0004	NONE	b c d f		NONE	NONE	OPEN	OPEN	NONE				
91627-2007	91626-0004	NONE	a b e f h		NONE	NONE	OPEN	OPEN	NONE				
91627-2008	91626-0004	NONE	a b c d e f g h		NONE	NONE	OPEN	OPEN	NONE				
91627-2009	91626-0004	NONE	a b f g		NONE	NONE	OPEN	OPEN	NONE				
91627-2503	91690-0224	NONE	NONE		1&2 3&4	2&3	SHORT THIN	LONG THICK	NONE				
91627-2010	91626-0004	NONE	c d e h		NONE	NONE	OPEN	OPEN	NONE				
91627-2012	91626-0015	NONE	ALL		NONE	NONE	LONG THICK	LONG THICK	NONE				
91627-2011	91626-0004	NONE	d e f g h		NONE	NONE	OPEN	OPEN	NONE				
91627-2013	91690-0284	NONE	NONE		1&2 3&4	2&3	LONG THICK	OPEN	NONE				
91627-2502	91690-0084	NONE	NONE		1&2 3&4	NONE	LONG THICK	OPEN	NONE				
91627-2014	91626-0004	NONE	b c d e f g		NONE	NONE	OPEN	OPEN	NONE				
91627-2015	91690-4104	NONE	NONE		3&4	1&2	OPEN	OPEN	NONE				
91627-2016	91626-0004	CCT 2	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-2017	91626-0004	NONE	b c e f g		NONE	NONE	OPEN	OPEN	NONE				
91627-2504	91690-0204	NONE	NONE		1&2 3&4	2&3	OPEN	OPEN	NONE				
91627-2506	91690-0224	NONE	a b c d e f g h		1&2 3&4	2&3	SHORT THIN	LONG THICK	NONE				
91627-2507	91690-0064	NONE	NONE		1&2 3&4	NONE	OPEN	LONG THICK	NONE				
91627-2508	91690-0004	NONE	NONE		1&2 3&4	NONE	OPEN	OPEN	NONE				
91627-2020	91626-0004	NONE	a b c d f g h		NONE	NONE	OPEN	OPEN	NONE				
91627-2021	91626-0004	NONE	a b d e g h		NONE	NONE	OPEN	OPEN	NONE				
91627-2022	91626-0215	NONE	a b c d e f g h		NONE	2&3	LONG THICK	LONG THICK	NONE				
DOCUMENT STATUS		P1	RELEASE DATE	2024/04/12	15:13:28								
14	13	12	11	10	9	8	7	6	5	4	3	2	1

4 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-2023	91626-0315	NONE	NONE		NONE	3&4	LONG THICK	LONG THICK	NONE				
91627-2024	91626-0215	NONE	NONE		NONE	2&3	LONG THICK	LONG THICK	NONE				
91627-2025	91690-2304	CCT 2	NONE		1&2	3&4	OPEN	OPEN	NONE				
91627-2026	91690-0264	NONE	NONE		1&2 3&4	2&3	OPEN	LONG THICK	NONE				
91627-2509	91690-9901	NONE	NONE		1&2 2&3	3&4	OPEN	OPEN	NONE				
91627-2510	91690-9903	NONE	NONE		1&2 2&3	3&4	LONG THICK	OPEN	NONE				
91627-2511	91690-2304	NONE	NONE		1&2	3&4	OPEN	OPEN	NONE				
91627-2512	91626-0004	NONE	b g		NONE	NONE	OPEN	OPEN	NONE				
91627-2027	91626-0004	NONE	b d e		NONE	NONE	OPEN	OPEN	NONE				
91627-2028	91626-0004	NONE	c e		NONE	NONE	OPEN	OPEN	NONE				
91627-2529	91690-0044	NONE	NONE		1&2 3&4	NONE	SHORT THIN	LONG THICK	NONE				
91627-2514	91626-0004	NONE	a b c f g h		NONE	NONE	OPEN	OPEN	NONE				
91627-2019	91692-7124	NONE	NONE		2&3	1&2 3&4	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-2515	91626-0004	NONE	a c d e f h		NONE	NONE	OPEN	OPEN	NONE				
91627-2516	91692-7125	NONE	NONE		2&3	3&4	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-2517	91692-7126	NONE	NONE		2&3	1&2	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-2518	91636-0224	NONE	NONE		NONE	2&3	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-2519	91636-0324	NONE	NONE		NONE	3&4	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9				mo lex RAST PWR IDT CONN 5MM PITCH PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER 916270001 DOC TYPE PSD DOC PART 000 REVISION H2							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 783013 DRWN: GOPIS 2024/03/07 CHK'D: RAHULH3 2024/04/12 APPR: MRAMAKRISHNA 2024/04/12 INITIAL REVISION: DRWN: CFISHER01 2018/01/03 APPR: BRUTTLE 2018/02/07											
ANGULAR TOL		± 2.0 °													
4 PLACES		±													
3 PLACES		±													
2 PLACES		± 0.1													
1 PLACE		± 0.2													
0 PLACES		±													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		91627		SEE TABLES		GENERAL MARKET		7 OF 11	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	----	---	---	---	---	---	---	---	---	---

4 CIRCUIT									
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE
91627-2023	91626-0315	NONE	NONE		NONE	3&4	LONG THICK	LONG THICK	NONE
91627-2024	91626-0215	NONE	NONE		NONE	2&3	LONG THICK	LONG THICK	NONE
91627-2025	91690-2304	CCT 2	NONE		1&2	3&4	OPEN	OPEN	NONE
91627-2026	91690-0264	NONE	NONE		1&2 3&4	2&3	OPEN	LONG THICK	NONE
91627-2509	91690-9901	NONE	NONE		1&2 2&3	3&4	OPEN	OPEN	NONE
91627-2510	91690-9903	NONE	NONE		1&2 2&3	3&4	LONG THICK	OPEN	NONE
91627-2511	91690-2304	NONE	NONE		1&2	3&4	OPEN	OPEN	NONE
91627-2512	91626-0004	NONE	b g		NONE	NONE	OPEN	OPEN	NONE
91627-2027	91626-0004	NONE	b d e		NONE	NONE	OPEN	OPEN	NONE
91627-2028	91626-0004	NONE	c e		NONE	NONE	OPEN	OPEN	NONE
91627-2529	91690-0044	NONE	NONE		1&2 3&4	NONE	SHORT THIN	LONG THICK	NONE
91627-2514	91626-0004	NONE	a b c f g h		NONE	NONE	OPEN	OPEN	NONE
91627-2019	91692-7124	NONE	NONE		2&3	1&2 3&4	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE
91627-2515	91626-0004	NONE	a c d e f h		NONE	NONE	OPEN	OPEN	NONE
91627-2516	91692-7125	NONE	NONE		2&3	3&4	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE
91627-2517	91692-7126	NONE	NONE		2&3	1&2	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE
91627-2518	91636-0224	NONE	NONE		NONE	2&3	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE
91627-2519	91636-0324	NONE	NONE		NONE	3&4	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 2.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.1

1 PLACE ± 0.2

0 PLACES ±

EC NO: 783013

DRWN: GOPIS 2024/03/07

CHK'D: RAHULH3 2024/04/12

APPR: MRAMAKRISHNA 2024/04/12

INITIAL REVISION:

DRWN: CFISHER01 2018/01/03

APPR: BRUTTLE 2018/02/07

THIRD ANGLE PROJECTION

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DRAWING

A2-SIZE

SERIES

91627

DOCUMENT NUMBER

916270001

DOC TYPE

PSD

DOC PART

000

REVISION

H2

CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9

RAST PWR IDT CONN 5MM PITCH

PRODUCT CUSTOMER DRAWING

SEE TABLES

GENERAL MARKET

7 OF 11

DOCUMENT STATUS

P1

RELEASE DATE

2024/04/12

15:13:28

14	13	12	11	10	9	8	7	6	5	4	3	2	1
5 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-3001	91626-0005	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-3501	91690-2005	NONE	NONE		1&2	NONE	OPEN	OPEN	NONE				
91627-3002	91626-0005	NONE	c d f g i		NONE	NONE	OPEN	OPEN	NONE				
91627-3003	91626-0005	NONE	a b c d e f g h i		NONE	NONE	OPEN	OPEN	NONE				
91627-3004	91626-0005	NONE	a b c d e f g h i j		NONE	NONE	OPEN	OPEN	NONE				
91627-3502	91690-0325	NONE	NONE		1&2 4&5	3&4	SHORT THIN	LONG THICK	NONE				
91627-3503	91690-2425	NONE	NONE		1&2	4&5	SHORT THIN	LONG THICK	NONE				
91627-3504	91690-0205	NONE	NONE		1&2 4&5	2&3	OPEN	OPEN	NONE				
91627-3005	91626-0105	NONE	NONE		NONE	1&2	OPEN	OPEN	NONE				
91627-3007	91626-0016	NONE	a b c d e f g h i j		NONE	NONE	LONG THICK	LONG THICK	NONE				
91627-3008	91626-0085	NONE	NONE		NONE	NONE	LONG THICK	OPEN	NONE				
91627-3006	91626-0005	NONE	b c d g h j		NONE	NONE	OPEN	OPEN	NONE				
91627-3505	91690-0225	NONE	a b c d e f g h i j		1&2 4&5	2&3	SHORT THIN	LONG THICK	NONE				
91627-3009	91626-0005	CCT 2 & 4	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-3507	91690-0065	NONE	NONE		1&2 4&5	NONE	OPEN	LONG THICK	NONE				
91627-3011	91626-0205	NONE	NONE		NONE	2&3	OPEN	OPEN	NONE				
91627-3010	91690-4125	NONE	NONE		4&5	1&2	SHORT THIN	LONG THICK	NONE				
91627-3012	91626-0205	CCT 2 & 4	NONE		NONE	2&3	OPEN	OPEN	NONE				
91627-3013	91690-0025	NONE	NONE		1&2 4&5	NONE	SHORT THIN	LONG THICK	NONE				
91627-3508	91690-0085	NONE	NONE		1&2 4&5	NONE	LONG THICK	OPEN	NONE				
91627-3014	91626-0005	NONE	c e j		NONE	NONE	OPEN	OPEN	NONE				
91627-3015	91626-0005	NONE	b c d e f g h i		NONE	NONE	OPEN	OPEN	NONE				
91627-3016	91626-0005	NONE	a b c e f h i j		NONE	NONE	OPEN	OPEN	NONE				
91627-3017	91626-0005	NONE	a b c d f g h i j		NONE	NONE	OPEN	OPEN	NONE				
91627-3018	91690-9902	NONE	NONE		2&3 4&5	1&2	OPEN	OPEN	NONE				
91627-3019	91690-9904	NONE	NONE		3&4	2&3	OPEN	OPEN	NONE				
91627-3020	91690-9905	NONE	NONE		1&2 4&5	2&3	OPEN	LONG THIN FLUSH OUTSIDE	NONE				
91627-3021	91690-9902	CCT 2 & 4	NONE		2&3 4&5	1&2	OPEN	OPEN	NONE				

6 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-4001	91626-0006	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-4501	91690-2006	NONE	NONE		1&2	NONE	OPEN	OPEN	NONE				
91627-4002	91626-2006	NONE	a b c d g h i j k l + b2 c2 d2 e2 f2 g2 h2 i2 j2 k2		NONE	NONE	OPEN	OPEN	NONE				
91627-4502	91690-0306	NONE	NONE		1&2 5&6	3&4	OPEN	OPEN	NONE				
91627-4003	91626-0006	NONE	a b c d e f g h i j k l		NONE	NONE	OPEN	OPEN	NONE				
91627-4004	91626-0006	NONE	a l		NONE	NONE	OPEN	OPEN	NONE				
91627-4503	91690-2526	NONE	NONE		1&2	5&6	SHORT THIN	LONG THICK	NONE				
91627-4005	91626-0206	NONE	NONE		NONE	2&3	OPEN	OPEN	NONE				
91627-4006	91626-0006	NONE	c d e h i j		NONE	NONE	OPEN	OPEN	NONE				
91627-4007	91626-0006	NONE	a b e f g h k l		NONE	NONE	OPEN	OPEN	NONE				
91627-4504	91690-0206	NONE	NONE		1&2 5&6	2&3	OPEN	OPEN	NONE				
91627-4008	91626-0226	NONE	NONE		NONE	2&3	SHORT THIN	LONG THICK	NONE				
91627-4507	91690-0026	NONE	NONE		1&2 5&6	NONE	SHORT THIN	LONG THICK	NONE				
91627-4508	91690-0206	NONE	NONE		1&2 5&6	2&3	OPEN	OPEN	BLACK				
91627-4509	91690-0066	NONE	NONE		1&2 5&6	NONE	OPEN	LONG THICK	NONE				
91627-4009	91626-0006	NONE	b c d e f g h i j k		NONE	NONE	OPEN	OPEN	NONE				
91627-4010	91626-0017	NONE	a b c d e f g h i j k l		NONE	NONE	LONG THICK	LONG THICK	NONE				
91627-4011	91690-0026	CCT 6	NONE		1&2 5&6	NONE	SHORT THIN	LONG THICK	NONE				
91627-4012	91626-2006	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-4013	91626-2006	NONE	a b c d e f i j k l + b2 c2 d2 e2 f2 g2 h2 i2 j2 k2		NONE	NONE	OPEN	OPEN	NONE				
91627-4014	91690-0226	NONE	NONE		1&2 5&6	2&3	SHORT THIN	LONG THICK	NONE				
91627-4015	91636-0026	NONE	NONE		NONE	NONE	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-4016	91636-0086	NONE	NONE		NONE	NONE	1.5MM HIGH	1.5MM HIGH	NONE				
91627-4017	91690-0217	NONE	NONE		1&2 5&6	2&3	LONG THICK	LONG THICK	NONE				
91627-4018	91626-0006	NONE	a d		NONE	NONE	OPEN	OPEN	NONE				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9				molex RAST PWR IDT CONN 5MM PITCH PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER916270001DOC TYPEPSDDOC PART000REVISIONH2							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 783013											
ANGULAR TOL ± 2.0°				DRWN: GOPIS2024/03/07											
4 PLACES ±				CHK'D: RAHULH32024/04/12											
3 PLACES ±				APPR: MRAMAKRISHNA2024/04/12											
2 PLACES ± 0.1				INITIAL REVISION:											
1 PLACE ± 0.2				DRWN: CFISHER012018/01/03											
0 PLACES ±				APPR: BRUTTLE2018/02/07											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		91627		SEE TABLES		GENERAL MARKET		8 OF 11	

DOCUMENT STATUS	P1	RELEASE DATE	2024/04/12	15:13:28
14	13	12	11	10
9	8	7	6	5
4	3	2	1	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
6 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-4019	91665-4003	NONE	NONE		3&4	5&6	OPEN	OPEN	NONE				
91627-4020	91690-0406	NONE	NONE		1&2 5&6	4&5	OPEN	OPEN	NONE				
91627-4021	91690-9906	NONE	NONE		3&4	1&2	OPEN	OPEN	NONE	H2			
91627-4022	91690-4306	NONE	NONE		5&6	3&4	OPEN	OPEN	NONE	H2			
7 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-5001	91626-0007	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-5501	91690-2007	NONE	NONE		1&2	NONE	OPEN	OPEN	NONE				
91627-5502	91690-0027	NONE	NONE		1&2 6&7	NONE	SHORT THIN	LONG THICK	NONE				
91627-5002	91626-0007	NONE	b c d e f h i j k l m		NONE	NONE	OPEN	OPEN	NONE				
91627-5003	91626-0007	NONE	b c e f g i j k m n		NONE	NONE	OPEN	OPEN	ORANGE				
91627-5004	91626-0007	NONE	c d g h i j k		NONE	NONE	OPEN	OPEN	NONE	H2			
91627-5503	91690-0307	NONE	NONE		1&2 6&7	3&4	OPEN	OPEN	NONE				
91627-5504	91690-0007	NONE	NONE		1&2 6&7	NONE	OPEN	OPEN	NONE				
91627-5005	91626-0007	NONE	a b c d e g h i j k l m		NONE	NONE	OPEN	OPEN	NONE				
91627-5006	91626-0207	NONE	NONE		NONE	2&3	OPEN	OPEN	NONE				
91627-5007	91626-2007	NONE	a b c d e f i j k l m b2 c2 d2 e2 f2 g2 h2 i2 j2 k2 m2		NONE	NONE	OPEN	OPEN	NONE				
91627-5008	91626-0007	NONE	c d e f g h i j k l m n		NONE	NONE	OPEN	OPEN	NONE				
91627-5506	91690-0227	NONE	a b c d e f g h i j k l m n		1&2 6&7	2&3	SHORT THIN	LONG THICK	NONE				
91627-5009	91626-0007	NONE	m n		NONE	NONE	OPEN	OPEN	NONE				
91627-5010	91626-0007	NONE	NONE		NONE	NONE	OPEN	OPEN	GREEN				
91627-5507	91690-0027	NONE	a b c d e f g h i j k l m n		1&2 6&7	NONE	SHORT THIN	LONG THICK	NONE				
91627-5011	91626-0007	NONE	b c d e f g h i j k l m		NONE	NONE	OPEN	OPEN	NONE				
91627-5012	91626-0007	NONE	c d g i j l m n		NONE	NONE	OPEN	OPEN	NONE				
91627-5013	91626-0007	NONE	c d g i j k l m n		NONE	NONE	OPEN	OPEN	NONE				
91627-5014	91626-0507	NONE	NONE		NONE	5&6	OPEN	OPEN	NONE				
91627-5015	91626-0527	NONE	NONE		NONE	5&6	SHORT THIN	LONG THICK	NONE				
91627-5016	91636-0087	NONE	NONE		NONE	NONE	1.5MM HIGH	1.5MM HIGH	NONE				
91627-5017	91690-0227	NONE	NONE		1&2 6&7	2&3	SHORT THIN	LONG THICK	NONE				
91627-5018	91626-9907	NONE	NONE		3&4	2&3	OPEN	OPEN	NONE	H2			
DOCUMENT STATUS P1 RELEASE DATE 2024/04/12 15:13:28													
4	13	12	11	10	9	8	7	6	5	4	3	2	1

8 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-6001	91626-0008	NONE	NONE		NONE	NONE	OPEN	OPEN	NONE				
91627-6501	91690-2008	NONE	NONE		1&2	NONE	OPEN	OPEN	NONE				
91627-6502	91690-0308	NONE	NONE		1&2 7&8	3&4	OPEN	OPEN	NONE				
91627-6002	91626-0208	NONE	NONE		NONE	2&3	OPEN	OPEN	NONE				
91627-6003	91626-0019	NONE	a b c d e f g h i j k l m n o p		NONE	NONE	LONG THICK	LONG THICK	NONE				
91627-6004	91626-0419	NONE	NONE		NONE	4&5	LONG THICK	LONG THICK	NONE				
91627-6005	91626-0008	NONE	b o		NONE	NONE	OPEN	OPEN	NONE				
91627-6006	91626-0008	NONE	b c d e f g h i j k l m n o		NONE	NONE	OPEN	OPEN	NONE				
91627-6007	91636-0528	NONE	NONE		NONE	5&6	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-6008	91690-0208	NONE	NONE		1&2 7&8	2&3	OPEN	OPEN	NONE				
91627-6009	91690-0408	NONE	NONE		1&2 7&8	4&5	OPEN	OPEN	NONE				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9					
mm	1:1						
GENERAL TOLERANCES (UNLESS SPECIFIED)				RAST PWR IDT CONN 5MM PITCH			
ANGULAR TOL	± 2.0 °						
4 PLACES	±			PRODUCT CUSTOMER DRAWING			
3 PLACES	±						
2 PLACES	± 0.1			916270001			
1 PLACE	± 0.2						
0 PLACES	±			PSD 000 H2			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
		A2-SIZE	91627	SEE TABLES	GENERAL MARKET	9 OF 11	

14	13	12	11	10	9	8	7	6	5	4	3	2	1
9 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-7001	91626-0009	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	NONE	OPEN	OPEN	NONE				
91627-7501	91690-2009	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2	NONE	OPEN	OPEN	NONE				
91627-7502	91690-0029	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	NONE	SHORT THIN	LONG THICK	NONE				
91627-7503	91690-0029	NONE	abcdefghijklmnopqrstuvwxyz lmnopqr	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	NONE	SHORT THIN	LONG THICK	NONE				
91627-7002	91626-0009	NONE	abcdefghijklmnopqrstuvwxyz lmnopqr	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	NONE	OPEN	OPEN	NONE				
91627-7504	91690-2309	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2	3&4	OPEN	OPEN	NONE				
91627-7003	91626-0209	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	2&3	OPEN	OPEN	NONE				
91627-7005	91626-0089	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	NONE	LONG THICK	OPEN	NONE				
91627-7004	91626-0069	NONE	ALL	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	NONE	OPEN	LONG THICK	NONE				
91627-7505	91690-0229	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	2&3	SHORT THIN	LONG THICK	NONE				
91627-7506	91690-0209	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	2&3	OPEN	OPEN	NONE				
91627-7507	91690-0309	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	3&4	OPEN	OPEN	NONE				
91627-7006	91626-0020	NONE	abcdefghijklmnopqrstuvwxyz lmnopqr	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	NONE	LONG THICK	LONG THICK	NONE				
91627-7007	91626-0009	NONE	bcdefghijkl mnopq	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	NONE	NONE	OPEN	OPEN	NONE				
91627-7509	91690-0220	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	2&3	LONG THICK	LONG THICK	NONE				
91627-7510	91636-0729	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789	NONE	7&8	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				
91627-7511	91626-0009	NONE	bcdefghijkl mnopqr	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	NONE	NONE	OPEN	OPEN	NONE				
91627-7512	91692-0229	CKT 3	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 123456789 1	1&2 8&9	2&3	LONG THIN FLUSH OUTSIDE	LONG THIN FLUSH OUTSIDE	NONE				

10 CIRCUIT													
MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE				
91627-8001	91626-0010	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 12345678910	NONE	NONE	OPEN	OPEN	NONE				
91627-8501	91690-2010	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 12345678910 1	1&2	NONE	OPEN	OPEN	NONE				
91627-8002	91626-0110	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 12345678910	NONE	1&2	OPEN	OPEN	NONE				
91627-8003	91626-0310	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 12345678910	NONE	3&4	OPEN	OPEN	NONE				
91627-8004	91626-0090	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 12345678910	NONE	NONE	LONG THICK	OPEN	NONE				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9		molex									
mm	1:1												
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL	± 2.0 °												
4 PLACES	±	EC NO: 783013 DRWN: GOPIS CHK'D: RAHULH3 APPR: MRAMAKRISHNA		2024/03/07 2024/04/12 2024/04/12		RAST PWR IDT CONN 5MM PITCH							
3 PLACES	±												
2 PLACES	± 0.1												
1 PLACE	± 0.2	INITIAL REVISION: DRWN: CFISHER01 APPR: BRUTTLE		2018/01/03 2018/02/07		PRODUCT CUSTOMER DRAWING							
0 PLACES	±												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER						
			A2-SIZE	91627	SEE TABLES	GENERAL MARKET	10 OF 11						

14	13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	----	---	---	---	---	---	---	---	---	---

DOCUMENT STATUS	P1	RELEASE DATE	2024/04/12	15:13:28
-----------------	----	--------------	------------	----------

11 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE
91627-9001	91626-0011	NONE	NONE	⊕ 1 ⊕ 2 ⊕ 3 ⊕ 4 ⊕ 5 ⊕ 6 ⊕ 7 ⊕ 8 ⊕ 9 ⊕ 10 ⊕ 11	NONE	NONE	OPEN	OPEN	NONE
91627-9251	91690-2011	NONE	NONE	⊕ 1 ⊕ 2 ⊕ 3 ⊕ 4 ⊕ 5 ⊕ 6 ⊕ 7 ⊕ 8 ⊕ 9 ⊕ 10 ⊕ 11	1&2	NONE	OPEN	OPEN	NONE

12 CIRCUIT

MOLEX PART NO.	MOLEX HOUSING NO.	TERMINAL VOID POSITION	REMOVED CODING KEYS	CONFIGURATION	LATCH BETWEEN	POLARIZING RIB BETWEEN	FIRST ENDWALL	LAST ENDWALL	COLOUR STRIPE
91627-9501	91626-0012	NONE	NONE	⊕ 1 ⊕ 2 ⊕ 3 ⊕ 4 ⊕ 5 ⊕ 6 ⊕ 7 ⊕ 8 ⊕ 9 ⊕ 10 ⊕ 11	NONE	NONE	OPEN	OPEN	NONE
91627-9751	91690-2012	NONE	NONE	⊕ 1 ⊕ 2 ⊕ 3 ⊕ 4 ⊕ 5 ⊕ 6 ⊕ 7 ⊕ 8 ⊕ 9 ⊕ 10 ⊕ 11	1&2	NONE	OPEN	OPEN	NONE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: 4 NEW PART NUMBERS CREATED IN SHEET NO. 9		molex RAST PWR IDT CONN 5MM PITCH PRODUCT CUSTOMER DRAWING				
mm	1:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 783013						
ANGULAR TOL ± 2.0 °		DRWN: GOPIS 2024/03/07						
4 PLACES ±		CHK'D: RAHULH3 2024/04/12		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
3 PLACES ±		APPR: MRAMAKRISHNA 2024/04/12						
2 PLACES ± 0.1		INITIAL REVISION:		916270001		PSD	000	H2
1 PLACE ± 0.2		DRWN: CFISHER01 2018/01/03						
0 PLACES ±		APPR: BRUTTLE 2018/02/07		SEE TABLES		GENERAL MARKET		11 OF 11
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		SHEET NUMBER
				A2-SIZE	91627			