# Product data sheet

Specifications



## Internal door for PanelSeT WM encl.H1200xW800 steel, RAL7035.Adjustable in depth

NSYPIN128

## Main

| | |
|---|---|
| **Range** | PanelSeT |
| **Accessory / Separate Part Categor** | Enclosure accessory |
| **Product Or Component Type** | Door |
| **Application** | Multi-purpose |
| **For Enclosure Nominal Dimensions** | - |
| **Mounting Location** | Front side<br>Step slide |
| **Range Compatibility** | PanelSeT PanelSeT CRN<br>PanelSeT PanelSeT S3D<br>PanelSeT PanelSeT S3X |
| **Device Composition** | 1 door<br>4 fixing brackets<br>2 mounting uprights |

## Complementary

| | |
|---|---|
| **Material** | Door: sheet steel |
| **Colour** | All faces: grey (RAL 7035) |
| **Surface Finish** | Polyester powder |
| **Lock Type** | Lock 3 mm double bar |
| **Number Of Locks** | 1 |
| **Adjustment** | Pitch 25 mm (on step slides) |
| **Door Type** | Internal plain |
| **Door Opening Side** | Reversible |
| **Maximum Load** | 30 kg/m² |
| **Height** | Nominal: 1200 mm |
| **Width** | Nominal: 800 mm |
| **Net Weight** | 13.6 kg |

## Packing Units

| | |
|---|---|
| **Unit Type Of Package 1** | PCE |
| **Number Of Units In Package 1** | 1 |
| **Package 1 Height** | 3.000 cm |
| **Package 1 Width** | 81.000 cm |
| **Package 1 Length** | 121.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 1 Weight** | 14.641 kg |
| **Unit Type Of Package 2** | PAM |
| **Number Of Units In Package 2** | 10 |
| **Package 2 Height** | 90.000 cm |
| **Package 2 Width** | 100.000 cm |
| **Package 2 Length** | 120.000 cm |
| **Package 2 Weight** | 159.410 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-$CO_2$ products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency



RoHS/REACh

## Well-being performance

| | |
|---|---|
| Mercury Free | |
| Rohs Exemption Information | Yes |

## Certifications & Standards

| | |
|---|---|
| **Reach Regulation** | REACh Declaration |
| **Eu Rohs Directive** | Pro-active compliance (Product out of EU RoHS legal scope) |
| **China Rohs Regulation** | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information |
| **Environmental Disclosure** | Product Environmental Profile |
| **Circularity Profile** | No need of specific recycling operations |