# 2112046-1 ✔ ACTIVE

AMP | LEAVYSEAL

TE Internal #: 2112046-1

26 Position, Black, Cover - Cable Exit, PA GF, 90° Cable Exit, -40 – 140 °C [-40 – 284 °F], LEAVYSEAL

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers > LEAVYSEAL Connector Backshells







Number of Positions: **26**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Primary Product Material: **PA GF**

Cable Exit Angle: **90°**

All LEAVYSEAL Connector Backshells (25)

## Features

### Product Type Features

| | |
|---|---|
| Protection & Strain Relief Accessory Type | Cover - Cable Exit |

### Configuration Features

| | |
|---|---|
| Number of Positions | 26 |

### Body Features

| | |
|---|---|
| Primary Product Color | Black |
| Primary Product Material | PA GF |
| Cable Exit Angle | 90° |

### Mechanical Attachment

| | |
|---|---|
| Strain Relief | Without |

### Dimensions

| | |
|---|---|
| Compatible Cable Bundle Diameter Range | 26 mm[1.024 in] |

### Usage Conditions

| | |
|---|---|
| Compatible With Connector Style | Housing For Female Terminals, Housing For Male Terminals |
| Operating Temperature (Max) | 140 °C[284 °F] |
| Operating Temperature Range | -40 – 140 °C[-40 – 284 °F] |

### Industry Standards

| | |
|---|---|
| UL Flammability Rating | UL 94V-0 |

### Packaging Features

| | |
|---|---|
| Packaging Method | Box |
| Packaging Quantity | 300 |

### Other

| | |
|---|---|
| Serviceable | Yes |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings


## Also in the Series | LEAVYSEAL



Automotive Connector Locks & Position Assurance(4)



Connector Caps & Covers(1)




Other Automotive Connector Accessories(15)

## Customers Also Bought



TE Part #CB5423-000
SST-9-07/97



TE Part #100132-1
CAVITY PLUG



TE Part #928966-1
SPT REC 6.3 Contact SWS Sn



TE Part #9-1394049-1
COVER F.15P REC-HSG



TE Part #CAT-L489-CH8172
LEAVYSEAL Connector Housings



TE Part #2112045-1
SLIDE,FOR 26POS TAB HSG

TE Part #1-2416206-1
26POS, MIXED,REC HSG,ASSY, SEALED

## Documents

### Product Drawings

COVER,90,FOR 26POS

English

### CAD Files

### Customer View Model

ENG_CVM_CVM_2112046-1_A.2d_dxf.zip

English

3D PDF

3D

### Customer View Model

ENG_CVM_CVM_2112046-1_A.3d_igs.zip

English

### Customer View Model

ENG_CVM_CVM_2112046-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

## Datasheets & Catalog Pages

### LEAVYSEAL CONNECTORS

English

### ICT Terminals and Connectors Catalogue

English

### CONNECTOR SELECTOR

English

## Product Specifications

### Application Specification

English