




TE Internal #: 2388202-2

Preloaded - C-Clip PCB Spring Contact, Scalable, Side Protected, Uncompressed Height 3.8 mm, Length 3.26 mm, Width 1.4 mm, 2.6 mm Working Range (Low)

[View on TE.com >](#)

Connectors > Contacts > PCB Spring Contacts



Spring Finger Type: **Preloaded - C-Clip**

Scalable: **Yes**

Side Protected: **Yes**

Uncompressed Height: **3.8 mm**

Product Length: **3.26 mm**

Features

Product Type Features

Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Spring Finger Type	Preloaded - C-Clip
Scalable	Yes

Configuration Features

Number of Positions	1
Side Protected	Yes

Contact Features

Contact Working Range (Low)	2.6 mm
Contact Working Range (High)	3.5 mm
Point of Contact Area Plating Material	Gold
Contact Current Rating (Max)	.5 A

Dimensions

Uncompressed Height	3.8 mm
---------------------	--------



Product Length	3.26 mm
Product Width	1.4 mm

Usage Conditions

-40 - 85 °F

Operation/Application

Circuit Application	Signal
---------------------	--------

Packaging Features

Packaging Quantity	3000
Packaging Method	Tape & Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.



Compatible Parts

TE Part # 1551576-5
Shield Finger, 3.4mm

Customers Also Bought

TE Part # 177801-000
10613-24-9

TE Part # 1551574-5
Shield Finger, Loose Piece

TE Part # 1551576-5
Shield Finger, 3.4mm

TE Part # 2081956-1
RF SWITCH

TE Part # 1-2176341-4
CRGCQ 0805 120R 1%

TE Part # 2013297-1
SEMI-HARD TRAY DDR3 204P 8H ST

TE Part # 1337771-1
50 OHM COAX BNC STR PLUG STR P

Documents

Product Drawings
Shield Finger, 3.8mm

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_2388202-2_A.2d_dxf.zip
English

Customer View Model
ENG_CVM_CVM_2388202-2_A.3d_igs.zip
English

Customer View Model
ENG_CVM_CVM_2388202-2_A.3d_stp.zip



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Test Specification for Spring Finger 3.8mm

English

Test report for spring finger 3.8mm

English