




Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Connector Assembly**

Connector & Housing Type: **Plug**

Mating Alignment: **With**

Mating Alignment Type: **Polarization**

Mating Retention: **With**

Features

Product Type Features

Connector Product Type	Connector Assembly
Connector & Housing Type	Plug
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1
Number of Power Positions	2

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Multiple Contact Types	Without
------------------------	---------



Contact Layout	Inline
Contact Mating Area Plating Material	Tin (Sn)
Contact Retention Within Housing	Without
Contact Current Rating (Max)	5 A
Contact Type	Socket
Wire Contact Termination Area Plating Material	Pre-Tin

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Strain Relief	With
Mating Alignment	With
Mating Alignment Type	Polarization
Mating Retention	With
Mating Retention Type	Latch
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	6.35 mm[.25 in]
Housing Material	Nylon

Dimensions

Wire Size	.05 – 5.26 mm ²
-----------	----------------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

Compatible With Agency/Standards Products	CSA, UL, VDE
UL Rating	Recognized
Compatible With Approved Standards Products	UL E28476
CSA Rating	Certified, LR 7189
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features



Packaging Quantity	1
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (2.97% in 4887022) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 350786-3
02P UMNL HDR ASSY AU 94VO

TE Part # 350824-1
02P UMNL HDR ASSY PC 94VO

TE Part # 350759-5
02P UMNL HDR ASSY PC V2 LF

TE Part # 350582-1
02P UMNL PIN HDR ASSY V2 NATL



TE Part # 643226-1
02P UMNL HDR ASSY R/A 94VO



TE Part # 770024-1
02P UMNLI IN-LINE CAP HSG KIT



TE Part # 641964-1
02P UMNL PIN HDR ASSY POL 94VO



TE Part # 641778-1
UMNL STR/REL ADAPTER



TE Part # 350428-1
02P UMNL PIN HDR ASSY NATL



TE Part # 641778-2
UMNL STR/REL ADAPTER *NO NIBS*



TE Part # 643250-1
02P UMNL ASSY MOD HSG V0



TE Part # 641777-1
UMNL STR/REL ADAPTER NATL



TE Part # 1-350942-0
02P UMNL HDR ASSY R/A 94VO



TE Part # 1-641964-1
02P UMNL HDR ASSY POL BLK




TE Part # 3-350942-0
02P UMNL HDR ASSY R/A 94VO LF



TE Part # 643412-1
02P UMNL HDR ASSY POL 94VO



TE Part # 643411-1
02P UMNL HDR ASSY POL



TE Part # 643412-3
02P UMNL HDR ASSY POL LF




TE Part # 350824-4
02P UMNL HDR ASSY PC LF



TE Part # 350986-4
02P UMNL HDR ASSY LNG/TL

Also in the Series | Universal MATE-N-LOK



Circular Power Connectors(2)



Connector Caps & Covers(34)




Connector Seals & Cavity Plugs(27)



Connector Strain Relief(7)




Insertion & Extraction Tools(4)



PCB Headers & Receptacles(285)



Rectangular Power Connectors(642)



Wire-to-Board Headers & Receptacles (285)

Customers Also Bought



TE Part #1060-16-0644
PIN, SF, SIZE 16, 16-20, AU/SN



TE Part #0413-003-1605
SEALING PLUG, SIZE 16, BLU



TE Part #HDP24-24-23SE
REC, 23P, BLK, E, 16, S




TE Part #166291-1
20DF COSI SOCKET




TE Part #320567
TERMINAL,PIDG R 12-10 6



TE Part #350537-7
UMNL SOK 20-14 .0126 AUNI/BR



TE Part #1326490-3
4P JPT/MT3 PLUG W/LATCH,GRAY



TE Part #1746872-1
0.64III 12POS PLUG ASSY



TE Part #5745854-1
CABLE CLAMP KIT,SZ 1

Documents

Product Drawings

02P UMNL PLUG TEST ASSY 94VO

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_350848-2_A2.2d_dxf.zip



English

Customer View Model
[ENG_CVM_CVM_350848-2_A2.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_CVM_350848-2_A2.3d_stp.zip](#)

English

[3D PDF](#)

English

Customer View Model
[ENG_CVM_350848-2_A1.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_350848-2_A1.3d_stp.zip](#)

English

Customer View Model
[ENG_CVM_350848-2_A1.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

[Datasheets & Catalog Pages](#)
[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

[Product Specifications](#)
[Application Specification](#)

English

[Instruction Sheets](#)
[Instruction Sheet \(U.S.\)](#)

English

[Agency Approvals](#)
[UL](#)

English