




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.51 – 1.03 mm²**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Locking Lance

Dimensions

Product Length	19.2 mm[.755 in]
Compatible Insulation Diameter Range	1.4 – 2.3 mm[.055 – .09 in]
Terminal Material Thickness	.33 mm[.013 in]
Wire Size	.51 – 1.03 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Packaging Features

Packaging Quantity	5000
Packaging Method	Strip/Reel

Compatible Parts

TE Part # 2150155-2
OCEAN_2.0_Applicator-E-080F110OV-REA

TE Part # 1-1579007-4
EXTRACTION TOOL

TE Part # 4-1579007-3
EXTRACTION TOOL KIT

TE Part # 7-2150155-7
OCEAN_2.0_SPARE_PART_KIT-080F110OV

TE Part # 2150155-1
OCEAN_2.0_Applicator-E-080F110OV-REM

TE Part # 626094-2
FF .250 REC 0.5 /1.0 MM2 0.32X19.3 TPBR

TE Part # 626094-1
TERMINAL, .250 FASTIN-ON REC

Also in the Series | FASTIN-FASTON 250



Crimp Terminal Housings(192)



Insertion & Extraction Tools(2)



Quick Disconnects(216)

Customers Also Bought




TE Part #5677784003
RNF-3000-6/2-6-SP



TE Part #160337-2
RING TONGUE IS 18-14 0.295 X .940 TPBR




TE Part #170887-1
SLEEVE DIA5 SHUR PLUG NAT




TE Part #776487-2
AS16,PLUG ASSY,ST,04P,N SEAL, CODE B



TE Part #CAT-M4599-B128
AMP Carrier for Receptacle Inserts



TE Part #1333201-3
ANVIL, COMBINATION .055



TE Part #175063-1
040 MULTILOCK TAB CONT. L/P

Documents

Product Drawings

FF 250 REC 0.5-1.0MM2 TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_160928-2_J_c-160928-2-j.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_160928-2_J_c-160928-2-j.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_160928-2_J_c-160928-2-j.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

1654742_HOUSEHOLD_APPLIANCES_RAST5

English

Product Specifications

Application Specification

English