1202-SNG-0016-0005 ✔ ACTIVE

Kemtron | Kemtron 1202 Series

TE Internal #: 2418098-1

Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni/C) Filler, Tube, 10 m [32.8 ft] Length, Kemtron 1202 Series

View on TE.com >

EMI & EMC Solutions > EMI Shielding > Conductive Elastomers > Extruded EMI Gasket Conductive Strip







Gasket Type: **Extruded EMI Gasket**

Finished Type: **Conductive Strip**

Binding Material: **Silicone**

Filler Material: **Nickel Plated Graphite (Ni/C)**

Gasket Shape: **Tube**

All Extruded EMI Gasket Conductive Strip (56)

Features

Product Type Features

Finished Type	Conductive Strip
Binding Material	Silicone
Filler Material	Nickel Plated Graphite (Ni/C)

Electrical Characteristics

Resistance to Petroleum	No
Volume Resistivity (Max)	.05 Ω.cm

Body Features

Gasket Type	Extruded EMI Gasket
Gasket Shape	Tube

Dimensions

Product Length	10 m[32.8 ft]
Outside Diameter	1.6 mm[.062 in]

Inside Diameter	.5 mm[.019 in]

Usage Conditions

Operating Temperature Range	-55 – 160 °C[-67 – 320 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-EMIG-0001
Extruded EMI Gasket Conductive Strip



TE Part # 2506853-1
1202-FSA-0018-0005-10m L



TE Part # 2510029-1
1202-FSA-0014-0005-DL117.5mm



TE Part # 2506852-1
1202-SSA-0018-0005-10m L



TE Part # 2502482-1
O RING-1202-FSA-0014-0005-DL881.5



TE Part # 2506851-1
1202-SSA-0019-0005-10m L



TE Part # 2507401-1
O ring 1302-F-0018-0005-0393




TE Part # 2481557-1
SSA Tube 2.0mm OD x 0.8mm ID




TE Part # 2452644-1
SNA Tube 1.6mm OD x 0.5mm ID x 10m L

Also in the Series | Kemtron 1202 Series



Conductive Elastomers(36)

Customers Also Bought




TE Part #816491-SF
RN112-0.8-02-10M



TE Part #963961-2
FF 110 TAB 0.2-0.5MM2 .070 F PTP CUZN30




TE Part #5-1462037-9
IM43GR=IM RELAY 100mW 5V BIS



TE Part #1676247-3
RN 0805 200R 0.1% 10PPM 5KRL




TE Part #2-1971906-5
HEADER ASSY 10POS,KEYING-B,NEW GIC3.3



TE Part #2-2176405-2
3550 15K 5%



TE Part #2-2176480-0
RA73F 1J 866R 0.1% 5K RL



TE Part #7-2176558-2
3430 B2 1% 820R 100ppm 1k RL



TE Part #CAT-076-BNCVTBAY
BNC Vertical Jack RF Connector, 50 Ohm, Bayonet Coupling Mechanism

Documents

Product Drawings

SNG Tube 1.6mm OD x 0.5mm ID x 10m L

English

Datasheets & Catalog Pages

performance-materials-brochure

English

Datasheet - Conductive Elastomers

English

Product Specifications

Application Specification

English