Product data sheet

Specifications



Telequick mounting plate for PLA enclosure H500xW750mm

NSYPMR57

Main

Range	Thalassa
Accessory / separate part categor	Mounting accessory
product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
mounting location	Back inserts Step slide
Mounting plate description	Telequick perforated
Range compatibility	Thalassa Thalassa PLA
Device composition	1 mounting plate
Material	Galvanised steel

Complementary

Fixing mode	By screws - screw type M8 - on back inserts location
Permanent permissible load	150 kg
Height	Nominal: 500 mm Real: 370 mm
Width	Nominal: 750 mm Real: 626 mm
Depth	Real : 15 mm
Cut-out dimensions	11 x 26 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	37.0 cm
Package 1 Length	64.0 cm
Package 1 Weight	1.832 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	72
Package 2 Height	50.0 cm
Package 2 Width	100.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	120.0 cm
Package 2 Weight	145.0 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency



RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations