





	6			5		4		3		2		1	
WITHOUT PEG OPTION													
CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "D"	PLATING OPTION 5		PLATING OPTION 4		PLATING OPTION 6					
				ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TAPE PACKED (WITHOUT CAP)			
04	2.00	4.19	4.65		79109-1001	79109-8401		79109-1051	79109-8451		79109-1101	79109-1149	79109-2801
06	4.00	6.19	4.65		79109-1002	79109-8402		79109-1052	79109-8452		79109-1102	-	-
08	6.00	8.19	4.65		79109-1003	79109-8403		79109-1053	79109-8453		79109-1103	-	-
10	8.00	10.19	4.65		79109-1004	79109-8404		79109-1054	79109-8454		79109-1104	-	-
12	10.00	12.19	4.65		79109-1005	79109-8405		79109-1055	79109-8455		79109-1105	-	-
14	12.00	14.19	4.65		79109-1006	79109-8406		79109-1056	79109-8456		79109-1106	-	-
16	14.00	16.19	4.65		79109-1007	79109-8407		79109-1057	79109-8457		79109-1107	-	-
18	16.00	18.19	4.65		79109-1008	79109-8408		79109-1058	79109-8458		79109-1108	-	-
20	18.00	20.19	4.65		79109-1009	79109-8409		79109-1059	79109-8459		79109-1109	-	-
22	20.00	22.19	4.65		79109-1010	79109-8410		79109-1060	79109-8460		79109-1110	-	-
24	22.00	24.19	4.65		79109-1011	79109-8411		79109-1061	79109-8461		79109-1111	-	-
26	24.00	26.19	4.65		79109-1012	79109-8412		79109-1062	79109-8462		79109-1112	-	-
28	26.00	28.19	4.65		79109-1013	79109-8413		79109-1063	79109-8463		79109-1113	-	-
30	28.00	30.19	4.65		79109-1014	79109-8414		79109-1064	79109-8464		79109-1114	-	-
32	30.00	32.19	4.65		79109-1015	79109-8415		79109-1065	79109-8465		79109-1115	-	-
34	32.00	34.19	4.65		79109-1016	79109-8416		79109-1066	79109-8466		79109-1116	-	-
36	34.00	36.19	4.65		79109-1017	79109-8417		79109-1067	79109-8467		79109-1117	-	-
38	36.00	38.19	4.65		79109-1018	79109-8418		79109-1068	79109-8468		79109-1118	-	-
40	38.00	40.19	4.65		79109-1019	79109-8419		79109-1069	79109-8469		79109-1119	-	-
42	40.00	42.19	4.65		79109-1020	79109-8420		79109-1070	79109-8470		79109-1120	-	-
44	42.00	44.19	4.65		79109-1021	79109-8421		79109-1071	79109-8471		79109-1121	-	-
46	44.00	46.19	4.65		79109-1022	79109-8422		79109-1072	79109-8472		79109-1122	-	-
48	46.00	48.19	4.65		79109-1023	79109-8423		79109-1073	79109-8473		79109-1123	-	-
50	48.00	50.19	4.65		79109-1024	79109-8424		79109-1074	79109-8474		79109-1124	-	-


"X" INDICATES TOOLING NOT AVAILABLE.

NOTES:

1. LEADER AND TRAILER TAPE.



2. PEELING OFF FORCE OF THE TOP TAPE: 20-80gf.
(PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



3. PACKAGING STANDARD IS AS PER EIA-481.
4. TAPE & REEL QUANTITY = 500 PCS/REEL

SPECIAL PACKAGING (TAPE PACKED WITHOUT CAP)

N10	CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "D"	ITEM NO.	PLATING OPTION SEE SHEET 1
	06	4.00	6.19	4.65	79109-9004	5
	20	18.00	20.19	4.65	79109-9005	5
	50	48.00	50.19	4.65	79109-9006	5
	34	32.00	34.19	4.65	79109-9007	5
	10	8.00	10.19	4.65	79109-9008	5

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																
DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex							
mm		NTS														
GENERAL TOLERANCES (UNLESS SPECIFIED)																
ANGULAR TOL		± °														
4 PLACES		±							EC NO: 821276					2MM DUAL ROW VERTICAL RECEPTACLE, SMT		
3 PLACES		±		DRWN: SUAIFR 2025/02/05												
2 PLACES		± 0.25		CHK'D: SUAIFR 2025/06/09												
1 PLACE		± 0.38		APPR: GANESY 2025/06/09					PRODUCT CUSTOMER DRAWING							
0 PLACES		±		INITIAL REVISION:					DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
				DRWN: ATSEE 2014/07/24					SDA-79109-XXXX		PSD		001		N10	
				APPR: LBLEE 2014/08/01												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
						A3-SIZE		79109				GENERAL MARKET		2 OF 10		

ASSEMBLIES WITHOUT PEGS

VOIDED CIRCUIT OPTION







CKT. SIZE	ASSEMBLY (WITHOUT CAP IN TUBE)	VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."D"
	PART NUMBER.	ROW	CKT. NO.(S)				
22	79109-5011	A	2	4	20.00	22.19	4.65
6	79109-5012	A	2	5	4.00	6.19	4.65

CKT. SIZE	ASSEMBLY (WITH CAP IN T&R)	VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."D"
	PART NUMBER	ROW	CKT. NO.(S)				
50	79109-8924	A	13, 23	5	48.00	50.19	4.65
		B	23				

NOTES:

1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS. HOWEVER, PIN WINDOWS WILL BE CLOSED.
2. VOIDS CAN ONLY BE PRESENT IN ONE ROW OF A CONNECTOR.

PEG OPTION



PLATING OPTION:

- (4). 30µin (0.75µm) MIN. GOLD PLATE IN SELECTED AREA AND 75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER 50µin (1.25µm) MIN. NICKEL OVER-ALL.
- (5). 15µin (0.38µm) MIN. GOLD PLATE IN SELECTED AREA AND 75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER 50µin (1.25µm) MIN. NICKEL OVER-ALL.
- (6). 5µin (0.13µm) MIN. GOLD PLATE IN SELECTED AREA AND 75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER 50µin (1.25µm) MIN. NICKEL OVER-ALL.

NOTES:

- 1. HOUSING MATERIAL: GLASS FILLED HIGH TEMP. THERMOPLASTIC. COLOR:BLACK.
- 2. TERMINAL MATERIAL: PHOSPHOR BRONZE.
- 3. SEE APPROPRIATE SHEET FOR CIRCUIT SIZE, PART NUMBERS AND OVER-ALL DIMENSIONS.
- 4. FOR ILLUSTRATION, 6 & 12 CIRCUIT ASSEMBLY SHOWN.
- 5. REFER TO PRODUCT SPECIFICATION PS-79107.
- 6. TUBE PACKAGING PER PK-70873-0217 OR TAPE PACKAGING PER 70873-0259.
- 7. SEE PSX-79107 FOR SUGGESTED BOTTOM ENTRY PIN LENGTHS.
- 8. 0.89±0.05 DIA FOR PRESS FIT ONLY. 0.99±0.05 FOR PICK AND PLACE WITH MOUNTING FORCE 1.20±0.076 FOR PICK AND PLACE WITH ZERO MOUNTING FORCE
- 9. MEASUREMENT IS TAKEN BETWEEN THE TANGENT OF THE TOE TO TIP OF THE TERMINAL.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT	
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± °				EC NO: 821276 DRWN: SUAIFR					

PEG OPTION

SPECIAL PACKAGING (TAPE PACKED WITHOUT CAP)

N10

CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	ITEM NO.	PLATING OPTION SEE SHEET 1
50	48.00	50.19	46.00	4.65	79109-9103	5
10	8.00	10.19	6.00	4.65	79109-9105	5

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC:			molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT PRODUCT CUSTOMER DRAWING				
mm	NTS								
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL	± °								
4 PLACES	±								
3 PLACES	±	EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY	2025/02/05 2025/06/09 2025/06/09	DOCUMENT NUMBER SDA-79109-XXXX			DOC TYPE PSD	DOC PART 001	REVISION N10
2 PLACES	± 0.25								
1 PLACE	± 0.38								
0 PLACES	±	INITIAL REVISION: DRWN: ATSEE APPR: LBLEE		2014/07/24 2014/08/01					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER		
			A3-SIZE	79109		GENERAL MARKET	6 OF 10		

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																					
SPECIAL - CUSTOM TERMINAL FEET																																																																																																																																																																																																																																																																																														
PEG OPTION																																																																																																																																																																																																																																																																																														
<table><tr><th rowspan="2">CKT. SIZE</th><th rowspan="2">DIM. "A"</th><th rowspan="2">DIM. "B"</th><th rowspan="2">DIM. "C"</th><th rowspan="2">DIM. "D"</th><th colspan="5">PLATING OPTION 5</th></tr><tr><th>ITEM NO. TUBE PACKED (WITHOUT CAP)</th><th>ITEM NO. TAPE PACKED (WITH CAP)</th><th>ITEM NO. TUBE PACKED (WITH CAP)</th></tr><tr><td>04</td><td>2.00</td><td>4.19</td><td>-</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8751</td><td>X</td><td></td></tr><tr><td>06</td><td>4.00</td><td>6.19</td><td>2.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8752</td><td>X</td><td></td></tr><tr><td>08</td><td>6.00</td><td>8.19</td><td>4.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8753</td><td>X</td><td></td></tr><tr><td>10</td><td>8.00</td><td>10.19</td><td>6.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8754</td><td>X</td><td></td></tr><tr><td>12</td><td>10.00</td><td>12.19</td><td>8.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8755</td><td>X</td><td></td></tr><tr><td>14</td><td>12.00</td><td>14.19</td><td>10.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8756</td><td>X</td><td></td></tr><tr><td>16</td><td>14.00</td><td>16.19</td><td>12.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8757</td><td>X</td><td></td></tr><tr><td>18</td><td>16.00</td><td>18.19</td><td>14.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8758</td><td>X</td><td></td></tr><tr><td>20</td><td>18.00</td><td>20.19</td><td>16.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8759</td><td>X</td><td></td></tr><tr><td>22</td><td>20.00</td><td>22.19</td><td>18.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8760</td><td>X</td><td></td></tr><tr><td>24</td><td>22.00</td><td>24.19</td><td>20.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8761</td><td>X</td><td></td></tr><tr><td>26</td><td>24.00</td><td>26.19</td><td>22.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8762</td><td>X</td><td></td></tr><tr><td>28</td><td>26.00</td><td>28.19</td><td>24.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8763</td><td>X</td><td></td></tr><tr><td>30</td><td>28.00</td><td>30.19</td><td>26.00</td><td>4.70</td><td></td><td>79109-7010</td><td></td><td>79109-8764</td><td>X</td><td>79109-7065</td></tr><tr><td>32</td><td>30.00</td><td>32.19</td><td>28.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8765</td><td>X</td><td></td></tr><tr><td>34</td><td>32.00</td><td>34.19</td><td>30.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8766</td><td>X</td><td></td></tr><tr><td>36</td><td>34.00</td><td>36.19</td><td>32.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8767</td><td>X</td><td></td></tr><tr><td>38</td><td>36.00</td><td>38.19</td><td>34.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8768</td><td>X</td><td></td></tr><tr><td>40</td><td>38.00</td><td>40.19</td><td>36.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8769</td><td>X</td><td></td></tr><tr><td>42</td><td>40.00</td><td>42.19</td><td>38.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>44</td><td>42.00</td><td>44.19</td><td>40.00</td><td>4.70</td><td></td><td>79109-7016</td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>46</td><td>44.00</td><td>46.19</td><td>42.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>48</td><td>46.00</td><td>48.19</td><td>44.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>50</td><td>48.00</td><td>50.19</td><td>46.00</td><td>4.70</td><td></td><td>79109-7015</td><td>X</td><td>N.A.</td><td>X</td><td></td></tr></table>										CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	PLATING OPTION 5					ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TUBE PACKED (WITH CAP)	04	2.00	4.19	-	4.70	X		X	79109-8751	X		06	4.00	6.19	2.00	4.70	X		X	79109-8752	X		08	6.00	8.19	4.00	4.70	X		X	79109-8753	X		10	8.00	10.19	6.00	4.70	X		X	79109-8754	X		12	10.00	12.19	8.00	4.70	X		X	79109-8755	X		14	12.00	14.19	10.00	4.70	X		X	79109-8756	X		16	14.00	16.19	12.00	4.70	X		X	79109-8757	X		18	16.00	18.19	14.00	4.70	X		X	79109-8758	X		20	18.00	20.19	16.00	4.70	X		X	79109-8759	X		22	20.00	22.19	18.00	4.70	X		X	79109-8760	X		24	22.00	24.19	20.00	4.70	X		X	79109-8761	X		26	24.00	26.19	22.00	4.70	X		X	79109-8762	X		28	26.00	28.19	24.00	4.70	X		X	79109-8763	X		30	28.00	30.19	26.00	4.70		79109-7010		79109-8764	X	79109-7065	32	30.00	32.19	28.00	4.70	X		X	79109-8765	X		34	32.00	34.19	30.00	4.70	X		X	79109-8766	X		36	34.00	36.19	32.00	4.70	X		X	79109-8767	X		38	36.00	38.19	34.00	4.70	X		X	79109-8768	X		40	38.00	40.19	36.00	4.70	X		X	79109-8769	X		42	40.00	42.19	38.00	4.70	X		X	N.A.	X		44	42.00	44.19	40.00	4.70		79109-7016	X	N.A.	X		46	44.00	46.19	42.00	4.70	X		X	N.A.	X		48	46.00	48.19	44.00	4.70	X		X	N.A.	X		50	48.00	50.19	46.00	4.70		79109-7015	X	N.A.	X	
CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	PLATING OPTION 5																																																																																																																																																																																																																																																																																									
					ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TUBE PACKED (WITH CAP)																																																																																																																																																																																																																																																																																							
04	2.00	4.19	-	4.70	X		X	79109-8751	X																																																																																																																																																																																																																																																																																					
06	4.00	6.19	2.00	4.70	X		X	79109-8752	X																																																																																																																																																																																																																																																																																					
08	6.00	8.19	4.00	4.70	X		X	79109-8753	X																																																																																																																																																																																																																																																																																					
10	8.00	10.19	6.00	4.70	X		X	79109-8754	X																																																																																																																																																																																																																																																																																					
12	10.00	12.19	8.00	4.70	X		X	79109-8755	X																																																																																																																																																																																																																																																																																					
14	12.00	14.19	10.00	4.70	X		X	79109-8756	X																																																																																																																																																																																																																																																																																					
16	14.00	16.19	12.00	4.70	X		X	79109-8757	X																																																																																																																																																																																																																																																																																					
18	16.00	18.19	14.00	4.70	X		X	79109-8758	X																																																																																																																																																																																																																																																																																					
20	18.00	20.19	16.00	4.70	X		X	79109-8759	X																																																																																																																																																																																																																																																																																					
22	20.00	22.19	18.00	4.70	X		X	79109-8760	X																																																																																																																																																																																																																																																																																					
24	22.00	24.19	20.00	4.70	X		X	79109-8761	X																																																																																																																																																																																																																																																																																					
26	24.00	26.19	22.00	4.70	X		X	79109-8762	X																																																																																																																																																																																																																																																																																					
28	26.00	28.19	24.00	4.70	X		X	79109-8763	X																																																																																																																																																																																																																																																																																					
30	28.00	30.19	26.00	4.70		79109-7010		79109-8764	X	79109-7065																																																																																																																																																																																																																																																																																				
32	30.00	32.19	28.00	4.70	X		X	79109-8765	X																																																																																																																																																																																																																																																																																					
34	32.00	34.19	30.00	4.70	X		X	79109-8766	X																																																																																																																																																																																																																																																																																					
36	34.00	36.19	32.00	4.70	X		X	79109-8767	X																																																																																																																																																																																																																																																																																					
38	36.00	38.19	34.00	4.70	X		X	79109-8768	X																																																																																																																																																																																																																																																																																					
40	38.00	40.19	36.00	4.70	X		X	79109-8769	X																																																																																																																																																																																																																																																																																					
42	40.00	42.19	38.00	4.70	X		X	N.A.	X																																																																																																																																																																																																																																																																																					
44	42.00	44.19	40.00	4.70		79109-7016	X	N.A.	X																																																																																																																																																																																																																																																																																					
46	44.00	46.19	42.00	4.70	X		X	N.A.	X																																																																																																																																																																																																																																																																																					
48	46.00	48.19	44.00	4.70	X		X	N.A.	X																																																																																																																																																																																																																																																																																					
50	48.00	50.19	46.00	4.70		79109-7015	X	N.A.	X																																																																																																																																																																																																																																																																																					
'X' INDICATES TOOLING NOT AVAILABLE																																																																																																																																																																																																																																																																																														

SPECIAL - CUSTOM TERMINAL FEET

VOIDED CURCUIT OPTION

CKT. SIZE	ASSEMBLY			VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."C"	DIM."D"	PEG OPTION
	ITEM NO. TUBE PACKED (WITHOUT CAP)		ITEM NO. TAPE PACKED (WITH CAP)	ROW	CKT. NO.(S)						
48	79109-7011	X	79109-8385	ROW A	1, 24	5	46.00	48.19	44.00	4.70	YES
42	79109-7012	X	79109-8386	ROW A	1, 21	5	40.00	42.19	38.00	4.70	YES
20	79109-7013	X	79109-8387	ROW A	1, 10	5	18.00	20.19	16.00	4.70	YES
50	79109-7014	X	79109-8388	ROW B	13	5	48.00	50.19	46.00	4.70	YES
50	79109-7017	X	79109-8988	ROW B	13	5	48.00	50.19	46.00	4.70	NO

'X' INDICATES TOOLING NOT AVAILABLE.

NOTES:

1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS. HOWEVER, PIN WINDOWS WILL BE CLOSED.
2. VOIDS CAN ONLY BE PRESENT IN ONE ROW OF A CONNECTOR.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT PRODUCT CUSTOMER DRAWING									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY								2025/02/05 2025/06/09 2025/06/09					
ANGULAR TOL		± °		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
4 PLACES		±		DRWN: ATSEE				2014/07/24		SDA-79109-XXXX		PSD		001		N10	
3 PLACES		±		APPR: LBLEE				2014/08/01									
2 PLACES		± 0.25															
1 PLACE		± 0.38															
0 PLACES		±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		79109				GENERAL MARKET		9 OF 10			

