
202515-3 × OBSOLETE



AMP | AMP M Series

TE Internal #: 202515-3

TE Internal Description: 42 POS BLOCK

View on TE.com >



Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: tris(2-methoxyethoxy)vinylsilane (.11% in Component Part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | AMP M Series



Board-to-Board Jumpers & Shunts(4)




Connector Caps & Covers(14)



Connector Contacts(51)



Connector Strain Relief(13)



PCB Headers & Receptacles(9)

Rack & Panel Connectors(1)

Rectangular Power Connectors(82)

Wire-to-Board Headers & Receptacles (1)

Customers Also Bought



TE Part #66098-1
III+ PIN,18-16,30AU>10,STRIP




TE Part #111614-2
014 STRAIN RELIEF 2MM




TE Part #1-111623-9
14, 2MM, POL,30 DP, LEAD FREE



TE Part #440053-3
2.5MM,HDR,3POS,R/A



TE Part #2-520263-4
ULTRA-FAST 250 ASY REC 22-18 TPBR



TE Part #3-520406-2
ULTRA-FAST 250 ASY REC 16-14 AWG TPBR



TE Part #2-1676913-6
YR1 0.1% 1K0



TE Part #2176057-1
RLP73V 3A R010 1% 1K RL



TE Part #103956-3
5X4 MTE RCPT SR LATCH .100CL

TE Part #43014-16-24PN-4
HERM RECP

Documents

Product Drawings

42 POS BLOCK

English

CAD Files

Customer View Model

ENG_CVM_202515-3_H.3d_igs.zip

English

Customer View Model

ENG_CVM_202515-3_H.3d_stp.zip

English

Customer View Model

ENG_CVM_202515-3_H.2d_dxf.zip

English

3D PDF

English

Customer View Model

ENG_CVM_CVM_202515-3_W.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_202515-3_W.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_202515-3_W.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

M_SERIES_PIN_AND_SOCKET_CONNECTORS

English

Instruction Sheets

Instruction Sheet (U.S.)

English

ASSEMBLY INSTRUCTIONS FOR AP* 42 POSITION SERIES "M" CONNECTORS

English

Instruction Sheet (U.S.)

English

LATCHING SHIELD AND PIN HOOD FOR 50 POSITION "M" SERIES CONNECTOR

English

Agency Approvals

Agency Approval Document

English