




Terminals & Splices > Splices



Splice Type: **Butt Splice**
Wire Size: **.3 – 1.42 mm²**
Sealable: **No**
Splice Features: **Serrated**

Features

Product Type Features

Splice Accessory Type	Splice
Style Code	A
Splice Type	Butt Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Product Weight	1.018 g
Splice Features	Serrated
Primary Product Color	Orange

Contact Features

Contact Base Material	Nickel
-----------------------	--------



Barrel Type	Closed
-------------	--------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Outside Diameter	3.58 mm[.141 in]
Wire Size	509 – 3260 CMA
Barrel Inside Diameter	1.55 mm[.061 in]
Terminal Material Thickness	.76 mm[.03 in]
Product Length	14.68 mm[.578 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Compatible Parts



Customers Also Bought





TE Part #2003101-F
HDIM500GUY8P5; PRES; 0..
500MBARD;SMD;5V



TE Part #800244-SF
FN382-4-21




TE Part #CB03314003
RW-200-E-3/16-0-SP



TE Part #84984-8
1mm FFC DIP V ASSY 8P NAT(TB)



TE Part #208716-1
CMC PLUG ASSEMBLY,SZ 14



TE Part #641300-1
MR RECPT PTPHBZ LP 26-18



TE Part #1318108-1
DYNAMIC D-2000 REC CONT S L/P



TE Part #1625971-7
HSA25 120R 5%



TE Part #1-1825910-4
FSM8JH=6MM TACT SWITCH, HIGH
TEMP

TE Part #ER7277-000
55A0111-18-0-2KF/1

Documents

Product Drawings

SOLIS BUTT HT 22-16COM22-18MIL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_322324_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_322324_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_322324_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



STRATO-THERM Terminals & Splices for High Temperature Applications

English

Product Specifications

Application Specification

English