


© 2020 TE Connectivity. All Rights Reserved.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED PER ECN-22-173278	13SEP2022	N.H	L.C
	A1	REVISED PER ECR-24-198337	29JAN2024	N.H	L.C
	B	REVISED PER ECR-25-238634	23JUN2025	N.H	J.H
	B1	REVISED PER ECR-25-252798	21AUG2025	N.H	J.H

KEYING A SHOWN FOR 5 POSITION












SCALE 5:1


5 POS KEY A

KEYING B SHOWN FOR 5 POSITION












SCALE 5:1


5 POS KEY B

KEYING C SHOWN FOR 5 POSITION















5 POS KEY C
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN LEO CHEN 24MAR2020	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.30 2 PLC ±0.15 3 PLC ±- 4 PLC ±- ANGLES ±-	CHK DANIEL ZHANG 24MAR2020	NAME PLUG HOUSING, CRIMP VERSION SGI 1.25 -
		APVD DANIEL ZHANG 24MAR2020	
		PRODUCT SPEC 108-106451	
		APPLICATION SPEC 114-106497	SIZE A2 / CAGE CODE 00779 / DRAWING NO C-2371404 / RESTRICTED TO -
MATERIAL 1	FINISH - -	WEIGHT -	SCALE 10:1 / SHEET 1 OF 6 / REV B1
		CUSTOMER DRAWING	

© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

KEYING ILLUSTRATION

POS \ KEY	KEY A	KEY B	KEY C
7-18 POS			
2-6 POS			

1. MATERIAL: NYLON, UL94V-0, COLOR: SEE TABLE.
2. APPLICABLE CONTACT P/N: 2371403-1.
3. RECOMMENDED MATING PART: SEE TABLE.
4. DIMENSIONS SHOW REPRESENT PRODUCT IN DRY, AS MOLDED, CONDITION.
5. GWEPT750°C NO FLAME PER IEC 60335-1.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.30
2 PLC ±0.15
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: -
FINISH: -

DWN LEO CHEN 24MAR2020
CHK DANIEL ZHANG 24MAR2020
APVD DANIEL ZHANG 24MAR2020
PRODUCT SPEC 108-106451
APPLICATION SPEC 114-106497
WEIGHT -

TE Connectivity

NAME PLUG HOUSING, CRIMP VERSION SGI 1.25
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2371404	-

CUSTOMER DRAWING | SCALE 5:1 | SHEET 2 OF 6 | REV B1

© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

WIRE RANGE	MATING HEADER RA	MATING HEADER VT	DIM C	DIM B	DIM A	POS	KEYING	COLOR	PLUG PART NO	
26-30AWG	2360538-2	2360540-2	3.85	1.25	6.23	2	A	NATURAL	2371404-2	
	2360538-3	2360540-3	5.10	2.50	7.00	3			2371404-3	
	2360538-4	2360540-4	6.35	3.75	8.25	4			2371404-4	
	2360538-5	2360540-5	7.60	5.00	9.50	5			2371404-5	
	2360538-6	2360540-6	8.85	6.25	8.85	6			2371404-6	
	2360538-7	2360540-7	10.10	7.50	10.10	7			2371404-7	
	2360538-8	2360540-8	11.35	8.75	11.35	8			2371404-8	
	2360538-9	2360540-9	12.60	10.00	12.60	9			2371404-9	
	1-2360538-0	1-2360540-0	13.85	11.25	13.85	10			1-2371404-0	
	1-2360538-1	1-2360540-1	15.10	12.50	15.10	11			1-2371404-1	
	1-2360538-2	1-2360540-2	16.35	13.75	16.35	12			1-2371404-2	
	1-2360538-3	1-2360540-3	17.60	15.00	17.60	13			1-2371404-3	
	1-2360538-4	1-2360540-4	18.85	16.25	18.85	14			1-2371404-4	
	1-2360538-5	1-2360540-5	20.10	17.50	20.10	15			1-2371404-5	
	1-2360538-6	1-2360540-6	21.35	18.75	21.35	16			1-2371404-6	
	1-2360538-7	1-2360540-7	22.60	20.00	22.60	17			1-2371404-7	
	1-2360538-8	1-2360540-8	23.85	21.25	23.85	18			1-2371404-8	
	2-2360538-2	2-2360540-2	3.85	1.25	6.23	2	B	BLACK	2-2371404-2	
	2-2360538-3	2-2360540-3	5.10	2.50	7.00	3			2-2371404-3	
	2-2360538-4	2-2360540-4	6.35	3.75	8.25	4			2-2371404-4	
	2-2360538-5	2-2360540-5	7.60	5.00	9.50	5			2-2371404-5	
	2-2360538-6	2-2360540-6	8.85	6.25	8.85	6			2-2371404-6	
	2-2360538-7	2-2360540-7	10.10	7.50	10.10	7			2-2371404-7	
	2-2360538-8	2-2360540-8	11.35	8.75	11.35	8			2-2371404-8	
	2-2360538-9	2-2360540-9	12.60	10.00	12.60	9			2-2371404-9	
	3-2360538-0	3-2360540-0	13.85	11.25	13.85	10			3-2371404-0	
	3-2360538-1	3-2360540-1	15.10	12.50	15.10	11			3-2371404-1	
	3-2360538-2	3-2360540-2	16.35	13.75	16.35	12			3-2371404-2	
	3-2360538-3	3-2360540-3	17.60	15.00	17.60	13			3-2371404-3	
	3-2360538-4	3-2360540-4	18.85	16.25	18.85	14			3-2371404-4	
	3-2360538-5	3-2360540-5	20.10	17.50	20.10	15			3-2371404-5	
	3-2360538-6	3-2360540-6	21.35	18.75	21.35	16			3-2371404-6	
	3-2360538-7	3-2360540-7	22.60	20.00	22.60	17			3-2371404-7	
	3-2360538-8	3-2360540-8	23.85	21.25	23.85	18			3-2371404-8	
	4-2360538-2	4-2360540-2	3.85	1.25	6.23	2	C	RED	4-2371404-2	OBSOLETE
	4-2360538-3	4-2360540-3	5.10	2.50	7.00	3			4-2371404-3	OBSOLETE
	4-2360538-4	4-2360540-4	6.35	3.75	8.25	4			4-2371404-4	OBSOLETE
	4-2360538-5	4-2360540-5	7.60	5.00	9.50	5			4-2371404-5	OBSOLETE
	4-2360538-6	4-2360540-6	8.85	6.25	9.75	6			4-2371404-6	
	4-2360538-7	4-2360540-7	10.10	7.50	11.00	7			4-2371404-7	OBSOLETE
	4-2360538-8	4-2360540-8	11.35	8.75	12.25	8			4-2371404-8	OBSOLETE
	4-2360538-9	4-2360540-9	12.60	10.00	13.50	9			4-2371404-9	OBSOLETE
	5-2360538-0	5-2360540-0	13.85	11.25	14.75	10			5-2371404-0	OBSOLETE
	5-2360538-1	5-2360540-1	15.10	12.50	16.00	11			5-2371404-1	OBSOLETE
	5-2360538-2	5-2360540-2	16.35	13.75	17.25	12			5-2371404-2	OBSOLETE
	5-2360538-3	5-2360540-3	17.60	15.00	18.85	13			5-2371404-3	OBSOLETE
	5-2360538-4	5-2360540-4	18.85	16.25	19.75	14			5-2371404-4	OBSOLETE
	5-2360538-5	5-2360540-5	20.10	17.50	21.00	15			5-2371404-5	OBSOLETE
	5-2360538-6	5-2360540-6	21.35	18.75	22.25	16			5-2371404-6	OBSOLETE
	5-2360538-7	5-2360540-7	22.60	20.00	23.50	17			5-2371404-7	OBSOLETE
	5-2360538-8	5-2360540-8	23.85	21.25	24.75	18			5-2371404-8	OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.30
2 PLC ±0.15
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -
- -

DWN LEO CHEN 24MAR2020
CHK DANIEL ZHANG 24MAR2020
APVD DANIEL ZHANG 24MAR2020
PRODUCT SPEC 108-106451
APPLICATION SPEC 114-106497
WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME PLUG HOUSING, CRIMP VERSION SGI 1.25
-


SIZE A2 | CAGE CODE 00779 | DRAWING NO C-2371404 | RESTRICTED TO -

SCALE 10:1 | SHEET 3 OF 6 | REV B1


© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


KEY A SHOWN FOR ALL POSITIONS




2 POSITION




3 POSITION




4 POSITION




5 POSITION




6 POSITION




7 POSITION




8 POSITION




9 POSITION




10 POSITION




11 POSITION




12 POSITION




13 POSITION




14 POSITION




15 POSITION



16 POSITION



17 POSITION



18 POSITION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±0.30
2 PLC ±0.15
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: -
FINISH: -

DWN LEO CHEN 24MAR2020
CHK DANIEL ZHANG 24MAR2020
APVD DANIEL ZHANG 24MAR2020
PRODUCT SPEC 108-106451
APPLICATION SPEC 114-106497
WEIGHT -

TE Connectivity

NAME PLUG HOUSING, CRIMP VERSION
SGI 1.25
-


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2371404	-

CUSTOMER DRAWING | SCALE 5:1 | SHEET 4 OF 6 | REV B1


© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


KEY B SHOWN FOR ALL POSITIONS




2 POSITION




3 POSITION




4 POSITION




5 POSITION




6 POSITION




7 POSITION




8 POSITION




9 POSITION




10 POSITION




11 POSITION




12 POSITION




13 POSITION




14 POSITION




15 POSITION



16 POSITION



17 POSITION




18 POSITION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN LEO CHEN 24MAR2020	TE Connectivity
		CHK DANIEL ZHANG 24MAR2020	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD DANIEL ZHANG 24MAR2020	NAME PLUG HOUSING, CRIMP VERSION SGI 1.25 -
	0 PLC ±- 1 PLC ±0.30 2 PLC ±0.15 3 PLC ±- 4 PLC ±- ANGLES ±-	PRODUCT SPEC 108-106451	
		APPLICATION SPEC 114-106497	SIZE A2 / CAGE CODE 00779 / DRAWING NO C-2371404 / RESTRICTED TO -
MATERIAL - -	FINISH - -	WEIGHT -	CUSTOMER DRAWING / SCALE 5:1 / SHEET 5 OF 6 / REV B1


© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


KEY C SHOWN FOR ALL POSITIONS




2 POSITION




3 POSITION




4 POSITION




5 POSITION




6 POSITION




7 POSITION




8 POSITION




9 POSITION




10 POSITION




11 POSITION




12 POSITION




13 POSITION




14 POSITION




15 POSITION



16 POSITION



17 POSITION



18 POSITION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.30
2 PLC	±0.15
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL: -

FINISH: -

DWN	LEO CHEN 24MAR2020
CHK	DANIEL ZHANG 24MAR2020
APVD	DANIEL ZHANG 24MAR2020
PRODUCT SPEC	108-106451
APPLICATION SPEC	114-106497
WEIGHT	-

TE Connectivity

NAME: PLUG HOUSING, CRIMP VERSION SGI 1.25 -

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2371404	-

CUSTOMER DRAWING | SCALE 5:1 | SHEET 6 OF 6 | REV B1