

1SNK516062R0000

✓ ACTIVE

TE Internal #: 1SNK516062R0000

Screw Clamp Terminal Block, Feed-Through, Signal, DIN Rail, -55 – 110 °C [-67 – 230 °F]

[View on TE.com >](#)



Connectors > Terminal Blocks & Strips > Modular Terminal Blocks



Block Function: **Feed-Through**

Modular Terminal Block Product Type: **Screw Clamp Terminal Block**

Circuit Application: **Signal**

Connector Mounting Type: **DIN Rail**

Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Modular Terminal Block Product Type	Screw Clamp Terminal Block
-------------------------------------	----------------------------

Configuration Features

Block Function	Feed-Through
----------------	--------------

Body Features

Product Weight	30 g[1.05 oz]
----------------	---------------

Mechanical Attachment

Connector Mounting Type	DIN Rail
-------------------------	----------

Dimensions

Product Width	16 mm[.629 in]
Product Depth	60.3 mm[2.37 in]
Product Length	60.3 mm[2.37 in]
Product Height	55.8 mm[2.2 in]

Usage Conditions

Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------



Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1SNK516030R0000
ZS35-OR



TE Part # 1SNK516150R0000
ZS35-PE




TE Part # 1SNK516020R0000
ZS35-BL

Customers Also Bought







TE Part #1SNK516061R0000
ZS35-RD



TE Part #1SNK516063R0000
ZS50-RD



TE Part #1SNK516021R0000
ZS50-BL




TE Part #1SNK516020R0000
ZS35-BL



TE Part #1SNK900001R0000
BAM4



TE Part #320571
PIDG R 22-16 COMM 22-18MIL 1/4



TE Part #2355443-2
RJ45 CAT5e PANEL MOUNT SOCKET (PBT)



TE Part #2355444-2
RJ45 PROTECTION CAP (PBT)



TE Part #2362760-2
IDC PLUG, PBT



TE Part #2386907-2
PLUG CONN CA,STD,SER 1,SZ11-4, LGTH 1.0 M

Documents

Product Drawings

ZS35-BK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK516062R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK516062R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK516062R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Agency Approvals

1SNK516062R0000

Screw Clamp Terminal Block, Feed-Through, Signal, DIN Rail, -55 – 110 °C [-67 – 230 ° F]



[ZK-ZS_ATEX_1SND225112U1006-C-TE](#)

English