Part Number : 1731120737

Product Description : FCT Machined Contact, Male, Crimp, 0.20µm Gold Plating, 22-28 AWG, 5000 pieces

Series Number : 173112

Status : Active

Product Category : D-Sub Contacts

Engineering Number : FK22P-02V-6097

## Documents & Resources

### Drawings

Drawing_1731120737_sd.pdf

### Specifications

Packaging Specification_1731120004-PK-000.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Contains Lead per D(2023)8585-DC (23 Jan 2024) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

# Part Details

## General

| | |
|---|---|
| Status | Active |
| Category | D-Sub Contacts |
| Series | 173112 |
| Description | FCT Machined Contact, Male, Crimp, 0.20µm Gold Plating, 22-28 AWG, 5000 pieces |
| Contact Type | Machined Crimp |
| Product Family | FCT D-Sub Connectors |
| Product Name | FCT Products |
| Type | High Density |
| UPC | 191128856140 |

## Electrical

| | |
|---|---|
| Current - Maximum per Contact | 5.0A |

## Physical

| | |
|---|---|
| Durability (mating cycles max) | 200 |
| Gender | Male |
| Material - Contact | Brass |
| Material - Plating Mating | Gold over Nickel |
| Material - Plating Termination | Gold over Nickel |
| Net Weight | 0.100/g |
| Orientation | Straight |
| Packaging Type | Bag |
| Plating min - Mating | 0.200µm |
| Plating min - Termination | 0.200µm |
| Temperature Range - Operating | -55° to +130°C |
| Termination Style | Crimp |
| Wire Size (AWG) | 22, 24, 26, 28 |

---

## Use with Part(s)

| Description | Part Number |
|---|---|

| | |
|---|---|
| Use With | FCT High-Density Connectors |

## Application Tooling

### Global

| Description | Part Number |
|---|---|
| FCT Hand Crimp Tool, Mini Frame, 8-Step Adjust | 1731121730 |
| FCT Locator for Size 22 Contacts, Plug | 1731121736 |
| FCT Installation and Removal Tool for High-Density Contacts | 1731121745 |
| FCT Installation and Removal Tool for High-Density Contacts | 1731121746 |