




TE Internal #: 328309
Yellow, Closed End Splice, 5.18 – 13.1 kcmil, 5180 – 13100 CMA,
Fully Insulated, Serrated, Copper, 10 Serration, 12.14 mm [.478 in]
Length
[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Closed End Splice**
Sealable: **No**
Splice Features: **Serrated**
Wire Size: **5.18 – 13.1 kcmil**

Features

Product Type Features

Splice Accessory Type	Wire Cap
Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Serrations	10
Compatible With Wire & Cable Type	Discrete Wire

Body Features

Insulation Material	Nylon
Insulation Type	Pre-Insulated
Splice Features	Serrated
Primary Product Color	Yellow

Contact Features

Military Part Class	Class I
---------------------	---------



Contact Base Material	Copper
Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Recovered Inside Diameter	3.43 mm[.135 in]
Outside Diameter	5.33 mm[.21 in]
Wire Size	5.18 – 13.1 kcmil
Terminal Material Thickness	.71 mm[.028 in]
Product Length	12.14 mm[.478 in]

Usage Conditions

Insulation Option	Fully Insulated
-------------------	-----------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	Yes
-----------------------------	-----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 59824-1
TETRA-CRIMP PIDG PG FASTON 22-10 ASSY

TE Part # 59239-4
HHHT PIDG PG 12-10 ASSY

TE Part # 58423-1
DIE, RBY IS9252

TE Part # 58433-3
PRO CR ASSY, RBY IS9252

TE Part # 47808-6
DIES PIDG 12-10 DIE SET

TE Part # 169400
CERTI-LOK FRAME W/O DIES

TE Part # 2063030-1
SDE DIESET, RBY, UL

TE Part # 169404
CERTI-LOK DIE

TE Part # 539691-2
ERGO DIE R.B.Y

Customers Also Bought



TE Part #D87851-000
HX-SCE-1K-4.8-50-4




TE Part #36153
PIDG R 22-16 COMM 22-18 MIL 10




TE Part #328307
SPARE WIRE CAP,RED 22-18 AWG




TE Part #328308
SPARE WIRE CAP,BLU, 16-14 AWG




TE Part #966067-6
FER,WIRE,PL SLV,.75/18,L10,GREY,LP




TE Part #1SNS420252Z0000
XUKHD212000 BNHD.VS1+diode
SKNa 26/18 M5




TE Part #1SNS320001Z1974
ASSEMBLY XUKHD8210-A-XR



TE Part #1SNS320001Z1958
ASSEMBLY XUKHD8010



TE Part #SF20
SF20



TE Part #1SNS320001Z1972
ASSEMBLY XUKHD8200-B-XR

Documents

Product Drawings

SPARE WIRE CAP,YEL, 12-10 AWG

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_328309_F.3d_igs.zip

English

Customer View Model

ENG_CVM_328309_F.3d_stp.zip

English

Customer View Model

ENG_CVM_328309_F.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English