234914-1 ✔ ACTIVE

Power Versa-Lock | Power Double Lock, Power Versa-Lock 5.0

TE Internal #: 234914-1

Insertion & Extraction Tools, Contact Extraction, Contact-to-Housing, Power Double Lock

View on TE.com >

Application Tooling > Insertion & Extraction Tools



Insertion & Extraction Tool Type: **Contact Extraction**

Insertion & Extraction Tool Application: **Contact-to-Housing**

Features

Product Type Features

Insertion & Extraction Tool Type	Contact Extraction
Insertion & Extraction Tool Application	Contact-to-Housing

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-P87024-T111
Power Double Lock Tab



TE Part # 2329909-1
Power Versa-Lock TAB, 22-26 AWG



TE Part # 2329906-1
Power Versa-Lock TAB, 18-20, 2X22 AWG



TE Part # 2329907-1
Power Versa-Lock SEAL TAB, 14-16 AWG



TE Part # 2329908-1
Power Versa-Lock SEAL TAB, 18-20 AWG

TE Part # 1-177917-2
AMP POWER DBL LOCK TAB(L)

TE Part # 177917-2
AMP POWER DBL BLOCK TAB(L)

TE Part # 179595-2
AMP POWER D/LOCK TAB CONT,L/P

TE Part # 2329906-2
PWR VERSA-LOCK TAB HC, 18-20, 2X22 AWG

TE Part # 2329907-2
PWR VERSA-LOCK SEAL TAB HC, 14-16 AWG

TE Part # 2329908-2
PWR VERSA-LOCK SEAL TAB HC, 18-20AWG

Also in the Series | Power Double Lock



Connector Contacts(24)



Connector Hardware(14)



Insertion & Extraction Tools(2)



Rectangular Power Connectors(283)

Also in the Series | Power Versa-Lock 5.0



Connector Caps & Covers(3)



Connector Contacts(12)



Connector Hardware(5)



Connector Seals & Cavity Plugs(9)



Insertion & Extraction Tools(2)



Rectangular Power Connectors(77)

Customers Also Bought



TE Part # 177918-1
POWER DBL LOCK PLATE 2P



TE Part # 177917-1
AMP POWER DBL LOCK TAB (L)



TE Part # 63756-1
110 FASTON TAB TPBR



TE Part # 913923-1
EXTRACTON TOOL FOR 175150



TE Part # 91567-1
CCII POWER DBL LOCK S REC TAB 26-22 ASSY



TE Part # 0411-337-1205
EXT TOOL, SIZE 12, 12-14 AWG, E, ORG



TE Part # 0411-310-1605
EXT TOOL, SIZE 16, 16-18 AWG, T, LT BLU



TE Part # 91569-1
CCII POWER DBL LOCK L REC TAB 20-16 ASSY



TE Part # 2-853721-1
BLADE, SLUG

TE Part # 986170-2
TWEEZERS, MICRO, PRODUCTION

Documents

Product Drawings

EXT TOOL FOR POWER DBL LOK TAB

Japanese

Product Specifications

The Extraction Tool for AMP Power Double Lock connectors

Japanese