2-2330552-2 ✔ ACTIVE

TE Internal #: 2-2330552-2

Carrier, Black, PC + ABS

View on TE.com >

Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Carrier**

Primary Product Color: **Black**

Primary Product Material: **PC + ABS**

Operating Temperature (Max): **100 °C [212 °F]**

Operating Temperature Range: **-25 – 100 °C [-13 – 212 °F]**

Features

Product Type Features

Connector Cover Type	Carrier

Body Features

Primary Product Color	Black
Primary Product Material	PC + ABS

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-25 – 100 °C[-13 – 212 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Box & Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)

	Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




TE Part # 1-2324271-2
LEFT SEGMENT LGA4189-4 SOCKET-P4 FOR ODM




TE Part # 1-2332283-1
LGA4189-4 SOCKET P4 KIT FOR ODM (30U AU)




TE Part # 1-2324271-4
LEFT SEGMENT LGA4189-4 SOCKET-P4 FOR ODM



TE Part # 1-2324271-3
RIGHT SEGMENT LGA4189-4 SOCKETP4 FOR ODM



TE Part # 1-2324271-1
RIGHT SEGMENT LGA4189-4 SOCKETP4 FOR ODM



TE Part # 1-2332283-2
LGA4189-4 SOCKET P4 KIT FOR ODM (15U AU)

Customers Also Bought



TE Part #2127931-2
C/A, SFP+, GENERIC, 1.0M




TE Part #1-2351052-2
LGA4677 E1B ASSY




TE Part #1-2351052-5
LGA4677 E1A ASSY

TE Part #2369957-6
SLIM SAS 4X VT 100OHM



TE Part #2405568-1
LGA4710 TFLM ASSEMBLY W/O COVER



TE Part #2405569-2
LGA4710 BACKPLATE ASSY,LONG STUD

TE Part #2452233-1
PCIE CEM X16 TO 2X8MCIO RA pull tab

TE Part #2394366-3
CABLE ASSY, PADDLE CARD TO SLIVER YV3.5

TE Part #2429965-1
SLIVER 2.0 4C+ DLF TO 4C+ PADDLE CARD

TE Part #2468368-1
MB-XLE TO RAPID LOCK

Documents

Product Drawings

ICX POINT PHM ASSY, P4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2330552-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2330552-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2330552-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

LGA 4189 Socket and Hardware

English

1-1773982-5-lga_4189_flyer_cn

English

Product Specifications

Application Specification

English