2484791-1 ✔ ACTIVE

SMA

TE Internal #: 2484791-1

SMA Connector, Plug, 50 ohm, Threaded, 3 GHz, Cable-to-Cable, 1 Position, Wire & Cable, -65 – 165 °C [-85 – 329 °F], Solder, Right Angle, Brass, SMA

View on TE.com >

Connectors > RF Connectors > Coax Connectors



RF Interface: **SMA**

RF Connector Style: **Plug**

Impedance: **50 Ω**

RF Connector Coupling Mechanism: **Threaded**

Operating Frequency Range: **3 GHz**

Features

Product Type Features

RF Interface	SMA
RF Connector Style	Plug
Connector System	Cable-to-Cable
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω

Body Features

Body Underplating Material	Nickel
Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Gold

Contact Features

	30 µin
Outer Contact Plating Material	Gold (Au)
Ferrule Plating Material	Gold
Ferrule Material	Brass
Crimp Type	Hexagonal Crimping
RF Connector Contact Configuration	Captivated
RF Connector Center Contact Underplating Material	Nickel
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Brass

Termination Features

Termination Method to Wire & Cable	Solder

Mechanical Attachment

RF Connector Coupling Mechanism	Threaded
RF Contact Captivation Method	Mechanical
Detent	Without

Housing Features

Body Orientation	Right Angle

Usage Conditions

Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]

Operation/Application

Circuit Application	Signal
Operating Frequency Range	3 GHz

Packaging Features

Packaging Quantity	1
Packaging Method	Bag

Other

Coupling Nut Base Material	Brass
Coupling Nut Plating Material	Gold
Coupling Nut Plating Finish	Plated
Dielectric Material	Polytetrafluoroethylene (PTFE)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.34% in Component Part) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CONSMA001-C-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # 2466279-1
SMA Jack Str PCB Thru hole 18 Ghz Au 50



TE Part # CONSMA001-SMD-G-T
SMA Jack 50 Ohm PCB Surface Mount



TE Part # 2485924-1
SMA Jack St Hermetic Front Mount 26.5G



TE Part # 2476193-1
SMA Jack St Hermetic Seal Panel 26.5 GHz



TE Part # 2478083-1
SMA Jack to SMA Jack Hermetic Bulkhead



TE Part # 2485922-1
SMA Jack Hermetic PNL F-Thru Knife Edge



TE Part # 2485928-1
SMA Jack to TNC Jack Bulkhead 11 GHz SUS



TE Part # 2485921-1
SMA Jack St Hermetic Pnl Feedthru 26.5G




TE Part # CONSMA008
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA001
SMA Jack 50 Ohm PCB Through Hole

Also in the Series | SMA




Battery Holders(1)



Connector Adapters & Connector Savers(8)




Connector Caps & Covers(3)



Connector Hardware(2)



Connector Strain Relief(1)



RF Cable Assemblies(119)



RF Terminators(1)

Customers Also Bought



TE Part #ANT-915-CPA
Antenna CER Patch 40mm Sq 915MHz Adh THM



TE Part #5053202016
RNF-100-1/2-2-STK




TE Part #2-350377-0
MR SPLT GROMET .156 DIA BLK LF




TE Part #1410189-1
MULTIGIG RT T2 7RW H-LFT,ET2




TE Part #4-1462037-7
IM07GR=IM RELAY 200mW 24VDC



TE Part #2-2176326-6
CRGP 0603 1K2 1%



TE Part #2311770-2
AMPL REC, HD22, R/A, 44P, S/L



TE Part #2484789-1
SMA Plug Str Crimp RG174 188A 316 6 GHz



TE Part #5745782-4
15 MSFL RCPT RA 318 (IN,FM)



TE Part #5747841-4
15 MSFL PLUG RA 318 (IN,FM,BL)

Documents

Product Drawings

SMA Plug RA Crimp RG174 188A 316 3 GHz

English

CAD Files

Customer View Model

ENG_CVM_CVM_2484791-1_1.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2484791-1_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2484791-1_1.3d_igs.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

rf-connectors-product-extension-flyer-en

English

test-probe-connector-en-flyer

English

Product Specifications

Product Specification

English