





NOTES:

1. HOUSING MATERIAL:
LCP, GLASS FILLED, UL 94V-0
COLOUR BLACK.
2. TERMINAL MATERIAL:
PHOSPHOR BRONZE
3. SEE APPROPRIATE SHEET FOR CIRCUIT SIZE,
PART NUMBERS AND OVERALL DIMENSIONS.
4. FOR ILLUSTRATION, 6 CKT ASSY SHOWN.
5. REFER TO PRODUCT SPEC PS-79107.
6. TUBE PACKAGING PER PK-70873-0217 OR
TAPE PACKAGING PER PK-70873-0259
7. SEE FROM SHT 4 FOR PEG OPTION ASSEMBLIES.
8. CKT LOCATIONS ARE NUMBERED FROM LEFT TO
RIGHT WHEN VIEWING ASSY FROM TOP WITH
THE GATE RECESS ON THE RIGHT AS SHOWN.
9. SEE SHT 3, 7 & 9 FOR VOIDED CIRCUIT PART NUMBERS.
10. MEASUREMENT IS TAKEN BETWEEN THE TANGENT OF
THE TOE TO TIP OF THE TERMINAL.

PLATING OPTION:

- (4). 30µin (0.75µm) MIN. GOLD PLATE IN SELECTED AREA AND
75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER
50µin (1.25µm) MIN. NICKEL OVER-ALL.
- (5). 15µin (0.38µm) MIN. GOLD PLATE IN SELECTED AREA AND
75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER
50µin (1.25µm) MIN. NICKEL OVER-ALL.
- (6). 5µin (0.13µm) MIN. GOLD PLATE IN SELECTED AREA AND
75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER
50µin (1.25µm) MIN. NICKEL OVER-ALL.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:									
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY 2025/02/05 2025/06/09 2025/06/09 INITIAL REVISION: DRWN: ATSEE APPR: LBLEE 2014/07/24 2014/08/01									
ANGULAR TOL ± °													
4 PLACES		±											
3 PLACES		±											
2 PLACES		± 0.25											
1 PLACE		± 0.38											
0 PLACES		±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES					
						A3-SIZE		79109					
molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT PRODUCT CUSTOMER DRAWING						DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
						SDA-79109-XXXX		PSD		001		N10	
						MATERIAL NUMBER		CUSTOMER				SHEET NUMBER	
								GENERAL MARKET				1 OF 10	

A

ASSEMBLIES WITHOUT PEGS

VOIDED CIRCUIT OPTION





CKT. SIZE	ASSEMBLY (WITHOUT CAP IN TUBE)	VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."D"
	PART NUMBER.	ROW	CKT. NO.(S)				
22	79109-5011	A	2	4	20.00	22.19	4.65
6	79109-5012	A	2	5	4.00	6.19	4.65

CKT. SIZE	ASSEMBLY (WITH CAP IN T&R)	VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."D"
	PART NUMBER	ROW	CKT. NO.(S)				
50	79109-8924	A	13, 23	5	48.00	50.19	4.65
		B	23				

NOTES:



1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS. HOWEVER, PIN WINDOWS WILL BE CLOSED.
2. VOIDS CAN ONLY BE PRESENT IN ONE ROW OF A CONNECTOR.

PEG OPTION



- PLATING OPTION:**
- (4). 30µin (0.75µm) MIN. GOLD PLATE IN SELECTED AREA AND 75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER 50µin (1.25µm) MIN. NICKEL OVER-ALL.
 - (5). 15µin (0.38µm) MIN. GOLD PLATE IN SELECTED AREA AND 75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER 50µin (1.25µm) MIN. NICKEL OVER-ALL.
 - (6). 5µin (0.13µm) MIN. GOLD PLATE IN SELECTED AREA AND 75µin (1.88µm) MIN. TIN IN SELECTED AREA OVER 50µin (1.25µm) MIN. NICKEL OVER-ALL.

- NOTES:**
- 1. HOUSING MATERIAL: GLASS FILLED HIGH TEMP. THERMOPLASTIC. COLOR:BLACK.
 - 2. TERMINAL MATERIAL: PHOSPHOR BRONZE.
 - 3. SEE APPROPRIATE SHEET FOR CIRCUIT SIZE, PART NUMBERS AND OVER-ALL DIMENSIONS.
 - 4. FOR ILLUSTRATION, 6 & 12 CIRCUIT ASSEMBLY SHOWN.
 - 5. REFER TO PRODUCT SPECIFICATION PS-79107.
 - 6. TUBE PACKAGING PER PK-70873-0217 OR TAPE PACKAGING PER 70873-0259.
 - 7. SEE PSX-79107 FOR SUGGESTED BOTTOM ENTRY PIN LENGTHS.
 - 8. 0.89±0.05 DIA FOR PRESS FIT ONLY.
0.99±0.05 FOR PICK AND PLACE WITH MOUNTING FORCE
1.20±0.076 FOR PICK AND PLACE WITH ZERO MOUNTING FORCE
 - 9. MEASUREMENT IS TAKEN BETWEEN THE TANGENT OF THE TOE TO TIP OF THE TERMINAL.



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)																	
ANGULAR TOL ± °																	
4 PLACES		±															
3 PLACES		±															
2 PLACES		± 0.25															
1 PLACE		± 0.38															
0 PLACES		±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE	
						A3-SIZE		79109		SDA-79109-XXXX		PSD		001		N10	

PEG OPTION

SPECIAL PACKAGING (TAPE PACKED WITHOUT CAP)

N10

CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	ITEM NO.	PLATING OPTION SEE SHEET 1
50	48.00	50.19	46.00	4.65	79109-9103	5
10	8.00	10.19	6.00	4.65	79109-9105	5

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.25

1 PLACE ± 0.38

0 PLACES ±

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 821276
DRWN: SUAIFR
CHK'D: SUAIFR
APPR: GANESY

INITIAL REVISION:
DRWN: ATSEE
APPR: LBLEE

THIRD ANGLE PROJECTION

DRAWING
A3-SIZE

SERIES
79109

DOCUMENT NUMBER

SDA-79109-XXXX

CUSTOMER

GENERAL MARKET

DOC TYPE

PSD

DOC PART

001

REVISION

N10

SHEET NUMBER

6 OF 10

2MM DUAL ROW
VERTICAL RECEPTACLE, SMT

PRODUCT CUSTOMER DRAWING

molex

2025/02/05
2025/06/09
2025/06/09

2014/07/24
2014/08/01

DOCUMENT STATUS

P1

RELEASE DATE

2025/06/09

10:01:15

9

8

7

6

5

4

3

2

1

ASSEMBLIES WITH PEGS

VOIDED CIRCUIT OPTION

CKT. SIZE	ASSEMBLY (WITHOUT CAP IN TUBE)	VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."C"	DIM."D"
	ITEM NO.	ROW	CKT. NO.(S)					
48	79109-6011	ROW A	1, 24	5	46.00	48.19	44.00	4.65
44	79109-6012	ROW B	10	5	42.00	44.19	42.00	4.65

NOTES:
1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS. HOWEVER, PIN WINDOWS WILL BE CLOSED.
2. VOIDS CAN ONLY BE PRESENT IN ONE ROW OF A CONNECTOR.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

NTS

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.25

1 PLACE ± 0.38

0 PLACES ±

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

CURRENT REV DESC:


EC NO: 821276
DRWN: SUAIFR
CHK'D: SUAIFR
APPR: GANESY

2025/02/05
2025/06/09
2025/06/09

INITIAL REVISION:
DRWN: ATSEE
APPR: LBLEE

2014/07/24
2014/08/01

THIRD ANGLE PROJECTION



DRAWING

A3-SIZE

SERIES

79109

MATERIAL NUMBER

CUSTOMER

GENERAL MARKET

SHEET NUMBER

7 OF 10

molex

2MM DUAL ROW
VERTICAL RECEPTACLE, SMT

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SDA-79109-XXXX

DOC TYPE

PSD

DOC PART

001

REVISION

N10

FORMAT: master-B-prod-A3
REVISION: J
DATE: 2020/01/14

10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																					
SPECIAL - CUSTOM TERMINAL FEET																																																																																																																																																																																																																																																																																														
PEG OPTION																																																																																																																																																																																																																																																																																														
<table><tr><th rowspan="2">CKT. SIZE</th><th rowspan="2">DIM. "A"</th><th rowspan="2">DIM. "B"</th><th rowspan="2">DIM. "C"</th><th rowspan="2">DIM. "D"</th><th colspan="5">PLATING OPTION 5</th></tr><tr><th>ITEM NO. TUBE PACKED (WITHOUT CAP)</th><th>ITEM NO. TAPE PACKED (WITH CAP)</th><th>ITEM NO. TUBE PACKED (WITH CAP)</th></tr><tr><td>04</td><td>2.00</td><td>4.19</td><td>-</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8751</td><td>X</td><td></td></tr><tr><td>06</td><td>4.00</td><td>6.19</td><td>2.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8752</td><td>X</td><td></td></tr><tr><td>08</td><td>6.00</td><td>8.19</td><td>4.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8753</td><td>X</td><td></td></tr><tr><td>10</td><td>8.00</td><td>10.19</td><td>6.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8754</td><td>X</td><td></td></tr><tr><td>12</td><td>10.00</td><td>12.19</td><td>8.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8755</td><td>X</td><td></td></tr><tr><td>14</td><td>12.00</td><td>14.19</td><td>10.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8756</td><td>X</td><td></td></tr><tr><td>16</td><td>14.00</td><td>16.19</td><td>12.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8757</td><td>X</td><td></td></tr><tr><td>18</td><td>16.00</td><td>18.19</td><td>14.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8758</td><td>X</td><td></td></tr><tr><td>20</td><td>18.00</td><td>20.19</td><td>16.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8759</td><td>X</td><td></td></tr><tr><td>22</td><td>20.00</td><td>22.19</td><td>18.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8760</td><td>X</td><td></td></tr><tr><td>24</td><td>22.00</td><td>24.19</td><td>20.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8761</td><td>X</td><td></td></tr><tr><td>26</td><td>24.00</td><td>26.19</td><td>22.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8762</td><td>X</td><td></td></tr><tr><td>28</td><td>26.00</td><td>28.19</td><td>24.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8763</td><td>X</td><td></td></tr><tr><td>30</td><td>28.00</td><td>30.19</td><td>26.00</td><td>4.70</td><td></td><td>79109-7010</td><td></td><td>79109-8764</td><td>X</td><td>79109-7065</td></tr><tr><td>32</td><td>30.00</td><td>32.19</td><td>28.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8765</td><td>X</td><td></td></tr><tr><td>34</td><td>32.00</td><td>34.19</td><td>30.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8766</td><td>X</td><td></td></tr><tr><td>36</td><td>34.00</td><td>36.19</td><td>32.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8767</td><td>X</td><td></td></tr><tr><td>38</td><td>36.00</td><td>38.19</td><td>34.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8768</td><td>X</td><td></td></tr><tr><td>40</td><td>38.00</td><td>40.19</td><td>36.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>79109-8769</td><td>X</td><td></td></tr><tr><td>42</td><td>40.00</td><td>42.19</td><td>38.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>44</td><td>42.00</td><td>44.19</td><td>40.00</td><td>4.70</td><td></td><td>79109-7016</td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>46</td><td>44.00</td><td>46.19</td><td>42.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>48</td><td>46.00</td><td>48.19</td><td>44.00</td><td>4.70</td><td>X</td><td></td><td>X</td><td>N.A.</td><td>X</td><td></td></tr><tr><td>50</td><td>48.00</td><td>50.19</td><td>46.00</td><td>4.70</td><td></td><td>79109-7015</td><td>X</td><td>N.A.</td><td>X</td><td></td></tr></table>										CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	PLATING OPTION 5					ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TUBE PACKED (WITH CAP)	04	2.00	4.19	-	4.70	X		X	79109-8751	X		06	4.00	6.19	2.00	4.70	X		X	79109-8752	X		08	6.00	8.19	4.00	4.70	X		X	79109-8753	X		10	8.00	10.19	6.00	4.70	X		X	79109-8754	X		12	10.00	12.19	8.00	4.70	X		X	79109-8755	X		14	12.00	14.19	10.00	4.70	X		X	79109-8756	X		16	14.00	16.19	12.00	4.70	X		X	79109-8757	X		18	16.00	18.19	14.00	4.70	X		X	79109-8758	X		20	18.00	20.19	16.00	4.70	X		X	79109-8759	X		22	20.00	22.19	18.00	4.70	X		X	79109-8760	X		24	22.00	24.19	20.00	4.70	X		X	79109-8761	X		26	24.00	26.19	22.00	4.70	X		X	79109-8762	X		28	26.00	28.19	24.00	4.70	X		X	79109-8763	X		30	28.00	30.19	26.00	4.70		79109-7010		79109-8764	X	79109-7065	32	30.00	32.19	28.00	4.70	X		X	79109-8765	X		34	32.00	34.19	30.00	4.70	X		X	79109-8766	X		36	34.00	36.19	32.00	4.70	X		X	79109-8767	X		38	36.00	38.19	34.00	4.70	X		X	79109-8768	X		40	38.00	40.19	36.00	4.70	X		X	79109-8769	X		42	40.00	42.19	38.00	4.70	X		X	N.A.	X		44	42.00	44.19	40.00	4.70		79109-7016	X	N.A.	X		46	44.00	46.19	42.00	4.70	X		X	N.A.	X		48	46.00	48.19	44.00	4.70	X		X	N.A.	X		50	48.00	50.19	46.00	4.70		79109-7015	X	N.A.	X	
CKT. SIZE	DIM. "A"	DIM. "B"	DIM. "C"	DIM. "D"	PLATING OPTION 5																																																																																																																																																																																																																																																																																									
					ITEM NO. TUBE PACKED (WITHOUT CAP)	ITEM NO. TAPE PACKED (WITH CAP)	ITEM NO. TUBE PACKED (WITH CAP)																																																																																																																																																																																																																																																																																							
04	2.00	4.19	-	4.70	X		X	79109-8751	X																																																																																																																																																																																																																																																																																					
06	4.00	6.19	2.00	4.70	X		X	79109-8752	X																																																																																																																																																																																																																																																																																					
08	6.00	8.19	4.00	4.70	X		X	79109-8753	X																																																																																																																																																																																																																																																																																					
10	8.00	10.19	6.00	4.70	X		X	79109-8754	X																																																																																																																																																																																																																																																																																					
12	10.00	12.19	8.00	4.70	X		X	79109-8755	X																																																																																																																																																																																																																																																																																					
14	12.00	14.19	10.00	4.70	X		X	79109-8756	X																																																																																																																																																																																																																																																																																					
16	14.00	16.19	12.00	4.70	X		X	79109-8757	X																																																																																																																																																																																																																																																																																					
18	16.00	18.19	14.00	4.70	X		X	79109-8758	X																																																																																																																																																																																																																																																																																					
20	18.00	20.19	16.00	4.70	X		X	79109-8759	X																																																																																																																																																																																																																																																																																					
22	20.00	22.19	18.00	4.70	X		X	79109-8760	X																																																																																																																																																																																																																																																																																					
24	22.00	24.19	20.00	4.70	X		X	79109-8761	X																																																																																																																																																																																																																																																																																					
26	24.00	26.19	22.00	4.70	X		X	79109-8762	X																																																																																																																																																																																																																																																																																					
28	26.00	28.19	24.00	4.70	X		X	79109-8763	X																																																																																																																																																																																																																																																																																					
30	28.00	30.19	26.00	4.70		79109-7010		79109-8764	X	79109-7065																																																																																																																																																																																																																																																																																				
32	30.00	32.19	28.00	4.70	X		X	79109-8765	X																																																																																																																																																																																																																																																																																					
34	32.00	34.19	30.00	4.70	X		X	79109-8766	X																																																																																																																																																																																																																																																																																					
36	34.00	36.19	32.00	4.70	X		X	79109-8767	X																																																																																																																																																																																																																																																																																					
38	36.00	38.19	34.00	4.70	X		X	79109-8768	X																																																																																																																																																																																																																																																																																					
40	38.00	40.19	36.00	4.70	X		X	79109-8769	X																																																																																																																																																																																																																																																																																					
42	40.00	42.19	38.00	4.70	X		X	N.A.	X																																																																																																																																																																																																																																																																																					
44	42.00	44.19	40.00	4.70		79109-7016	X	N.A.	X																																																																																																																																																																																																																																																																																					
46	44.00	46.19	42.00	4.70	X		X	N.A.	X																																																																																																																																																																																																																																																																																					
48	46.00	48.19	44.00	4.70	X		X	N.A.	X																																																																																																																																																																																																																																																																																					
50	48.00	50.19	46.00	4.70		79109-7015	X	N.A.	X																																																																																																																																																																																																																																																																																					
'X' INDICATES TOOLING NOT AVAILABLE																																																																																																																																																																																																																																																																																														
<table><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="4">CURRENT REV DESC:</td><td colspan="4" rowspan="3"> molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td colspan="2">ANGULAR TOL</td><td colspan="2">± °</td></tr><tr><td colspan="2">4 PLACES</td><td colspan="2">±</td><td colspan="4" rowspan="3">EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY</td><td colspan="4" rowspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">3 PLACES</td><td colspan="2">±</td></tr><tr><td colspan="2">2 PLACES</td><td colspan="2">± 0.25</td></tr><tr><td colspan="2">1 PLACE</td><td colspan="2">± 0.38</td><td colspan="4" rowspan="2">INITIAL REVISION: DRWN: ATSEE APPR: LBLEE</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">0 PLACES</td><td colspan="2">±</td><td colspan="2">SDA-79109-XXXX</td><td>PSD</td><td>001</td><td>N10</td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td colspan="2">DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td colspan="2">A3-SIZE</td><td>79109</td><td></td><td colspan="2">GENERAL MARKET</td><td>8 OF 10</td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT				mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				ANGULAR TOL		± °		4 PLACES		±		EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY				PRODUCT CUSTOMER DRAWING				3 PLACES		±		2 PLACES		± 0.25		1 PLACE		± 0.38		INITIAL REVISION: DRWN: ATSEE APPR: LBLEE				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	0 PLACES		±		SDA-79109-XXXX		PSD	001	N10	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER							A3-SIZE		79109		GENERAL MARKET		8 OF 10																																																																																																																																																																															
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																														
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT																																																																																																																																																																																																																																																																																						
mm		NTS																																																																																																																																																																																																																																																																																												
GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																														
ANGULAR TOL		± °																																																																																																																																																																																																																																																																																												
4 PLACES		±		EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY				PRODUCT CUSTOMER DRAWING																																																																																																																																																																																																																																																																																						
3 PLACES		±																																																																																																																																																																																																																																																																																												
2 PLACES		± 0.25																																																																																																																																																																																																																																																																																												
1 PLACE		± 0.38		INITIAL REVISION: DRWN: ATSEE APPR: LBLEE				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																																																																																																																																																																																																		
0 PLACES		±						SDA-79109-XXXX		PSD	001	N10																																																																																																																																																																																																																																																																																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																		
						A3-SIZE		79109		GENERAL MARKET		8 OF 10																																																																																																																																																																																																																																																																																		
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2025/06/09</td><td>10:01:15</td></tr></table>										DOCUMENT STATUS	P1	RELEASE DATE	2025/06/09	10:01:15																																																																																																																																																																																																																																																																																
DOCUMENT STATUS	P1	RELEASE DATE	2025/06/09	10:01:15																																																																																																																																																																																																																																																																																										
9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT					
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY						2025/02/05 2025/06/09 2025/06/09			
ANGULAR TOL		± °		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
4 PLACES		±		DRWN: ATSEE APPR: LBLEE				2014/07/24 2014/08/01		SDA-79109-XXXX			
3 PLACES		±											
2 PLACES		± 0.25											
1 PLACE		± 0.38											
0 PLACES		±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 79109		MATERIAL NUMBER		CUSTOMER GENERAL MARKET	SHEET NUMBER 8 OF 10

SPECIAL - CUSTOM TERMINAL FEET

VOIDED CURCUIT OPTION













CKT. SIZE	ASSEMBLY			VOID LOCATION(S) SEE SHEET 1 FOR CONVENTION		PLATING OPTION	DIM."A"	DIM."B"	DIM."C"	DIM."D"	PEG OPTION
	ITEM NO. TUBE PACKED (WITHOUT CAP)		ITEM NO. TAPE PACKED (WITH CAP)	ROW	CKT. NO.(S)						
48	79109-7011	X	79109-8385	ROW A	1, 24	5	46.00	48.19	44.00	4.70	YES
42	79109-7012	X	79109-8386	ROW A	1, 21	5	40.00	42.19	38.00	4.70	YES
20	79109-7013	X	79109-8387	ROW A	1, 10	5	18.00	20.19	16.00	4.70	YES
50	79109-7014	X	79109-8388	ROW B	13	5	48.00	50.19	46.00	4.70	YES
50	79109-7017	X	79109-8988	ROW B	13	5	48.00	50.19	46.00	4.70	NO

'X' INDICATES TOOLING NOT AVAILABLE.

NOTES:

1. TERMINALS WILL BE PRESENT IN VOIDED LOCATIONS. HOWEVER, PIN WINDOWS WILL BE CLOSED.
2. VOIDS CAN ONLY BE PRESENT IN ONE ROW OF A CONNECTOR.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex 2MM DUAL ROW VERTICAL RECEPTACLE, SMT PRODUCT CUSTOMER DRAWING									
mm		NTS															
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 821276 DRWN: SUAIFR CHK'D: SUAIFR APPR: GANESY								2025/02/05 2025/06/09 2025/06/09					
ANGULAR TOL		± °		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION			
4 PLACES		±		DRWN: ATSEE				2014/07/24		SDA-79109-XXXX		PSD		001		N10	
3 PLACES		±		APPR: LBLEE				2014/08/01									
2 PLACES		± 0.25															
1 PLACE		± 0.38															
0 PLACES		±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		79109				GENERAL MARKET		9 OF 10			

	10	9	8	7	6	5	4	3	2	1																																																																																																							
F	BOARD TO BOARD (BTB) DISTANCE										F																																																																																																						
E	<table><tr><td>RECEPTACLE</td><td>MATES WITH(HEADER)</td><td>BTB DISTANCE</td><td>PICTORIAL VIEW</td></tr><tr><td rowspan="4">79109</td><td>87831</td><td>7.15</td><td></td></tr><tr><td>87832</td><td>8.35</td><td></td></tr><tr><td>151117</td><td>7.15</td><td></td></tr><tr><td>151118</td><td>8.35</td><td></td></tr></table>										RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW	79109	87831	7.15		87832	8.35		151117	7.15		151118	8.35		E																																																																																					
RECEPTACLE	MATES WITH(HEADER)	BTB DISTANCE	PICTORIAL VIEW																																																																																																														
79109	87831	7.15																																																																																																															
	87832	8.35																																																																																																															
	151117	7.15																																																																																																															
	151118	8.35																																																																																																															
D											D																																																																																																						
C											C																																																																																																						
B											B																																																																																																						
A	<table><tr><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="3" rowspan="2">CURRENT REV DESC:</td><td colspan="3" rowspan="2"> molex </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="5">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="3" rowspan="5">EC NO: 821276 DRWN: SUAIFR 2025/02/05 CHK'D: SUAIFR 2025/06/09 APPR: GANESY 2025/06/09</td><td colspan="3" rowspan="2">2MM DUAL ROW VERTICAL RECEPTACLE, SMT</td></tr><tr><td colspan="5">ANGULAR TOL ± °</td></tr><tr><td colspan="5">4 PLACES ±</td><td colspan="3" rowspan="3">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="5">3 PLACES ±</td></tr><tr><td colspan="5">2 PLACES ± 0.25</td></tr><tr><td colspan="5">1 PLACE ± 0.38</td><td colspan="3" rowspan="2">INITIAL REVISION: DRWN: ATSEE 2014/07/24 APPR: LBLEE 2014/08/01</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="5">0 PLACES ±</td><td colspan="2">SDA-79109-XXXX</td><td>PSD</td><td>001</td><td>N10</td></tr><tr><td colspan="5">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="5"></td><td colspan="2"></td><td>A3-SIZE</td><td>79109</td><td></td><td colspan="2">GENERAL MARKET</td><td>10 OF 10</td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex			mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)					EC NO: 821276 DRWN: SUAIFR 2025/02/05 CHK'D: SUAIFR 2025/06/09 APPR: GANESY 2025/06/09			2MM DUAL ROW VERTICAL RECEPTACLE, SMT			ANGULAR TOL ± °					4 PLACES ±					PRODUCT CUSTOMER DRAWING			3 PLACES ±					2 PLACES ± 0.25					1 PLACE ± 0.38					INITIAL REVISION: DRWN: ATSEE 2014/07/24 APPR: LBLEE 2014/08/01			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	0 PLACES ±					SDA-79109-XXXX		PSD	001	N10	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER								A3-SIZE	79109		GENERAL MARKET		10 OF 10	A
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex																																																																																																										
mm		NTS																																																																																																															
GENERAL TOLERANCES (UNLESS SPECIFIED)					EC NO: 821276 DRWN: SUAIFR 2025/02/05 CHK'D: SUAIFR 2025/06/09 APPR: GANESY 2025/06/09			2MM DUAL ROW VERTICAL RECEPTACLE, SMT																																																																																																									
ANGULAR TOL ± °																																																																																																																	
4 PLACES ±								PRODUCT CUSTOMER DRAWING																																																																																																									
3 PLACES ±																																																																																																																	
2 PLACES ± 0.25																																																																																																																	
1 PLACE ± 0.38					INITIAL REVISION: DRWN: ATSEE 2014/07/24 APPR: LBLEE 2014/08/01			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																					
0 PLACES ±								SDA-79109-XXXX		PSD	001	N10																																																																																																					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER																																																																																																					
							A3-SIZE	79109		GENERAL MARKET		10 OF 10																																																																																																					
	DOCUMENT STATUS	P1	RELEASE DATE	2025/06/09	10:01:15																																																																																																												
	9	8	7	6	5	4	3	2	1																																																																																																								