



Terminals & Splices > Splices



Splice Type: **Parallel Splice**

Wire Size: **13 – 15 mm²**

Sealable: **No**

Splice Features: **Serrated**

Features

Product Type Features

Splice Accessory Type	Splice
Splice Type	Parallel Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Body Features

Product Weight	4.072 g
Splice Features	Serrated

Contact Features

	100 µin
Terminal Plating Material	Tin
Contact Base Material	Copper

Barrel Type

Closed

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Outside Diameter	9.37 mm[.369 in]
Wire Size	20800 – 33100 CMA
Barrel Inside Diameter	5.89 mm[.232 in]
Terminal Material Thickness	1.52 mm[.06 in]
Product Length	11.1 mm[.437 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 48128
HYP8 SOLIS 6AWG NEST




TE Part # 601075
BANTAM ROTA-CRIMP TOOL



TE Part # 1901000-1
NEST #6




TE Part # 1490414-2
HYP10 SOLIS HD 6-4AWG INDENTER



TE Part # 1901002-1
INDENTER, SOLISTRAND



TE Part # 48127
HYP8 SOLIS 6-2AWG INDENTER



TE Part # 600850
ROTO-CRIMP TOOL (ASI)



TE Part # 1490413-2
HYP10 SOLIS HD 8AWG NEST




TE Part # 69217
HYP8/10 SOLIS 6AWG DIE SET

Customers Also Bought






TE Part #802913-SF
[FN9222ESB-15-06](#)



TE Part #35187
[SPLICE,SOLIS PARA 2](#)



TE Part #42021
[250 FASTON REC 16-12 AWG TPBR](#)



TE Part #52951-1
[PG SPR SPD 22-16COM22-18MIL 10](#)




TE Part #63010-2
[250 FASTON FLAG REC 18-14 AWG TPBR](#)



TE Part #320855
[TERMINAL,SOLIS SPD FLG 16-14 6](#)



TE Part #640250-9
[09P SL156 HSG W/LCK RAMP NATL](#)



TE Part #2-2213772-5
[AV22 SPL 3A MOVE RING LED RED 12V](#)

TE Part #2349381-1
[Harness switch A061Z708](#)

TE Part #305820-2
[VALVE ASSY](#)

Documents

Product Drawings

[SPLICE,SOLIS PARA 6](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_34319_U.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_34319_U.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_34319_U.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SOLISTRAND - QRG

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English

UL Report

English