Part Number : 1301470090

Product Description : Watertite Extreme Connector for Male Receptacle with Locking Blade, Single Flip Coverplate, 3 Pole/3 Wire, Non-NEMA, 250V, F4

Series Number : 130147

Status : Active

Product Category : Wiring Devices

Engineering Number : 29W08MB

## Documents & Resources

### Drawings

Drawing_1301470090_sd.pdf

### 3D Models and Design Files

3D Model_1301470090_stp.zip

## Product Environment Compliance

### Compliance

| | |
|---|---|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

## Part Details

## General

| | |
|---|---|
| Status | Active |
| Category | Wiring Devices |
| Series | 130147 |
| Description | Watertite Extreme Connector for Male Receptacle with Locking Blade, Single Flip Coverplate, 3 Pole/3 Wire, Non-NEMA, 250V, F4 |
| IP Rating | IP67 |
| NEMA Configuration | Non-NEMA Locking |
| Product Family | Watertite Extreme Wet-Location Wiring Solutions |
| Product Name | Watertite Extreme |
| Specialty | N/A |
| Type | Connector |
| UPC | 78678871397 |

## Agency

| | |
|---|---|
| CSA | LR6837 |

## Electrical

| | |
|---|---|
| Current - Maximum per Contact | 30.0A |
| GFCI | No |
| Voltage - Maximum | 250V |

## Physical

| | |
|---|---|
| Cord Grip Body Size | F4 1" |
| Cord Type | N/A |
| Flange | No |
| Flip Lid | No |
| Gender | Female |
| Length | N/A |
| Lighted Connector | No |
| Locking Blade | Yes |
| Net Weight | 0.353/kg |
| Poles | 3-pole/3-wire |

| | |
|---|---|
| Receptacle Type | Single |

This document was generated on Apr 12, 2024