




PIDG

TE Internal #: 36203
Closed Ring Tongue Terminal, 16 – 14 AWG, 1/2 Stud, 13.08 mm [.515 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG

[View on TE.com >](#)

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal
Wire Size: 2050 – 5180 CMA
Stud Size: 1/2

[All PIDG Ring Tongue Terminals \(410\)](#)

Features

Product Type Features

Terminal Features	Heavy Duty
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	1/2
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Electrical Characteristics

Voltage Rating	300 V
----------------	-------

Body Features

Product Weight	12.088 g
Stripe Color	Black

Contact Features

--	--

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Wire Size	2050 – 5180 CMA
Stud Diameter	13.08 mm [.515 in]
Tongue Thickness	1.22 mm [.05 in]
Product Length	56.36 mm [2.22 in]
Compatible Insulation Diameter (Max)	6.35 mm [.25 in]
Compatible Insulation Diameter Range	3.81 – 6.35 mm [.15 – .25 in]

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	0 – 105 °C [0 – 221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	1
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250)

Halogen Content	Does not contain REACH SVHC
Solder Process Capability	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 59824-1
TETRA-CRIMP PIDG PG FASTON 22-10 ASSY



TE Part # 59239-4
HHHT PIDG PG 12-10 ASSY



TE Part # 58423-1
DIE, RBY IS9252





TE Part # 58433-3
PRO CR ASSY, RBY IS9252







TE Part # 169404
CERTI-LOK DIE

Also in the Series | PIDG

			
Compression Connectors(50)	Crimp Wire Pins, Tabs & Ferrules(39)	Knife Disconnects(11)	Quick Disconnects(38)
			
Ring Terminals(589)	Spade Terminals(228)	Special Purpose Terminals(1)	Splices(41)

Customers Also Bought

 TE Part #T4113412051-000 M12 M, 5P GOLD B_CODE RA SHIELDED PG9	 TE Part #33468 TERMINAL,SOLIS R 4 10	 TE Part #35668 TERMINAL,SOLIS R 4 1/2	 TE Part #35669 TERMINAL,SOLIS R 4 5/8
 TE Part #53435-1 AMPPOWER QUICK DISC 500MCM	 TE Part #54012-1 CPC STRAIN RELIEF,SIZE 23	 TE Part #55831-2 TERM,AMPWR 500MCM HD (2)3/8	 TE Part #200277-4 BLOCK,50 POSN,M SERIES
 TE Part #201501-1 SPIROL PIN	 TE Part #321286 PG BUTT 12-10		

Documents

Product Drawings

TERMINAL,PIDG R 16-14HD 1/2

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_36203_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_36203_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_36203_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English