# Specifications




## Eaton FWP-16G14FI

Eaton Bussmann series FWP high speed fuse, 690V, 16A, 200 kAIC, With Indicator, High speed fuse, Ferrule end X ferrule end

| General specifications | |
|---|---|
| **PRODUCT NAME** | Eaton Bussmann series high speed cylindrical fuse |
| **CATALOG NUMBER** | FWP-16G14FI |
| **UPC** | 051712689588 |
| **EAN** | 5027590500265 |
| **PRODUCT LENGTH/DEPTH** | 51 mm |
| **PRODUCT HEIGHT** | 14 mm |
| **PRODUCT WIDTH** | 14 mm |
| **PRODUCT WEIGHT** | 19.8 g |
| **WARRANTY** | No warranty |
| **COMPLIANCES** | CE Marked<br>RoHS Compliant |
| **CERTIFICATIONS** | UL Recognized<br>IEC Rated |
| **GLOBAL CATALOG** | FWP-16G14FI |

Powering Business Worldwide

## Product specifications

| | |
|---|---|
| **AMPERAGE RATING** | 16 A |
| **ACCESSORIES** | • CH14 Modular fuse holder<br>• FW14-PCB |
| **BREAKING CAPACITY** | 200 kA |
| **FREQUENCY RATING - MAX** | 62 Hz |
| **FREQUENCY RATING - MIN** | 45 Hz |
| **FUSE INDICATOR** | Top fuse status indicator |
| **RELEASE CHARACTERISTIC** | Other |
| **UTILIZATION CATEGORY** | gR (general purpose semiconductor protection) |
| **VOLTAGE TYPE** | AC |
| **FUSE SIZE** | 14 x 51 mm |
| **RATED VOLTAGE AC** | 690 V |
| **CLASS** | Class gR |
| **CLEARING (I2T)** | 120 |
| **WATT LOSSES** | 4.83 W |
| **FUSE SHAPE** | Cylindrical |
| **PRE ARC (I2T)** | 15 |
| **INTERRUPT RATING** | 200 kAIC |
| **FITTED WITH:** | Striker |
| **CONNECTION** | Ferrule end x ferrule end |
| **CONSTRUCTION SIZE** | 14 mm x 51 mm |
| **MATERIAL** | Ceramic |
| **PACKAGING TYPE** | Standard |
| **VOLTAGE RATING** | 500 V |
| **TYPE** | High speed fuse |
| **APPLICATION** | Semiconductor, DC Common bus, DC drives, Power converters/rectifiers |
| **FUSE TYPE** | FWP-G14FI |
| **BREAKING CAPACITY AT NOMINAL VOLTAGE, AC** | 200 kA |

## Resources

| | |
|---|---|
| CATALOGS | eaton-bussmann-series-iec-high-speed-fuses-catalogue-ca135001en-en-gb.pdf<br><br>Bussmann series complete full line catalog no. 1007 |
| DECLARATIONS OF CONFORMITY | eaton-high-speed-cylindrical-fuse-declaration-of-conformity-eu250467en.pdf<br><br>eaton-high-speed-cylindrical-fuse-declaration-of-conformity-uk250950en.pdf |
| TECHNICAL DATA SHEETS | 10468 14 x 51 mm gR cylindrical fuse links |

| | |
|---|---|
| **PROJECT NAME:** | |
| **PROJECT NUMBER:** | |
| **PREPARED BY:** | |
| **DATE:** | |

**Eaton Corporation plc**
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.