



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **20800 – 33100 CMA**

Stud Size: **M5**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	M5
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	20800 – 33100 CMA
Stud Diameter	5.2 mm[.205 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	29.7 mm[1.17 in]
Barrel Inside Diameter	5.89 mm[.232 in]



Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin


Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	100
Packaging Method	Box


Compatible Parts




TE Part # 48128
HYP8 SOLIS 6AWG NEST



TE Part # 601075
BANTAM ROTA-CRIMP TOOL



TE Part # 600850
ROTO-CRIMP TOOL (ASI)



TE Part # 1490413-2
HYP10 SOLIS HD 8AWG NEST



TE Part # 69217
HYP8/10 SOLIS 6AWG DIE SET



TE Part # 48127
HYP8 SOLIS 6-2AWG INDENTER



TE Part # 1490414-2
HYP10 SOLIS HD 6-4AWG INDENTER

Customers Also Bought



TE Part #CAT-PA3-RN
EMC / RFI Chokes RN Series



TE Part #ZPF000000000007348
983-0S 12-03 P7



TE Part #ZPF000000000012961
DBAS 74-3-0 PN-A5800



TE Part #ZPF000000000039394
983-7SE 08-98 PN





TE Part #350538-3
[UMNL PIN 20-14 .0125 PTPPHBZ](#)



TE Part #9-2176091-6
[RP 2A 0.25W 590R 0.1% 25PPM 1K RL](#)



TE Part #7-2176430-1
[MPT35 1K8 1%](#)



TE Part #2-2400680-3
[3P CAP TPA, UMNL](#)



TE Part #2-2400681-4
[4P PLUG TPA, UMNL](#)

Documents

Product Drawings
TERM, RING, SOLIS, 6, M5
English

- CAD Files**

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_130552_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_130552_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_130552_B.3d_stp.zip](#)

English

3D PDF

English

Customer View Model

[ENG_CVM_130552_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_130552_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_130552_A.2d_dxf.zip](#)

English

130552

Closed Ring Tongue Terminal, 6 AWG, M5 Stud, 5.2 mm [.205 in] Stud Diameter,
Closed Barrel, Straight, Tin Plating, Uninsulated



By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English