Part Number : 349512011

Product Description : MX150 Backshell for Female Sealed Connector Assembly, 20 Circuit, with Rib

Series Number : 34951

Status : Active

Product Category : Connector Housings

Engineering Number : CVP34951-2011

## Documents & Resources

### Drawings

Drawing_349512011_sd.pdf

Packaging Design Drawing_349509000-000.pdf

### 3D Models and Design Files

3D Model_349512011_stp.zip

### Specifications

Application Specification_AS-34951-001-001.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| GADSL/IMDS | Compliant |
| China RoHS | |
| EU ELV | Compliant per 2000/53/EC |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)8585-DC (23 Jan 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Connector Housings |
| Series | 34951 |
| Description | MX150 Backshell for Female Sealed Connector Assembly, 20 Circuit, with Rib |
| Application | Power, Wire-to-Wire |
| Comments | With Rib |
| Product Family | MX150 Sealed and Unsealed Connector System |
| Product Name | MX150 |
| UPC | 191128245616 |

### Physical

| | |
|---|---|
| Circuits (maximum) | 20 |
| Color - Resin | Black |
| Gender | N/A |
| Glow-Wire Capable | No |
| Lock to Mating Part | Yes |
| Material - Resin | Nylon |
| Net Weight | 9.200/g |
| Number of Rows | 0 |
| Packaging Type | Bag |
| Panel Mount | No |
| Pitch - Mating Interface | N/A |
| Polarized to Mating Part | Yes |
| Stackable | No |
| Temperature Range - Operating | -40° to +125°C |

### Use with Part(s)

| Description | Part Number |
| --- | --- |
| MX150 Mat-Sealed Dual Row Female Connector Assemblies | 33472 |

This document was generated on Apr 10, 2024