9-1394049-1 ✔ ACTIVE

AMP | LEAVYSEAL


TE Internal #: 9-1394049-1

15 Position, Black, Cover - Cable Exit, PA GF, 90° Cable Exit, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers > LEAVYSEAL Connector Backshells




Number of Positions: **15**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover - Cable Exit**

Primary Product Material: **PA GF**

Cable Exit Angle: **90°**

All LEAVYSEAL Connector Backshells (25)

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover - Cable Exit

Configuration Features

Number of Positions	15

Body Features

Primary Product Color	Black
Primary Product Material	PA GF
Cable Exit Angle	90°

Mechanical Attachment

Strain Relief	With

Dimensions

Compatible Cable Bundle Diameter Range	17 mm[.669 in]

Usage Conditions

Compatible With Connector Style	Housing For Female Terminals
Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Industry Standards

UL Flammability Rating	UL 94HB

Packaging Features

Packaging Method	Box
Packaging Quantity	1000

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 3-1355221-9
MCP2.8BU-GH,ASSY15P




TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings

Also in the Series | LEAVYSEAL



Automotive Connector Caps & Covers (25)



Other Automotive Connector Accessories(15)


Customers Also Bought




TE Part #WB-51PAL
WEDGE LOCK, 102P, REC, GRY, LF, DRB, A



TE Part #CB5423-000
SST-9-07/97




TE Part #100132-1
CAVITY PLUG



TE Part #928966-1
SPT REC 6.3 Contact SWS Sn



TE Part #1618387-3
LEV200A4ANA=RELAY, SPST-NO



TE Part #1879556-1
SQH40 160R 5% 6.35MM FASTON



TE Part #4-1904124-3
V23074A1001A403-EV-CBOX



TE Part #1-2112035-1
26POS, MIXED,REC HSG,ASSY, SEALED



TE Part #2112045-2
SLIDE,FOR 26POS TAB HSG



TE Part #2203194-1
EVC135, RELAY, SPST NO

Documents

Product Drawings

COVER F.15P REC-HSG

English

CAD Files

Customer View Model

ENG_CVM_9-1394049-1_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_9-1394049-1_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_9-1394049-1_A1.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

LEAVYSEAL CONNECTORS

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German