



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cable Seal**
Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**
Primary Product Color: **Black**
Operating Temperature (Max): **110 °C [230 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Cable Seal
----------------------------	------------

Body Features

Primary Product Color	Black
-----------------------	-------

Mechanical Attachment

Thread Size	1-3/8-18
-------------	----------

Dimensions

Compatible Cable Diameter Range	13.97 – 31.75 mm[.55 – 1.25 in]
---------------------------------	---------------------------------

Usage Conditions

Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Operating Temperature (Max)	110 °C[230 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	50

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 206305-1
CPC PLUG ASSEMBLY SIZE 23-37

TE Part # 211772-1
CPC PLUG ASSEMBLY SIZE 23-19

TE Part # 206306-4
CPC RECPT SEALED SIZE 23-37

TE Part # 1977886-1
RCPT.ASSY,23-37STD SEX FREE HG, UV RESIS

TE Part # 206838-4
CPC RECPT SEALED SIZE 23-24

TE Part # 1977887-1
PLUG.ASSY,23-37STD SEX THRD AD, UV RESIS

TE Part # 207485-1
CPC PLUG ASSEMBLY SIZE 23-16

TE Part # 796287-1
RCPT.ASSY,23-37STD SEX FREE HG





TE Part # 211824-1
CPC PLUG ASSEMBLY 23-13



TE Part # 213852-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 206306-3
CPC RECPT SEALED SIZE 23-37



TE Part # 796190-1
SLD CPC RCPT ASSY,23-24,STD SX



TE Part # 213853-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 206838-3
CPC RECPT SEALED SIZE 23-24



TE Part # 206151-3
CPC RECPT SEALED SIZE 23-37



TE Part # 211770-2
CPC PLUG ASSEMBLY SIZE 23-19



TE Part # 796188-1
SLD CPC PLUG ASSY,23-24,STD SX



TE Part # 206226-1
CPC PLUG ASSEMBLY SIZE 23-7



TE Part # 796288-1
PLUG.ASSY,23-37STD SEX THRD AD



TE Part # 796291-1
SEALED CPC,SER1,23-24,FR RCPT

Also in the Series | AMP Circular Plastic Connectors



Circular Connector Backshells & Clamps(1)



Circular Power Connectors(423)




Connector Contacts(6)



Connector Hardware(10)



Power Contacts(6)




Sealing Sleeves(2)


Customers Also Bought




TE Part #32561
PIDG SPDFLG 22-16COMM22-18MIL6



TE Part #66579-7
TYPE VI PIN,MULTI-MATE



TE Part #81665-5
ECONOSEAL, FLANGE GASKET



TE Part #6-102316-3
MOD IV RECP LP LF



TE Part #211772-1
CPC PLUG ASSEMBLY SIZE 23-19



TE Part #227161-6
RTANG JK W/MTG PINS, BNC PCB



TE Part #321233
TERMINAL,PIDG SPD 16-14 8



TE Part #1658543-3
CONT,SOCKET,PLATED,20DF,STRIP, #22-26



TE Part #1-6609132-0
3EZM4S=F8124



TE Part #2-530153-2
TDM SPRING, SHUNT ASY 2 POS

Documents

Product Drawings
CPC STRAIN RELIEF,SIZE 23
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_54012-1_Y.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_54012-1_Y.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_54012-1_Y.3d_stp.zip
English
3D PDF
English



Customer View Model

[ENG_CVM_54012-1_V.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_54012-1_V.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_54012-1_V.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMP Circular Connectors for Commercial Signal & Power Applications Continued](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[CSA Certificate](#)

English

[CSA Certificate](#)

English