


**Data sheet | Item number: 2092-1601**

Gripping plate; for female and male connectors; 1 part; Pin spacing 5 mm; 3- to 4-pole; light gray

[www.wago.com/2092-1601](http://www.wago.com/2092-1601)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

|             |                     |
|-------------|---------------------|
| Pin spacing | 5 mm / 0.197 inches |
|-------------|---------------------|

### Material data

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| Note (material data) | Information on material specifications can be found here |
|----------------------|----------------------------------------------------------|

|           |            |
|-----------|------------|
| Color     | light gray |
| Fire load | 0.007 MJ   |
| Weight    | 0.2 g      |

### Commercial data

|                       |                         |
|-----------------------|-------------------------|
| Product Group         | 26 (picoMAX Connectors) |
| eCl@ss 10.0           | 27-14-11-92             |
| eCl@ss 9.0            | 27-14-11-92             |
| ETIM 8.0              | EC002848                |
| ETIM 7.0              | EC002848                |
| ECCN                  | NO DATA                 |
| PU (SPU)              | 100 (25) pcs            |
| Packaging type        | box                     |
| Country of origin     | DE                      |
| GTIN                  | 4050821164319           |
| Customs tariff number | 85389099990             |

### Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Downloads

### Documentation

#### Additional Information

|                        |            |        |          |
|------------------------|------------|--------|----------|
| Technical Section      | 2019 年4月3日 | pdf    | Download |
| Technical explanations |            | 2.1 MB |          |

Subject to changes. Please also observe the further product documentation!



CAD/CAE-Data

CAE data

|                        |     |          |
|------------------------|-----|----------|
| ZUKEN Portal 2092-1601 | URL | Download |
|------------------------|-----|----------|

CAD data

|                        |     |          |
|------------------------|-----|----------|
| 2D/3D Models 2092-1601 | URL | Download |
|------------------------|-----|----------|

Asset Administration Shell

|                                      |     |          |
|--------------------------------------|-----|----------|
| Asset Administration Shell 2092-1601 | URL | Download |
|--------------------------------------|-----|----------|


Environmental Product Compliance

Compliance Search

|                                                                                                    |     |          |
|----------------------------------------------------------------------------------------------------|-----|----------|
| Environmental Product Compliance 2092-1601                                                         | URL | Download |
| Gripping plate; for female and male connectors; 1 part; Pin spacing 5 mm; 3- to 4-pole; light gray |     |          |

Installation Notes

Strain relief



Gripping plates are suitable for factory and field assembly.

Subject to changes. Please also observe the further product documentation!