



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **1600 – 2800 CMA**

Stud Size: **3/8**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	3/8
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	1600 – 2800 CMA
Stud Diameter	9.92 mm [.39 in]
Tongue Thickness	.79 mm [.031 in]
Product Length	31.55 mm [1.242 in]
Compatible Insulation Diameter (Max)	2.67 mm [.106 in]
Compatible Insulation Diameter Range	1.4 – 2.67 mm [.055 – .106 in]

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------



Operating Temperature Range

0 – 260 °C[0 – 500 °F]

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	500
Packaging Method	Bag/Box

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 576781
HHHT PIDG PEEK STRATO 16 ASSY



TE Part # 1901600-1
CCII PIDG STRATO 18-16 ASSY



TE Part # 576780
HHHT PIDG PEEK STRATO 18 ASSY




TE Part # 576715
SAHT PIDG PEEK STRATO 18 DIE SET



TE Part # 1901600-2
CCII PIDG STRATO 18-16 ASSY




TE Part # 1-1901600-1
CCII 18-16 HEAD



TE Part # 576714
SAHT PIDG PEEK STRATO 16 DIE SET

Also in the Series | STRATO-THERM



Crimp Wire Pins, Tabs & Ferrules(1)



Ring Terminals(85)



Splices(13)

Customers Also Bought




TE Part #T4113001051-000
M12,MALE,RA,A CODE,5P,PG7,GOLD



TE Part #CAT-SE594-M1NN
M12 A-Code Male Straight to Female
Straight Double Ended Cable



TE Part #T4161120005-004
RPC-M12-MS-5CON-PUR-3.0SH



TE Part #1577624-1
TERMINAL RT PIDG PEEK STRATO 20
AWG



TE Part #1924141-1
Shield, 26P GenY, Hand Mate Conn



TE Part #1924337-1
Shield Assembly, 54 POSN, 0.64mm
BLK



TE Part #1924340-1
36P, 2 Row Carrier for 54P LAC



TE Part #1924341-1
18P, 1 Row Carrier for 54P LAC



Documents

Product Drawings

TERMINAL RT PIDG PEEK STRATO 18-16 AWG

English

CAD Files

Customer View Model

ENG_CVM_CVM_1577636-1_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1577636-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1577636-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English