




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **.32 – .82 mm²**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

	.055 in
Wire Insulation Support	With
Mating Retention Type	Locking Lance

Dimensions

Product Length	28 mm[1.1 in]
Compatible Insulation Diameter Range	2.2 – 3.3 mm[.087 – .126 in]
Terminal Material Thickness	.41 mm[.016 in]
Wire Size	.32 – .82 mm²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

Packaging Features

Packaging Quantity	3500
Packaging Method	Strip/Reel

Compatible Parts


TE Part # 2150037-2
OCEAN_2.0_APPLICATOR-E-090F140F-REA

TE Part # 7-2150037-7
OCEAN_2.0_SPARE_PART_KIT-090F140F
KIT
REPRESENTATION ONLY

TE Part # 60434-1
FF 187 TAB 20-16AWG TPBR

TE Part # 91514-1
CCII FASTON 250 REC 22-18 ASSY

Also in the Series | FASTIN-FASTON 250



Crimp Terminal Housings(192)



Insertion & Extraction Tools(2)



Quick Disconnects(216)

Customers Also Bought



TE Part #ASU003-05PN-HE
RECEPT ASSY 2 HOLE MTG ASU 5 WAY



TE Part #CAT-D9934-A75G
Header Assembly: Wire-to-Board, 15A, gold or tin plated



TE Part #925370-6
MOD.IV REC HSG, 2X6P




TE Part #1-1123309-2
DYNAMIC D-5 HDR H ASSY 4P XX




TE Part #1-1825058-9
ADE08S04=DIP SWITCH,EXT,SMT-GW




TE Part #2-2176345-5
CRGCQ 1210 1K0 1%



TE Part #2-2176346-1
CRGCQ 1210 2K2 5%



TE Part #2176405-4
3550 470R 5%



TE Part #1-1825058-6
ADE07S04=DIP SWITCH,EXT,SMT-GW

Documents

Product Drawings
FF 250 TAB 22-18AWG TPBR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_160691-2_Z_c-160691-2-z.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_160691-2_Z_c-160691-2-z.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160691-2_Z_c-160691-2-z.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English

Product Specifications

[Application Specification](#)

English