




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**
PCB Hole Diameter: **3.1 mm [.122 in]**
Mating Pin Diameter: **1.47 mm [.058 in]**
Compatible Insulation Diameter (Max): **2.29 mm [.09 in]**
Compatible Insulation Diameter Range: **1.52 - 2.29 mm [.06 - .09 in]**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm[.058 in]
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Terminal Material Thickness	.25 mm[.01 in]
-----------------------------	----------------



PCB Hole Diameter	3.1 mm[.122 in]
Compatible Insulation Diameter (Max)	2.29 mm[.09 in]
Compatible Insulation Diameter Range	1.52 - 2.29 mm[.06 - .09 in]
Wire Size	.2 - .6 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 - 105 °C[-67 - 221 °F]

Packaging Features

Packaging Quantity	12000
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024 (240) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # 60789-3 .058 DIA RECEPTACLE LP 20-24 GPPHBR	 TE Part # 60789-1 .058 DIA RECEPTACLE LP 20-24	 TE Part # 60598-3 058PIN REC IS 22-20 010TPPHBZ	 TE Part # 350393-1 058 PCB REC IP 010TPPHBZ
 TE Part # 60986-1 .058 DIA PIN RECPT L/P	 TE Part # 60888-1 058 PIN REC 26-22 .010TPPHBZ	 TE Part # 60888-2 058 PIN REC 26-22 .010GPPHBZ	

Customers Also Bought

 TE Part # 745230-4 20 DF SOCKET CONTACT L.P.	 TE Part # 1-1623729-2 BCHE 17 W 22K 5%	 TE Part # 3-641190-8 08P MTA100 CONN ASSY RED LF	 TE Part # 2-1630012-8 HSC150 22R 5%
 TE Part # 90548-2 PROCrimper DIE ASSY UNIV MNL	 TE Part # 794017-1 .062 CP&S PIN PTPBR L/P 24-18	 TE Part # 1825910-6 FSM4JH=6MM TACT SWITCH, HIGH TEMP	 TE Part # 350967-2 MR PIN AU/PHBZ
 TE Part # 350436-2 RING TERMINAL 18-14 AWG TPST	 TE Part # 1625959-6 HB03RE 10M 1% 100PPM		

Documents



Product Drawings

[.058 PIN REC 24-20 010TPPHBZ](#)

English

CAD Files

Customer View Model

[ENG_CVM_60940-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_60940-1_F.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_60940-1_F.2d_dxf.zip](#)

English

[3D PDF](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_60940-1_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60940-1_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60940-1_K.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Application and Maintenance for Hand Crimping Tool](#)

English

[Instruction Sheet \(U.S.\)](#)

English