WS-32-001 ✔ ACTIVE


DEUTSCH | DEUTSCH DT, DEUTSCH DTSK

TE Internal #: 2289242-1

Cable Seal, -55 – 125 °C [-67 – 257 °F], Red, VMQ, 1 Position, DEUTSCH DT

View on TE.com >

Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cable Seal**

Operating Temperature Range: **-55 – 125 °C [-67 – 257 °F]**

Primary Product Color: **Red**

Primary Product Material: **VMQ**

Shore A Hardness: **40**

Features

Product Type Features

Connector Seal & Plug Type	Cable Seal

Configuration Features

Number of Positions	1

Body Features

Primary Product Color	Red
Primary Product Material	VMQ

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operating Temperature (Max)	125 °C[257 °F]

Packaging Features

Packaging Method	Box
Packaging Quantity	2500

Other

Shore A Hardness	40

Contains Lubricant	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.5% in 27519579030) Dodecamethylcyclohexasiloxane (D6) (.5% in 27519579030) Octamethylcyclotetrasiloxane (D4) (.5% in 27519579030) **Article Safe Usage Statements:** Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # DTSK04-1-08PB
RECEPTACLE, INLINE, KEY B



TE Part # DTSK04-1-08PA
RECEPTACLE, INLINE, KEY A



TE Part # SRK-PC-080-32-601
PIN, SOLID, SIZE M8, 32mm2, AG



TE Part # DTSK06-1-08SC
PLUG, INLINE, KEY C



TE Part # DTSK06-1-08SB
PLUG, INLINE, KEY B



TE Part # DTSK04-1-08PC
RECEPTACLE, INLINE, KEY C



TE Part # SRK-SC-080-32-601
SOC, SOLID, SIZE M8, 32mm2, AG



TE Part # DTSK06-1-08SA
PLUG, INLINE, KEY A


Also in the Series | DEUTSCH DTSK




Automotive Housings(767)



Automotive Seals & Cavity Plugs(18)




Automotive Terminals(6)




Other Automotive Connector Accessories(27)


Also in the Series | DEUTSCH DT




Automotive Connector Locks & Position Assurance(91)



Automotive Seals & Cavity Plugs(18)



Infotainment & Multimedia Cable Assemblies(1)




Other Automotive Connector Accessories(27)

Customers Also Bought




TE Part #DTSK04-1-08PA
RECEPTACLE, INLINE, KEY A



TE Part #YHVA630-2PHM-4MM-A
HVA630-2phm,4sqmm,Key A



TE Part #776437-2
AS16,PLUG ASSY,ST,12P,N SEAL, CODE B



TE Part #8-2394060-1
1POS,HVP1000,ASSY,180DEG,COD A



TE Part #2399666-2
H&S 95mm, Inner spacer




TE Part #1587977-2
INNER HOUSING, PLUG, HVA280-2PHM, PASS T




TE Part #2103170-1
INNER HOUSING, CAP, HVA280-2PHM



TE Part #2141262-3
SHIELDING,EMC



TE Part #2141264-3
SINGLE WIRE SEAL,AMP MCP6.3/4.8K



TE Part #2141265-3
COVER,SEAL

Documents

Product Drawings

WS-32-001, SEAL, RED, 9.49-10.52, DTSK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2289242-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2289242-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2289242-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

DEUTSCH DTSK Connectors Series Brief

English

DEUTSCH DTSK Components Infographic

English

ICT Terminals and Connectors Catalogue

English

Product Specifications

Application Specification

English