


© 2020 TE Connectivity. All Rights Reserved.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	PRODUCTION RELEASE PER ECN-22-148667	12APR2022	N.H	L.C
	A1	REVISED PER ECR-22-149133	18AUG2022	N.H	L.C
	A2	REVISED PER ECR-25-252798	21AUG2025	N.H	J.H


KEYING A SHOWN FOR 5 POSITION















5 POS KEY A


KEYING B SHOWN FOR 5 POSITION











5 POS KEY B

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN LEO CHEN 13DEC2020	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- ; 1 PLC ±0.30 ; 2 PLC ±0.15 ; 3 PLC ±- ; 4 PLC ±- ; ANGLES ±-	CHK DANIEL ZHANG 13DEC2020	NAME PLUG HOUSING, CRIMP VERSION SGI 1.50
		APVD DANIEL ZHANG 13DEC2020	
		PRODUCT SPEC 108-106451	
		APPLICATION SPEC 114-106497	SIZE A2 · CAGE CODE 00779 · DRAWING NO C-2382946 · RESTRICTED TO -
MATERIAL 1	FINISH - -	WEIGHT -	
		CUSTOMER DRAWING	SCALE 8:1 · SHEET 1 OF 4 · REV A2


© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			


WIRE RANGE	MATING HEADER RA	MATING HEADER VT	DIM C	DIM B	DIM A	POS	KEYING	COLOR	PLUG PART NO
24-28AWG	-	2360547-2	4.1	1.5	6.23	2	A	NATURAL	2382946-2
		2360547-3	5.6	3.0	7.50	3			2382946-3
		2360547-4	7.1	4.5	9.00	4			2382946-4
		2360547-5	8.6	6.0	10.50	5			2382946-5
		2360547-6	10.1	7.5	11.40	6			2382946-6
		2360547-7	11.6	9.0	12.90	7			2382946-7
		2360547-8	13.1	10.5	14.40	8			2382946-8
		2360547-9	14.6	12.0	15.90	9			2382946-9
		1-2360547-0	16.1	13.5	17.40	10			1-2382946-0
		1-2360547-1	17.6	15.0	18.90	11			1-2382946-1
		1-2360547-2	19.1	16.5	20.40	12			1-2382946-2
		2-2360547-2	4.1	1.5	6.23	2	B	BLACK	2-2382946-2
		2-2360547-3	5.6	3.0	7.50	3			2-2382946-3
		2-2360547-4	7.1	4.5	9.00	4			2-2382946-4
		2-2360547-5	8.6	6.0	10.50	5			2-2382946-5
		2-2360547-6	10.1	7.5	11.40	6			2-2382946-6
		2-2360547-7	11.6	9.0	12.90	7			2-2382946-7
		2-2360547-8	13.1	10.5	14.40	8			2-2382946-8
		2-2360547-9	14.6	12.0	15.90	9			2-2382946-9
		3-2360547-0	16.1	13.5	17.40	10			3-2382946-0
		3-2360547-1	17.6	15.0	18.90	11			3-2382946-1
		3-2360547-2	19.1	16.5	20.40	12			3-2382946-2
		4-2360547-2	4.1	1.5	6.23	2	A	RED	***4-2382946-2
		4-2360547-3	5.6	3.0	7.50	3			4-2382946-3
		4-2360547-4	7.1	4.5	9.00	4			4-2382946-4
		4-2360547-5	8.6	6.0	10.50	5			4-2382946-5
		4-2360547-6	10.1	7.5	11.40	6			4-2382946-6
		4-2360547-7	11.6	9.0	12.90	7			4-2382946-7
		4-2360547-8	13.1	10.5	14.40	8			4-2382946-8
		4-2360547-9	14.6	12.0	15.90	9			4-2382946-9
		5-2360547-0	16.1	13.5	17.40	10			5-2382946-0
		5-2360547-1	17.6	15.0	18.90	11			5-2382946-1
		5-2360547-2	19.1	16.5	20.40	12			5-2382946-2
		6-2360547-2	4.1	1.5	6.23	2	B	BLUE	6-2382946-2
		6-2360547-3	5.6	3.0	7.50	3			6-2382946-3
		6-2360547-4	7.1	4.5	9.00	4			6-2382946-4
		6-2360547-5	8.6	6.0	10.50	5			6-2382946-5
		6-2360547-6	10.1	7.5	11.40	6			6-2382946-6
		6-2360547-7	11.6	9.0	12.90	7			6-2382946-7
		6-2360547-8	13.1	10.5	14.40	8			6-2382946-8
		6-2360547-9	14.6	12.0	15.90	9			6-2382946-9
		7-2360547-0	16.1	13.5	17.40	10			7-2382946-0
		7-2360547-1	17.6	15.0	18.90	11			7-2382946-1
		7-2360547-2	19.1	16.5	20.40	12			7-2382946-2
		8-2360547-2	4.1	1.5	6.23	2	A	YELLOW	8-2382946-2
		8-2360547-3	5.6	3.0	7.50	3			8-2382946-3
		8-2360547-4	7.1	4.5	9.00	4			8-2382946-4
		8-2360547-5	8.6	6.0	10.50	5			8-2382946-5
		8-2360547-6	10.1	7.5	11.40	6			8-2382946-6
		8-2360547-7	11.6	9.0	12.90	7			8-2382946-7
		8-2360547-8	13.1	10.5	14.40	8			8-2382946-8
		8-2360547-9	14.6	12.0	15.90	9			8-2382946-9
		9-2360547-0	16.1	13.5	17.40	10			9-2382946-0
		9-2360547-1	17.6	15.0	18.90	11			9-2382946-1
		9-2360547-2	19.1	16.5	20.40	12			9-2382946-2

1. MATERIAL: NYLON, UL94V-0, COLOR: SEE TABLE.
2. THIS HOUSING ACCEPTS TERMINAL: 2371403-2.
3. RECOMMENDED MATING PART: SEE TABLE.
4. DIMENSIONS SHOWN REPRESENT PRODUCT IN DRY, AS MOLDED, CONDITION.
5. GWEPT750°C NO FLAME PER IEC 60335-1.

KEYING ILLUSTRATION



FOR 7 POS TO 12 POS




FOR 2 POS TO 6 POS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN LEO CHEN 13DEC2020	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- ; 1 PLC ±0.30 ; 2 PLC ±0.15 ; 3 PLC ±- ; 4 PLC ±- ; ANGLES ±-	CHK DANIEL ZHANG 13DEC2020	NAME PLUG HOUSING, CRIMP VERSION SGI 1.50
		APVD DANIEL ZHANG 13DEC2020	
		PRODUCT SPEC 108-106451	
		APPLICATION SPEC 114-106497	SIZE A2 · CAGE CODE 00779 · DRAWING NO C-2382946 · RESTRICTED TO -
MATERIAL 1	FINISH - -	WEIGHT -	CUSTOMER DRAWING · SCALE 8:1 · SHEET 2 OF 4 · REV A2


© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			


KEY A SHOWN FOR ALL POSITIONS




2 POSITION




3 POSITION




4 POSITION




5 POSITION




6 POSITION




7 POSITION




8 POSITION




9 POSITION



10 POSITION



11 POSITION



12 POSITION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.30
2 PLC	±0.15
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL: 1

FINISH: - / -

DWN	LEO CHEN 13DEC2020
CHK	DANIEL ZHANG 13DEC2020
APVD	DANIEL ZHANG 13DEC2020
PRODUCT SPEC	108-106451
APPLICATION SPEC	114-106497
WEIGHT	-

TE Connectivity

NAME: PLUG HOUSING, CRIMP VERSION SGI 1.50


SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-2382946	-

CUSTOMER DRAWING | SCALE 8:1 | SHEET 3 OF 4 | REV A2


© 2020 TE Connectivity. All Rights Reserved.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			


KEY B SHOWN FOR ALL POSITIONS




2 POSITION




3 POSITION




4 POSITION




5 POSITION




6 POSITION




7 POSITION




8 POSITION




9 POSITION



10 POSITION



11 POSITION



12 POSITION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN LEO CHEN 13DEC2020	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- ; 1 PLC ±0.30 ; 2 PLC ±0.15 ; 3 PLC ±- ; 4 PLC ±- ; ANGLES ±-	CHK DANIEL ZHANG 13DEC2020	NAME PLUG HOUSING, CRIMP VERSION SGI 1.50
		APVD DANIEL ZHANG 13DEC2020	
		PRODUCT SPEC 108-106451	
		APPLICATION SPEC 114-106497	SIZE A2 · CAGE CODE 00779 · DRAWING NO C-2382946 · RESTRICTED TO -
MATERIAL 1	FINISH - -	WEIGHT -	CUSTOMER DRAWING · SCALE 8:1 · SHEET 4 OF 4 · REV A2