2112166-1 ✔ ACTIVE

AMP | LEAVYSEAL


TE Internal #: 2112166-1

Red, PA GF, Mounting Clip, -40 – 130 °C [-40 – 266 °F], LEAVYSEAL

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Locking Slides




Primary Product Color: **Red**

Primary Product Material: **PA GF**

Automotive Connector Accessory Type: **Mounting Clip**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

All LEAVYSEAL Locking Slides (7)

Features

Product Type Features

Automotive Connector Accessory Type	Mounting Clip

Body Features

Primary Product Color	Red
Primary Product Material	PA GF

Usage Conditions

Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Industry Standards

UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Method	Box
Packaging Quantity	750

Other

Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings


Also in the Series | LEAVYSEAL



Automotive Connector Locks & Position Assurance(4)



Connector Caps & Covers(1)



Other Automotive Connector Accessories(15)


Customers Also Bought



TE Part #K1020908
Relay 29-314-11




TE Part #8-35111-1
TERMINAL,PIDG R 12-10 5/16



TE Part #282851-5
TERMI-BLOK PCB MOUNT 180 5P.5



TE Part #1-1534127-1
AMP MCP 2.8 SOCKET HSG.,21POS. ASSY



TE Part #1601204-2
.110 X .020 TAB STD SIAMEZE



TE Part #2278600-3
52POS., MIXED REC. HSG+LEVER, ASS'Y

TE Part #K1153105-2
Prot. cap TS-1 Flansch 06-63-171 BX

TE Part #955-922-901
4G/ MIMO/ GNSS ADH MNT 1500MM

TE Part #955-626-002
CABLE EXT 1.5M RG174,58LL with Braid

TE Part #K1070513
Schlagschalter (Hauptantr) 06-63-410

Documents

Product Drawings

SLIDE,FOR 21POS.

English

CAD Files

Customer View Model

ENG_CVM_CVM_2112166-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2112166-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2112166-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

LEAVYSEAL CONNECTORS

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

German