




Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**
Connector & Housing Type: **Cap**
Termination Method to Wire & Cable: **Crimp**
Connector System: **Wire-to-Panel, Wire-to-Wire**
Contact Retention Within Housing: **Without**

Features

Product Type Features

Assembly Requirement	Unassembled Kit
Connector Product Type	Housing
Connector & Housing Type	Cap
Connector System	Wire-to-Panel, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	4
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Primary Product Color	White
-----------------------	-------



Contact Features

Multiple Contact Types	Without
Contact Layout	Inline
Contact Retention Within Housing	Without
Contact Type	Pin

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Mount Feature	With
Panel Mount Feature Type	Latches
Connector Mounting Type	Panel Mount

Housing Features

Centerline (Pitch)	6.35 mm[.25 in]
Housing Material	Nylon GF

Dimensions

Panel Thickness (Recommended)	.76 – 2.29 mm[.03 – .09 in]
Connector Width	21.46 mm
Connector Length	26.67 mm

Usage Conditions

Operating Temperature Range	-55 – 120 °C[-67 – 248 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Compatible With Agency/Standards Products	CSA, UL, VDE
UL Rating	Recognized
Compatible With Approved Standards Products	UL E28476
CSA Rating	Certified, LR 7189
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Quantity	1
Packaging Method	Package



Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 194210-1
PIN,MNL,#10, LUBRICATED



TE Part # 193841-1
PIN, 2MM, 12-14 AWG




TE Part # 1-770254-0
UMNL II GROUND PIN LP DUPL BR




TE Part # 194211-1
SKT,MNL,#10, LUBRICATED






TE Part # 1-770246-0
UMNL II PIN AUNIPHBZ LP 12-10




TE Part # 1-770004-0
UMNL II SOK SN/AUNI/PHBZ




TE Part # 1-770193-0
UMNLII GRND PIN DUPL AU/BR




TE Part # 1-770007-0
UMNL II PIN AUSN/NI/BR




TE Part # 770246-3
UMNL II PIN PTPPHBZ LP 12-10




TE Part # 770004-4
UMNL II SOK SN/AUNI/PHBZ




TE Part # 770251-4
UMNL II SOK SN/AUNI/PHBZ LP



TE Part # 770003-3
UMNL II PIN PTPPHBZ



TE Part # 794899-1
04P UMNL HI TEMP PLUG HSG



TE Part # 770004-3
UMNL II SOK PTPPHBZ



TE Part # 770005-1
UMNL II PIN PTPBR



TE Part # 770035-1
04P UMNL II PLUG-FRONT 94VO




TE Part # 926298-6
UNML PLUG 4WAY



TE Part # 770247-3
UMNL II SOK PTPPHBZ LP 12-10



TE Part # 193797-1
SKT ASSY - 2MM, 10 AWG



TE Part # 1-770010-0
UMNL II SOK SN/AUNI/PHBZ LF


Also in the Series | Universal MATE-N-LOK



Circular Power Connectors(2)



Connector Contacts(206)



Connector Hardware(12)



Power Contacts(206)




[Rectangular Power Connectors\(643\)](#)




[Standard Circular Connectors\(1\)](#)

Customers Also Bought



TE Part #91500-4
[CCII UNML UNML II PIN SKT 20-14 ASSY](#)



TE Part #770017-1
[02P UMNLI IN-LNE PLUG HSG KIT](#)



TE Part #770018-1
[03P UMNLI IN-LNE PLUG HSG KIT](#)



TE Part #770020-1
[06P UMNLI IN-LNE PLUG HSG KIT](#)



TE Part #770022-1
[12P UMNLI IN-LNE PLUG HSG KIT](#)



TE Part #770023-1
[15P UMNLI IN-LNE PLUG HSG KIT](#)



TE Part #770027-1
[06P UMNLI IN-LINE CAP HSG KIT](#)



TE Part #770029-1
[12P UMNLI IN-LINE CAP HSG KIT](#)



TE Part #1-770253-0
[UMNLI SOK PTPPHBZ LP LF 24-18](#)



TE Part #2266544-1
[OCEAN_2.0_Applicator-S-070F100F-RSM](#)

Documents

Product Drawings

[04P UMNLI IN-LINE CAP HSG KIT](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_770026-1_F.2d_dxf.zip](#)

English

[3D PDF](#)



3D

Customer View Model

[ENG_CVM_CVM_770026-1_F.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_770026-1_F.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

Agency Approvals

[VDE Certificate](#)

English

[VDE Certificate](#)

English