Part Number : 2127252050

Product Description : Micro-One Terminal Position Assurance (TPA) Retainer, 5 Circuits, 2.00mm Pitch, Glow-Wire Capable, Natural

Series Number : 212725

Status : Active

Product Category : Connector Accessories

Documents & Resources

Drawings

Drawing_2127252050_sd.pdf

3D Models and Design Files

2D Drawing DXF_2127252050.dxf

2D Drawing DXF (PDF)_2127252050.pdf

3D Model_2127252050_stp.zip

Specifications

Application Specification_2059790000-AS-000.pdf

Packaging Specification_2127259200-SPK-200.pdf

Product Specification_2059790000-PS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Accessories
Series	212725
Description	Micro-One Terminal Position Assurance (TPA) Retainer, 5 Circuits, 2.00mm Pitch, Glow-Wire Capable, Natural
Component Type	Terminal Position Assurance
Product Family	Micro-One Wire-to-Board Connector System
Product Name	Micro-One
UPC	193264613939

Agency

UL	E29179

Physical

Circuits (Loaded)	5
Circuits (maximum)	5
Color - Resin	Natural
Lock to Mating Part	Yes
Material - Resin	Polyamide
Net Weight	80.190/mg
Number of Rows	1
Packaging Type	Bag
Temperature Range - Operating	-40° to +105°C

Use with Part(s)

Description	Part Number
Micro-One Single Row Receptacle Housings	212724

This document was generated on Jun 06, 2024