







NOTE

1. 端子テール部およびネイルの平坦度: 0.1mm MAX  
TAIL AND NAIL COPLANARITY TO BE 0.1mm MAX
- △<sub>2</sub> (極数/2) = 偶数 に適用  
APPLY FOR (CIRCUIT SIZE/2) = EVEN.
- △<sub>3</sub> 関連製品・書類はSHEET5を参照ください  
REFER TO SHEET 5 ABOUT RELATED PRODUCTS AND DOCUMENTS.



- △<sub>4</sub> オーダー番号(製品番号): SHEET 6の製品一覧を参照ください  
ORDER No. (PRODUCT No.) : REFER TO SHEET 6 FOR PRODUCT LIST.

213227

\* \* \* \*

シリーズ番号  
SERIES NO

極数  
CIRCUIT SIZE

色  
COLOR

金めっき厚  
GOLD PLATING THICKNESS


| CIRCUIT | No. | GOLD THK<br>[micro-meter] | No. | COLOR         |
|---------|-----|---------------------------|-----|---------------|
| 08 ~ 34 | 1   | 0.1                       | 0   | ナチュラル NATURAL |
|         | 3   | 0.38                      | 1   | 黒 BLACK       |
|         | 7   | 0.76                      |     |               |

|   |      |       |      |      |              |
|---|------|-------|------|------|--------------|
| 5 | 28.0 | ±0.25 | 24.0 | 29.8 | 34           |
|   | 26.5 |       | 22.5 | 28.3 | 32           |
|   | 25.0 |       | 21.0 | 26.8 | 30           |
| 4 | 23.5 |       | 19.5 | 25.3 | 28           |
|   | 22.0 |       | 18.0 | 23.8 | 26           |
|   | 20.5 |       | 16.5 | 22.3 | 24           |
|   | 19.0 |       | 15.0 | 20.8 | 22           |
|   | 17.5 |       | 13.5 | 19.3 | 20           |
|   | 16.0 |       | 12.0 | 17.8 | 18           |
|   | 14.5 |       | 10.5 | 16.3 | 16           |
|   | 13.0 | 9.0   | 14.8 | 14   |              |
| 3 | 11.5 | 7.5   | 13.3 | 12   |              |
|   | 10.0 | 6.0   | 11.8 | 10   |              |
|   | 8.5  | ±0.2  | 4.5  | 10.3 | 8            |
| D | C    |       | B    | A    | 極数<br>CKT NO |


| 番号<br>NO | 部品<br>PART        | 材質<br>MATERIAL                                                             |                                                                          |
|----------|-------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------|
| ①        | ハウジング<br>HOUSING  | ポリアミド(PA) UL94V-0 色 : SEE CHART<br>POLYAMIDE(PA) UL94V-0 COLOR : SEE CHART |                                                                          |
| ②        | ターミナル<br>TERMINAL | 銅合金<br>COPPER ALLOY                                                        |                                                                          |
| ③        |                   | コンタクト部<br>CONTACT AREA                                                     | 金めっき : 製品一覧参照<br>GOLD PLATING : SEE PRODUCT LIST                         |
|          |                   | テール部<br>TAIL AREA                                                          | 無光沢錫めっき : 1.0 micro-meter MIN<br>MATTE TIN PLATING : 1.0 micro-meter MIN |
|          |                   | 下地めっき(全面)<br>UNDER PLATING (WHOLE SURFACE)                                 | ニッケルめっき : 1.0 micro-meter MIN<br>NICKEL PLATING : 1.0 micro-meter MIN    |
| ④        | ネイル<br>NAIL       | 黄銅<br>BRASS                                                                |                                                                          |
|          |                   | 無光沢錫めっき : 1.0 micro-meter MIN<br>MATTE TIN PLATING                         |                                                                          |
|          |                   | ニッケルめっき(下地) : 1.0 micro-meter MIN<br>NICKEL PLATING (UNDER PLATING)        |                                                                          |

|                                                                                                                                               |  |       |  |                                                    |  |         |        |                          |   |          |          |              |                           |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|-------|--|----------------------------------------------------|--|---------|--------|--------------------------|---|----------|----------|--------------|---------------------------|--|--|--|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |       |  |                                                    |  |         |        |                          |   |          |          |              |                           |  |  |  |
| DIMENSION UNITS                                                                                                                               |  | SCALE |  | CURRENT REV DESC:                                  |  |         |        | <div>molex</div>         |   |          |          |              |                           |  |  |  |
| mm                                                                                                                                            |  | NTS   |  |                                                    |  |         |        |                          |   |          |          |              |                           |  |  |  |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |       |  | CLIK-MATE 1.5<br>DUAL ROW SMT VT TYPE GOLD PLATING |  |         |        |                          |   |          |          |              |                           |  |  |  |
| ANGULAR TOL ± 3.0°                                                                                                                            |  |       |  |                                                    |  |         |        |                          |   |          |          |              |                           |  |  |  |
| 4 PLACES                                                                                                                                      |  | ± 0.2 |  | EC NO: 742719                                      |  |         |        | PRODUCT CUSTOMER DRAWING |   |          |          |              |                           |  |  |  |
| 3 PLACES                                                                                                                                      |  | ± 0.2 |  | DRWN: MIKEDA01 2023/06/23                          |  |         |        |                          |   |          |          |              |                           |  |  |  |
| 2 PLACES                                                                                                                                      |  | ± 0.2 |  | CHK'D: SAKIYAMA 2023/06/23                         |  |         |        |                          |   |          |          |              |                           |  |  |  |
| INITIAL REVISION:                                                                                                                             |  |       |  | DOCUMENT NUMBER                                    |  |         |        |                          |   | DOC TYPE | DOC PART | REVISION     |                           |  |  |  |
| 1 PLACE                                                                                                                                       |  | ± 0.2 |  |                                                    |  |         |        |                          |   |          |          |              | APPR: AIDA 2023/06/23     |  |  |  |
| 0 PLACES                                                                                                                                      |  | ± 0.2 |  |                                                    |  |         |        |                          |   |          |          |              | DRWN: MIKEDA01 2019/10/01 |  |  |  |
| APPR: KOMURAKAMI 2019/11/20                                                                                                                   |  |       |  | 2132270000-SD                                      |  |         | PSD    | 000                      | D |          |          |              |                           |  |  |  |
| DRAFT AREA WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                               |  |       |  | THIRD ANGLE PROJECTION                             |  | DRAWING | SERIES | MATERIAL NUMBER          |   | CUSTOMER |          | SHEET NUMBER |                           |  |  |  |
|                                                                                                                                               |  |       |  | A3-SIZE                                            |  | 213227  |        | SEE CHART                |   | GENERAL  |          | 1 OF 6       |                           |  |  |  |

F



**基板パターンレイアウト(参考)**  
RECCOMENDED PCB PATTERN LAYOUT (REF.)  
(参考 : メタルマスク厚さ 0.10mm, マスク開口率100%)  
(REFERENCE: METAL MASK THICKNESS 0.10MM, APERTURE RATIO 100%)





**パターン非推奨エリア**  
パターンを引き回す際は、製品機能に影響がないことをご確認ください。  
PATTERN IS NOT RECCOMENDED ON THE HATCHED AREA.  
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION  
WHEN SETTING PATTERN ON THE HATCHED AREA.

C







B

A

|                                                                                                                                               |  |       |  |                                                    |  |        |                          |                 |          |          |              |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|-------|--|----------------------------------------------------|--|--------|--------------------------|-----------------|----------|----------|--------------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |       |  |                                                    |  |        |                          |                 |          |          |              |
| DIMENSION UNITS                                                                                                                               |  | SCALE |  | CURRENT REV DESC:                                  |  |        | <div>molex</div>         |                 |          |          |              |
| mm                                                                                                                                            |  | NTS   |  |                                                    |  |        |                          |                 |          |          |              |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |       |  | CLIK-MATE 1.5<br>DUAL ROW SMT VT TYPE GOLD PLATING |  |        |                          |                 |          |          |              |
| ANGULAR TOL ± 3.0 °                                                                                                                           |  |       |  |                                                    |  |        |                          |                 |          |          |              |
| 4 PLACES                                                                                                                                      |  | ± 0.2 |  | EC NO: 742719                                      |  |        | PRODUCT CUSTOMER DRAWING |                 |          |          |              |
| 3 PLACES                                                                                                                                      |  | ± 0.2 |  | DRWN: MIKEDA01 2023/06/23                          |  |        |                          |                 |          |          |              |
| 2 PLACES                                                                                                                                      |  | ± 0.2 |  | CHK'D: SAKIYAMA 2023/06/23                         |  |        |                          |                 |          |          |              |
| 1 PLACE                                                                                                                                       |  | ± 0.2 |  | APPR: AIDA 2023/06/23                              |  |        | DOCUMENT NUMBER          |                 |          |          |              |
| 0 PLACES                                                                                                                                      |  | ± 0.2 |  | INITIAL REVISION:                                  |  |        | 2132270000-SD            |                 |          |          |              |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  |       |  | DRWN: MIKEDA01 2019/10/01                          |  |        | DOC TYPE                 |                 | DOC PART | REVISION |              |
|                                                                                                                                               |  |       |  | APPR: KOMURAKAMI 2019/11/20                        |  |        | PSD                      |                 | 000      | D        |              |
| THIRD ANGLE PROJECTION                                                                                                                        |  |       |  | DRAWING                                            |  | SERIES |                          | MATERIAL NUMBER |          | CUSTOMER | SHEET NUMBER |
|                                                                                                                                               |  |       |  | A3-SIZE                                            |  | 213227 |                          | SEE CHART       |          | GENERAL  | 2 OF 6       |



嵌合図  
MATED CONNECTORS





8-10極  
8-10 CKT


12-18極  
12-18 CKT


20-28極  
20-28 CKT

30-34極  
30-34 CKT



極数別ハウジング形状  
HOUSING SHAPE OF EACH CKTS

|                                                                                                                                               |  |                                                                                       |       |                   |  |                                                                                 |  |                 |          |            |              |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|-------|-------------------|--|---------------------------------------------------------------------------------|--|-----------------|----------|------------|--------------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                                                                                       |       |                   |  |                                                                                 |  |                 |          |            |              |
| DIMENSION UNITS                                                                                                                               |  | SCALE                                                                                 |       | CURRENT REV DESC: |  | <div>molex</div> <div>CLIK-MATE 1.5<br/>DUAL ROW SMT VT TYPE GOLD PLATING</div> |  |                 |          |            |              |
| mm                                                                                                                                            |  | NTS                                                                                   |       |                   |  |                                                                                 |  |                 |          |            |              |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |                                                                                       |       |                   |  |                                                                                 |  |                 |          |            |              |
| ANGULAR TOL                                                                                                                                   |  | ±                                                                                     | 3.0 ° | EC NO: 742719     |  | PRODUCT CUSTOMER DRAWING                                                        |  |                 |          |            |              |
| 4 PLACES                                                                                                                                      |  | ±                                                                                     | 0.2   | DRWN: MIKEDA01    |  |                                                                                 |  |                 |          | 2023/06/23 |              |
| 3 PLACES                                                                                                                                      |  | ±                                                                                     | 0.2   | CHK'D: SAKIYAMA   |  |                                                                                 |  |                 |          | 2023/06/23 |              |
| 2 PLACES                                                                                                                                      |  | ±                                                                                     | 0.2   | APPR: AIDA        |  | 2023/06/23                                                                      |  |                 |          |            |              |
| 1 PLACE                                                                                                                                       |  | ±                                                                                     | 0.2   | INITIAL REVISION: |  | DOCUMENT NUMBER                                                                 |  | DOC TYPE        | DOC PART | REVISION   |              |
| 0 PLACES                                                                                                                                      |  | ±                                                                                     | 0.2   | DRWN: MIKEDA01    |  | 2019/10/01                                                                      |  | 2132270000-SD   |          | PSD        |              |
|                                                                                                                                               |  |                                                                                       |       | APPR: KOMURAKAMI  |  | 2019/11/20                                                                      |  | 000             |          | D          |              |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  | THIRD ANGLE PROJECTION                                                                |       | DRAWING           |  | SERIES                                                                          |  | MATERIAL NUMBER |          | CUSTOMER   | SHEET NUMBER |
|                                                                                                                                               |  |  |       | A3-SIZE           |  | 213227                                                                          |  | SEE CHART       |          | GENERAL    | 3 OF 6       |
|                                                                                                                                               |  |                                                                                       |       |                   |  |                                                                                 |  |                 |          |            |              |



NOTE

5. 梱包数量 : 450個 / リール  
NUMBER OF CONNECTORS : 450 PIECES/REEL
6. リードテープ長さ  
LEAD TAPE LENGTH
7. トップテープの剥離強度はJIS C0806-3に準拠  
TOP TAPE PEELING OFF FORCE IS DIFINED BY JIS C0806-3
8. 本製品は乾燥剤入り、ハイバリア梱包である  
THIS PRODUCT IS DELIVERED IN HIGH BARRIER PACKAGE WITH DESICCANT.

| 番号<br>No. | 部品<br>PART                | 材質<br>MATERIAL                                                             |
|-----------|---------------------------|----------------------------------------------------------------------------|
| ④         | エンボステープ<br>EMBOSSSED TAPE | ポリスチレン(PS)<br>POLYSTYLENE                                                  |
| ⑤         | トップテープ<br>TOP TAPE        | ポリエチレン、ポリエチレンテレフタレート<br>POLYETHYLENE (PE), POLYETHYLENE TELEPHTHALATE(PET) |
| ⑥         | リール<br>REEL               | ポリスチレン (リサイクル材を含む)<br>POLYSTYLENE (CONTAINED RECYCLED MATERIAL)            |

| DOCUMENT STATUS | P1 | RELEASE DATE | 2023/06/23 | 10:36:44 |
|-----------------|----|--------------|------------|----------|
|-----------------|----|--------------|------------|----------|

|      |      |      |      |                                    |         |
|------|------|------|------|------------------------------------|---------|
| 49.4 | 45.4 | 20.2 | 40.4 | 44±0.3                             | 34      |
|      |      |      |      |                                    | 32      |
|      |      |      |      |                                    | 30      |
|      |      |      |      |                                    | 28      |
|      |      |      |      |                                    | 26      |
|      |      |      |      |                                    | 24      |
|      |      |      |      |                                    | 22      |
|      |      |      |      |                                    | 20      |
|      |      |      |      |                                    | 18      |
| 37.4 | 33.4 | 14.2 | 28.4 | 32±0.3                             | 16      |
|      |      |      |      |                                    | 14      |
|      |      |      |      |                                    | 12      |
| 29.4 | 25.4 | 11.5 | -    | 24 <sup>+0.3</sup> <sub>-0.1</sub> | 10      |
|      |      |      |      |                                    | 8       |
| J    | H    | G    | F    | エンボステープ幅E<br>WIDTH OF TAPE         | CKT NO. |

|                                                                                                                                               |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------|--|---------------------------------------------------------------------------------------------------|--------|-----------------|----------------------------------------------------|----------|----------|--------------|----------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| DIMENSION UNITS                                                                                                                               |  | SCALE                  |  | CURRENT REV DESC:                                                                                 |        |                 | <div>molex</div>                                   |          |          |              |          |
| mm                                                                                                                                            |  | NTS                    |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| ANGULAR TOL ± 3.0 °                                                                                                                           |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| 4 PLACES ± 0.2                                                                                                                                |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| 3 PLACES ± 0.2                                                                                                                                |  |                        |  | EC NO: 742719<br>DRWN: MIKEDA01 2023/06/23<br>CHK'D: SAKIYAMA 2023/06/23<br>APPR: AIDA 2023/06/23 |        |                 | CLIK-MATE 1.5<br>DUAL ROW SMT VT TYPE GOLD PLATING |          |          |              |          |
| 2 PLACES ± 0.2                                                                                                                                |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| 1 PLACE ± 0.2                                                                                                                                 |  |                        |  |                                                                                                   |        |                 |                                                    |          |          |              |          |
| 0 PLACES ± 0.2                                                                                                                                |  |                        |  | INITIAL REVISION:<br>DRWN: MIKEDA01 2019/10/01<br>APPR: KOMURAKAMI 2019/11/20                     |        |                 | PRODUCT CUSTOMER DRAWING                           |          |          |              |          |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  |                        |  |                                                                                                   |        |                 | DOCUMENT NUMBER                                    |          | DOC TYPE | DOC PART     | REVISION |
|                                                                                                                                               |  |                        |  |                                                                                                   |        |                 | 2132270000-SD                                      |          | PSD      | 000          | D        |
|                                                                                                                                               |  | THIRD ANGLE PROJECTION |  | DRAWING                                                                                           | SERIES | MATERIAL NUMBER |                                                    | CUSTOMER |          | SHEET NUMBER |          |
|                                                                                                                                               |  |                        |  | A3-SIZE                                                                                           | 213227 | SEE CHART       |                                                    | GENERAL  |          | 4 OF 6       |          |

3

適用製品及び各種仕様書

APPLICABLE PRODUCTS AND VARIOUS SPECIFICATIONS

|                                  |             |                 |
|----------------------------------|-------------|-----------------|
| 梱包仕様書<br>PACKAGING SPECIFICATION | PART NUMBER | DOCUMENT NUMBER |
|                                  | 213227 **** | 2132279200-SPK  |

|                                          |                      |                         |             |             |
|------------------------------------------|----------------------|-------------------------|-------------|-------------|
| 適用嵌合相手<br>MATE WITH                      | HOUSING              | TERMINAL (GOLD PLATING) |             |             |
|                                          |                      | PLATING THK             | #24-28      | #28-30      |
| 製品番号<br>PRODUCT NUMBER                   | 503149 ****          | 0.1 micro-meters        | 213028 1*00 | 213029 1*00 |
|                                          |                      | 0.38 micro-meters       | 213028 3*00 | 213029 3*00 |
|                                          |                      | 0.76 micro-meters       | 213028 7*00 | 213029 7*00 |
| 製品仕様書<br>PRODUCT SPECIFICATION           | 5031490002-PS/PS/000 |                         |             |             |
| アプリケーション仕様書<br>APPLICATION SPECIFICATION | AS-503149-001        |                         |             |             |

|                                                                                                                                               |  |         |  |                            |  |         |  |                          |  |                 |  |               |  |        |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|---------|--|----------------------------|--|---------|--|--------------------------|--|-----------------|--|---------------|--|--------|--|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |         |  |                            |  |         |  |                          |  |                 |  |               |  |        |  |
| DIMENSION UNITS                                                                                                                               |  | SCALE   |  | CURRENT REV DESC:          |  |         |  | <div>molex</div>         |  |                 |  |               |  |        |  |
| mm                                                                                                                                            |  | NTS     |  |                            |  |         |  |                          |  |                 |  |               |  |        |  |
| GENERAL TOLERANCES (UNLESS SPECIFIED)                                                                                                         |  |         |  |                            |  |         |  |                          |  |                 |  |               |  |        |  |
| ANGULAR TOL                                                                                                                                   |  | ± 3.0 ° |  |                            |  |         |  |                          |  |                 |  |               |  |        |  |
| 4 PLACES                                                                                                                                      |  | ± 0.2   |  | EC NO: 742719              |  |         |  | PRODUCT CUSTOMER DRAWING |  |                 |  |               |  |        |  |
| 3 PLACES                                                                                                                                      |  | ± 0.2   |  | DRWN: MIKEDA01 2023/06/23  |  |         |  |                          |  |                 |  |               |  |        |  |
| 2 PLACES                                                                                                                                      |  | ± 0.2   |  | CHK'D: SAKIYAMA 2023/06/23 |  |         |  |                          |  |                 |  |               |  |        |  |
| 1 PLACE                                                                                                                                       |  | ± 0.2   |  | APPR: AIDA 2023/06/23      |  |         |  | DOCUMENT NUMBER          |  |                 |  |               |  |        |  |
| 0 PLACES                                                                                                                                      |  | ± 0.2   |  | INITIAL REVISION:          |  |         |  |                          |  |                 |  | 2132270000-SD |  | PSD    |  |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS                                                                                          |  |         |  | THIRD ANGLE PROJECTION     |  | DRAWING |  | SERIES                   |  | MATERIAL NUMBER |  |               |  |        |  |
|                                                                                                                                               |  |         |  |                            |  | A3-SIZE |  | 213227                   |  | SEE CHART       |  | GENERAL       |  | 5 OF 6 |  |

4 製品一覽  
PRODUCTS LIST

| 黒 BLACK         | ナチュラル NATURAL | HOUSING COLOR |                                                                     |
|-----------------|---------------|---------------|---------------------------------------------------------------------|
| 213227 3411     | 213227 3410   | 34            | 213227 **1*<br>(GOLD PLATING<br>THICKNESS: 0.1<br>micro-meters MIN) |
| 213227 3211     | 213227 3210   | 32            |                                                                     |
| 213227 3011     | 213227 3010   | 30            |                                                                     |
| 213227 2811     | 213227 2810   | 28            |                                                                     |
| 213227 2611     | 213227 2610   | 26            |                                                                     |
| 213227 2411     | 213227 2410   | 24            |                                                                     |
| 213227 2211     | 213227 2210   | 22            |                                                                     |
| 213227 2011     | 213227 2010   | 20            |                                                                     |
| 213227 1811     | 213227 1810   | 18            |                                                                     |
| 213227 1611     | 213227 1610   | 16            |                                                                     |
| 213227 1411     | 213227 1410   | 14            |                                                                     |
| 213227 1211     | 213227 1210   | 12            |                                                                     |
| 213227 1011     | 213227 1010   | 10            |                                                                     |
| 213227 0811     | 213227 0810   | 8             |                                                                     |
| オーダー番号 ORDER No |               | 極数<br>CKT     | MODEL NO                                                            |

| 黒 BLACK         | ナチュラル NATURAL | HOUSING COLOR |                                                                      |
|-----------------|---------------|---------------|----------------------------------------------------------------------|
| 213227 3431     | 213227 3430   | 34            | 213227 **3*<br>(GOLD PLATING<br>THICKNESS: 0.38<br>micro-meters MIN) |
| 213227 3231     | 213227 3230   | 32            |                                                                      |
| 213227 3031     | 213227 3030   | 30            |                                                                      |
| 213227 2831     | 213227 2830   | 28            |                                                                      |
| 213227 2631     | 213227 2630   | 26            |                                                                      |
| 213227 2431     | 213227 2430   | 24            |                                                                      |
| 213227 2231     | 213227 2230   | 22            |                                                                      |
| 213227 2031     | 213227 2030   | 20            |                                                                      |
| 213227 1831     | 213227 1830   | 18            |                                                                      |
| 213227 1631     | 213227 1630   | 16            |                                                                      |
| 213227 1431     | 213227 1430   | 14            |                                                                      |
| 213227 1231     | 213227 1230   | 12            |                                                                      |
| 213227 1031     | 213227 1030   | 10            |                                                                      |
| 213227 0831     | 213227 0830   | 8             |                                                                      |
| オーダー番号 ORDER No |               | 極数<br>CKT     | MODEL NO                                                             |

| 黒 BLACK         | ナチュラル NATURAL | HOUSING COLOR |                                                                      |
|-----------------|---------------|---------------|----------------------------------------------------------------------|
| 213227 3471     | 213227 3470   | 34            | 213227 **7*<br>(GOLD PLATING<br>THICKNESS: 0.76<br>micro-meters MIN. |
| 213227 3271     | 213227 3270   | 32            |                                                                      |
| 213227 3071     | 213227 3070   | 30            |                                                                      |
| 213227 2871     | 213227 2870   | 28            |                                                                      |
| 213227 2671     | 213227 2670   | 26            |                                                                      |
| 213227 2471     | 213227 2470   | 24            |                                                                      |
| 213227 2271     | 213227 2270   | 22            |                                                                      |
| 213227 2071     | 213227 2070   | 20            |                                                                      |
| 213227 1871     | 213227 1870   | 18            |                                                                      |
| 213227 1671     | 213227 1670   | 16            |                                                                      |
| 213227 1471     | 213227 1470   | 14            |                                                                      |
| 213227 1271     | 213227 1270   | 12            |                                                                      |
| 213227 1071     | 213227 1070   | 10            |                                                                      |
| 213227 0871     | 213227 0870   | 8             |                                                                      |
| オーダー番号 ORDER No |               | 極数<br>CKT     | MODEL NO                                                             |

|                                                                                                                                               |  |         |     |                                                    |  |                 |                  |                        |          |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|---------|-----|----------------------------------------------------|--|-----------------|------------------|------------------------|----------|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |         |     |                                                    |  |                 |                  |                        |          |
| DIMENSION UNITS                                                                                                                               |  | SCALE   |     | CURRENT REV DESC:                                  |  |                 | <div>molex</div> |                        |          |
| mm                                                                                                                                            |  | NTS     |     |                                                    |  |                 |                  |                        |          |
| GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                                      |  |         |     | CLIK-MATE 1.5<br>DUAL ROW SMT VT TYPE GOLD PLATING |  |                 |                  |                        |          |
| ANGULAR TOL ± 3.0°                                                                                                                            |  |         |     |                                                    |  |                 |                  |                        |          |
| 4 PLACES                                                                                                                                      |  | ±       | 0.2 |                                                    |  |                 |                  |                        |          |
| 3 PLACES                                                                                                                                      |  | ±       | 0.2 | PRODUCT CUSTOMER DRAWING                           |  |                 |                  |                        |          |
| 2 PLACES                                                                                                                                      |  | ±       | 0.2 |                                                    |  |                 |                  |                        |          |
| 1 PLACE                                                                                                                                       |  | ±       | 0.2 |                                                    |  |                 |                  |                        |          |
| 0 PLACES                                                                                                                                      |  | ±       | 0.2 | DOCUMENT NUMBER                                    |  |                 | DOC TYPE         | DOC PART               | REVISION |
| EC NO: 742719                                                                                                                                 |  |         |     | 2132270000-SD                                      |  |                 | PSD              | 000                    | D        |
| DRWN: MIKEDA01                                                                                                                                |  |         |     | 2023/06/23                                         |  |                 |                  |                        |          |
| CHK'D: SAKIYAMA                                                                                                                               |  |         |     | 2023/06/23                                         |  |                 |                  |                        |          |
| APPR: AIDA                                                                                                                                    |  |         |     | 2023/06/23                                         |  |                 |                  |                        |          |
| INITIAL REVISION:                                                                                                                             |  |         |     | DOCUMENT NUMBER                                    |  |                 |                  |                        |          |
| DRWN: MIKEDA01                                                                                                                                |  |         |     | 2019/10/01                                         |  |                 |                  |                        |          |
| APPR: KOMURAKAMI                                                                                                                              |  |         |     | 2019/11/20                                         |  |                 |                  |                        |          |
| THIRD ANGLE PROJECTION                                                                                                                        |  | DRAWING |     | SERIES                                             |  | MATERIAL NUMBER |                  | CUSTOMER               |          |
|                                                                                                                                               |  | A3-SIZE |     | 213227                                             |  | SEE CHART       |                  | GENERAL                |          |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                                                    |  |         |     |                                                    |  |                 |                  | SHEET NUMBER<br>6 OF 6 |          |