




Connectors > Connector Accessories > Connector Hardware



Hardware Accessory Function: **Coding & Keying**

Connector Hardware Accessory Type: **Keying Plug**

Primary Product Color: **Natural**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-65 – 105 °C [-85 – 221 °F]**

Features

Product Type Features

Hardware Accessory Function	Coding & Keying
Connector Hardware Accessory Type	Keying Plug

Body Features

Primary Product Color	Natural
-----------------------	---------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
Packaging Quantity	10000

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2025 (250)
Candidate List Declared Against: JUNE 2025 (250)
Does not contain REACH SVHC


Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 280358 AMPMODU II REC. HSG, SINGLE ROW 2 POS	 TE Part # 280364 AMPMODU II COSI REC. HSG, SGL ROW, 22POS	 TE Part # 280369 AMPMODU II REC. HSG, DUAL ROW, 44 POS.	 TE Part # 280361 AMPMODU II REC. HSG, SINGLE ROW 8 POS
 TE Part # 280362 AMPMODU II REC. HSG, SINGLE ROW, 10 POS.	 TE Part # 280359 AMPMODU II REC. HSG, SINGLE ROW, 4 POS.	 TE Part # 281018 AMPMODU II REC. HSG, DUAL ROW, 36 POS.	 TE Part # 280514 AMPMODU II REC. HSG, SINGLE ROW, 12 POS.




TE Part # 280515
AMPMODU II REC. HSG, DUAL ROW,
24 POS.



TE Part # 280360
AMPMODU II REC. HSG, SINGLE
ROW 6 POS



TE Part # 280366
AMPMODU II REC. HSG DUAL ROW,
16 POS.



TE Part # 284123-1
AMPMODU II REC. HSG, DUAL ROW,
10 POS.




TE Part # 280512
AMPMODU II REC. HSG, SINGLE
ROW, 9 POS.



TE Part # 280365
AMPMODU, DBL ROW, CONTACT
REC



TE Part # 280363
AMPMODU II REC. HSG, SINGLE
ROW, 15 POS.




TE Part # 280368
AMPMODU II REC. HSG, DUAL ROW,
30 POS.



TE Part # 280513
AMPMODU II REC. HSG, DUAL ROW,
18 POS

Also in the Series | AMPMODU IV/V



Backplane Connector Housings(1)



Connector Caps & Covers(5)




Connector Contacts(179)



Connector Hardware(8)



Insertion & Extraction Tools(4)



PCB Headers & Receptacles(125)



Power Contacts(140)

Customers Also Bought




TE Part #F77529-000
WP-381191-5-9




TE Part #C37234-000
HM-381191-5-8A




TE Part #464242-E
SRCP 1,27 12 F 1 IDC22 137 E1 162
1,27 T




TE Part #796634-4
4 POS 5.08MM R/A PLUG,TRM BLK




TE Part #3-6609987-1
15SRBS8-T=F8222C



TE Part #CP3369-000
TTMS-MP-9.5-9




TE Part #CM6264-000
TTMS-MP-12.7-9



TE Part #CM6262-000
TTMS-MP-6.4-9

TE Part #893803-000
2000P-RIBBON-4TT-MED



TE Part #CP3368-000
TTMS-MP-4.8-9

Documents

Product Drawings
MOD IV KEYING PLUG

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_87077-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_87077-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_87077-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



AMPMODU_INTERCONNECTION_SYSTEM_SECTION5_CONT

English

1-1773720-9_AMPMODU_MOD_IV_V_QRG

English