# 1-2308298-4 ✔ ACTIVE

Rail D-Sub Backshells

TE Internal #: 1-2308298-4

Quick Lock Pins, Rail D-Sub Backshells

View on TE.com >

Connectors > Connector Accessories > Connector Hardware > Double Sided QLPIN Bulkhead





Hardware Accessory Function: **Latching, Locking & Retention**

Connector Hardware Accessory Type: **Quick Lock Pins**

Operating Temperature (Max): **90 °C [ 194 °F ]**

Operating Temperature Range: **-40 - 90 °C [ -40 - 194 °F ]**

All Double Sided QLPIN Bulkhead (6)

## Features

### Product Type Features

| | |
|---|---|
| Hardware Accessory Function | Latching, Locking & Retention |
| Connector Hardware Accessory Type | Quick Lock Pins |

### Mechanical Attachment

| | |
|---|---|
| Thread Size | None |

### Usage Conditions

| | |
|---|---|
| Operating Temperature (Max) | 90 °C[194 °F] |
| Operating Temperature Range | -40 - 90 °C[-40 - 194 °F] |

### Packaging Features

| | |
|---|---|
| Packaging Quantity | 500 |
| Packaging Method | Box |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2024 (240) |

| | |
|---|---|
| | Candidate List Declared Against: JAN 2024 (240)<br>SVHC > Threshold:<br>Pb (3.5% in Component Part)<br>**Article Safe Usage Statements:**<br>Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # CAT-R131-D743

Double Sided QLPIN Bulkhead

## Also in the Series | Rail D-Sub Backshells



Connector Backshells(55)



Connector Contacts(5)



Connector Hardware(19)



Connector Strain Relief(67)




Crimp D-Sub Connectors(10)



Insertion & Extraction Tools(2)


## Customers Also Bought




TE Part # 165566-1
110 PIDG FASTON REC



TE Part # 6609007-6
20EEJ8=F8125



TE Part # 350522-1
09P STR/REL HSG HNGD V0



TE Part # 794815-1
02P UMNL CAP HSG,HI TEMP



TE Part # 794814-1
02P UMNL PLUG HSG,HI TEMP



TE Part # 1-2308321-1
FULL METAL HOODS SIZE 2, (1)



TE Part # 1-2308330-1
FULL METAL HOODS SIZE 4 (1)



TE Part # 2825084-1
250 POS LOC REC 12-10 NIST



TE Part # 165297
SOLIS DIN 1.5-2.5 R M4

## Documents

### Product Drawings

QL-SET FOR VAR. E LATCH PIN WITH GUIDE 4

English

### Datasheets & Catalog Pages

Rail D-Sub Backshells Flyer

English