




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.82 – 2.08 mm²**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Features

Product Type Features

Insertion Force	Normal
-----------------	--------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Connection Capacity	Single

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Piggyback
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

--	--



Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

Dimensions

Product Length	19.58 mm[.77 in]
Compatible Insulation Diameter Range	3.1 – 4.3 mm[.12 – .17 in]
Terminal Material Thickness	.4 mm[.015 in]
Wire Size	.82 – 2.08 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Compatible With Agency/Standards Products	CSA, UL
---	---------

Packaging Features

Packaging Quantity	2500
Packaging Method	Strip/Reel

Compatible Parts



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 2266067-1
OCEAN_2.0_Applicator-S-110F180F-RSM



TE Part # 2266067-2
OCEAN_2.0_Applicator-S-110F180F-RSA



TE Part # 7-2266067-7
OCEAN_2.0_SPARE_PART_KIT-110F180F

Also in the Series | FASTON 250




Compression Connectors(4)



Crimp Terminal Housings(115)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(133)



Quick Disconnects(412)



Splices(4)

Customers Also Bought




TE Part #501923-000
SO96-4-55-22-90



TE Part #FTRA6171M5PW-001
OMNI,Ph,PMT,617-7125MHz



TE Part #42219-1
250 FASTON REC 18-14 AWG NPST



TE Part #42428-5
PIN TERMINAL RECEPTACLE 24-20 AWG TPPHBZ



TE Part #61988-1
250 FASTON REC 22-18 AWG BR



TE Part #2-292173-5
CT BOX HDR H SMT 5P O/TAPE BLA




TE Part #350080-1
RING TERMINAL 18-14 0.245 X 1.110 TPSTL



TE Part #5-520263-2
ULTRA-FAST 250 ASY REC 22-18 AWG TPBR



TE Part #626416-2
RING TONGUE 0.5-1.5 MM2 0.60X13.23 TPBR



TE Part #776164-2
35POS,AMPSEAL,SOC HSG ASSY,SLD,COD 2

Documents

Product Drawings

250 FASTON REC 18-14 AWG BR

English

CAD Files

Customer View Model

ENG_CVM_CVM_62223-1_AG.2d_dxf.zip

English

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_62223-1_AG.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62223-1_AG.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[82004 FASTON Terminals \(Insulated and Uninsulated\) Catalog - FASTON Receptacles Section](#)

English

Product Specifications

[Application Specification](#)

English

Agency Approvals

[UL Report](#)

English