

MATERIALS AND FINISHES:


BODY, HOUSING: BRASS
PLATED GOLD


CENTER CONTACT: BRASS
PLATED GOLD

INSULATOR: TEFLON






| | | | |
|---|---|---|---|
| 73396-0581 | TAPE AND REEL | SEE SHEET 2 & 3 | 1000 |
| 73396-0580 | SMALL TRAY (20 PCS PER TRAY) | 895420200 | 400 |
| 73404-2280 | 73100-0103, ONE PER BAG | 895420089 | 500 |
| 73100-0103 | TRAY (80 PCS PER TRAY) | 895420040 | 3200 |
| PART NO. | PACKAGING | PACKING SPEC | DU |

RF LEAKAGE AND VSWR ARE
NOT APPLICATABLE IN PS-73598-0099

| | |
|---|---|
| MOISTURE SENSITIVITY LEVEL | LEVEL 2 |
| PS-73598-0099 | PRODUCT SPECIFICATION |
| SPECIFICATION | DESCRIPTION |

ORIGINAL BY JWIENER 2007/05/01

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

FUNCTIONAL SYMBOLS
FA = 0
FC = 0
FP = 0
DIVISIONAL SYMBOLS

| DIMENSION UNITS | SCALE |
|---|---|
| INCH/mm | NTS |

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | |
|---|---|
| ANGULAR TOL | ± 2° |
| 4 PLACES | ± |
| 3 PLACES | ± |
| 2 PLACES | ± |
| 1 PLACE | ± |
| 0 PLACES | ± |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: ADD PN 733960581 FOR PKG TAPE & REEL PER EWR17256-A

STATUS: Production
DRWN: Cela Wei 2025-06-06
CHK'D: Kerrie Chen 2025-06-19
APPR: YCHENG 2025-06-19

molex


SMB JACK R/A PCB 50 OHMS
RECEPTACLE SMB-J/RA


PRODUCT CUSTOMER DRAWING


| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-73100-0103 | PSD | 001 | C7 |

| THIRD ANGLE PROJECTION | DRAWING | SERIES | MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|---|---|---|
| | C-SIZE | 73100 | SEE TABLE | GENERAL MARKET | 1 OF 3 |

FORMAT: TC-tb-prod-C
REVISION: B
DATE: 2022/08/01









NOTES:

1. MATERIALS: PS BLACK-THICKNESS: 0.50±0.05 MM
2. 10 PITCHES CUMULATIVE TOLERANCE ±0.2
3. 250 PIECES CONNECTORS PER REEL ON 13.0 (330.2 MM) REEL


| | | | | | |
|---|---|---|---|---|---|
| FUNCTIONAL SYMBOLS FA = 0, FC = 0, FD = 0 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |
| | DIMENSION UNITS: INCH/mm | SCALE: NTS | CURRENT REV DESC: ADD PN 733960581 FOR PKG TAPE & REEL PER EWR17256-A | molex | |
| | GENERAL TOLERANCES (UNLESS SPECIFIED) | | | SMB JACK R/A PCB 50 OHMS RECEPTACLE SMB-J/RA | |
| | ANGULAR TOL ± 2° | | | PRODUCT CUSTOMER DRAWING | |
| | 4 PLACES ± | | STATUS: Production | DOCUMENT NUMBER: SD-73100-0103 | DOC TYPE: PSD / DOC PART: 001 / REVISION: C7 |
| DIVISIONAL SYMBOLS | 3 PLACES ± | | DRWN: Cela Wei 2025-06-06 | | |
| | 2 PLACES ± | | CHK'D: Kerrie Chen 2025-06-19 | | |
| | 1 PLACE ± | | APPR: YCHENG 2025-06-19 | | |
| | 0 PLACES ± | | THIRD ANGLE PROJECTION | DRAWING: C-SIZE / SERIES: 73100 | MATERIAL NUMBER / CUSTOMER: GENERAL MARKET / SHEET NUMBER: 2 OF 3 |
| | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | |

FORMAT TC-tb-prod-C
REVISION: B
DATE: 2022/08/01



REELS X 4 PCS



1000 SETS PER CARTON BOX
OUTER DIMENSION: 343 X 343X 220 MM

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| FUNCTIONAL SYMBOLS | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | |
| FA = 0 | DIMENSION UNITS: INCH/mm | SCALE: NTS | CURRENT REV DESC: ADD PN 733960581 FOR PKG TAPE & REEL PER EWR17256-A | | | | |
| FC = 0 | GENERAL TOLERANCES (UNLESS SPECIFIED) | | | | | | |
| FP = 0 | ANGULAR TOL ± 2° | | | | | | |
| | 4 PLACES ± | | | | | | |
| DIVISIONAL SYMBOLS | 3 PLACES ± | | | | | | |
| | 2 PLACES ± | | STATUS: Production | | | | |
| | 1 PLACE ± | | DRWN: Cela Wei | 2025-06-06 | | | |
| | 0 PLACES ± | | CHK'D: Kerrie Chen | 2025-06-19 | | | |
| | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | APPR: YCHENG | 2025-06-19 | | | |
| | THIRD ANGLE PROJECTION | DRAWING: C-SIZE | SERIES: 73100 | | | | |

molex

SMB JACK R/A PCB 50 OHMS
RECEPTACLE SMB-J/RA

PRODUCT CUSTOMER DRAWING

| DOCUMENT NUMBER | DOC TYPE | DOC PART | REVISION |
|---|---|---|---|
| SD-73100-0103 | PSD | 001 | C7 |

| MATERIAL NUMBER | CUSTOMER | SHEET NUMBER |
|---|---|---|
| | GENERAL MARKET | 3 OF 3 |

FORMAT: TC-tb-prod-C
REVISION: B
DATE: 2022/08/01

DETAIL DRAWING REFER TO 73100-0103

| REV | DESCRIPTION | DATE |
|---|---|---|
| A | CHG: ADD SMALL TRAY FOR 73100-0103 | 2007/02/08 |
| | EC NO: URF2007-0306 | 2007/02/09 |
| | DRWN:SCHOU | 2007/02/09 |
| | CH'KD: | |
| | APPR:MHUANG | |

QUALITY SYMBOLS
▼=0
Ⓒ▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|---|---|---|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± --- | ± --- |
| 1 PLACE | ± --- | ± --- |
| ANGULAR ± 2 ° | | |

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE:
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

| | | |
|---|---|---|
| DRAWN BY | JOYCE | DATE 2007/01/31 |
| CHECKED BY | KERRIE | DATE 2007/01/31 |
| APPROVED BY | MISEN | DATE 2007/01/31 |

TITLE: SMB JACK, R/A RECEPTACLE, PCB 50 OHMS, SMB-J/PCB

MOLEX INCORPORATED

MATERIAL NO.: 733960580
DOCUMENT NO.: SD-73396-058
SHEET NO.: 1 OF 1
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION