



Data
Physical data

Width	2 mm / 0.079 inches
Height	58.5 mm / 2.303 inches
Depth	27.1 mm / 1.067 inches

Material data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.069 MJ
Weight	2.3 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33

Subject to changes. Please also observe the further product documentation!


eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
ECCN	NO DATA
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332362030
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

End plate

Through terminal block		
	Item no.: 880-901 2-conductor through terminal block; 4 mm ² ; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/880-901
	Item no.: 880-901/999-940 2-conductor through terminal block; 4 mm ² ; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/880-901/999-940
	Item no.: 880-904 2-conductor through terminal block; 4 mm ² ; with test port; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/880-904
	Item no.: 880-902 2-conductor through terminal block; 4 mm ² ; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; orange	www.wago.com/880-902
	Item no.: 880-904/999-940 2-conductor through terminal block; 4 mm ² ; with test port; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/880-904/999-940
	Item no.: 880-902/999-940 2-conductor through terminal block; 4 mm ² ; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; orange	www.wago.com/880-902/999-940
Ground terminal block		
	Item no.: 880-907 2-conductor ground terminal block; 4 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/880-907
	Item no.: 880-907/999-940 2-conductor ground terminal block; 4 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/880-907/999-940

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Downloads Documentation

Bid Text

880-326 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
------------------------	--------------	---------------	----------

880-326 doc - Datei	2017 年4月28 日	doc 23.6 kB	Download
------------------------	--------------	----------------	----------

Additional Information

Technical Section Technical explanations		pdf 2.3 MB	Download
---	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 880-326		URL	Download
----------------------	--	-----	----------

CAE data

WSCAD Universe 880-326		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 880-326		URL	Download
----------------------	--	-----	----------

EPLAN Data Portal 880-326		URL	Download
---------------------------	--	-----	----------

Asset Administration Shell

Asset Administration Shell 880-326		URL	Download
------------------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 880-326 Separator plate; 2 mm thick; oversized; gray		URL	Download
--	--	-----	----------

Subject to changes. Please also observe the further product documentation!



Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.