



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Hook Tongue Terminal**
Wire Size: **5180 – 13100 CMA**
Stud Size: **M6**

Features

Product Type Features

Ring Terminal Product Type	Hook Tongue Terminal
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Body Features

Product Weight	2.255 g
----------------	---------

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	5180 – 13100 CMA
Stud Diameter	6.73 mm[.265 in]
Tongue Thickness	.79 mm[.031 in]



Product Length	25.5 mm[1.004 in]
Barrel Inside Diameter	3.4 mm[.134 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	0 – 170 °C[0 – 338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	2500
Packaging Method	Tape Mounted

Other

Line	Budget
------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 58508-1
PRO-CRIMPER HD TL W/DIE BUDGET

TE Part # 58509-1
PRO-CRIMPER DIE BUDGET

Customers Also Bought

TE Part #282845-2
TERM-BLOK,PCB MNT,90DG,2P,7.62

TE Part #284510-3
3P TERMI-BLOK PLUG CON VITI

TE Part #284539-3
3 POS TERMI-BLOK 900 W.S.F. 3,

TE Part #3-520125-2
ULTRAFAST 187 ASSY REC 16-14
TPBR LP

TE Part #5-1393252-8
W67-X2Q12-20=M6/M7/M9/W6/W7

TE Part #1623104-1
CRG0805 1% 11K

TE Part #3-1879354-3
RR03 5% 6R8 AMMO

TE Part #5229912-1
KIT, PLUG, 50 POS,B SLOT C/LOK

TE Part #7-5530843-5
CONN SEC II 6 POS 100C/L

TE Part #7-5530843-7
CONN SEC II 3 POS 100C/L

Documents



Product Drawings

BUDG,12-10,1/4 HOOK (TAPE)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_327905-1_S.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_327905-1_S.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_327905-1_S.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English