350980-2 ✔ ACTIVE

SL-156

TE Internal #: 350980-2

Tin (Sn), Socket Contact, 24 – 18 AWG, 250 VAC, .2 – .9 mm² Wire, Locking Lance Contact Retention, Discrete Wire, Crimp, Brass, Signal, SL-156

View on TE.com >

Connectors > Contacts > Connector Contacts > Connector Contacts: Wire-to-Board Socket, SL 156







Contact Type: **Socket**

Contact Mating Area Plating Material: **Tin (Sn)**

Wire Contact Termination Area Plating Material: **Tin**

Operating Voltage: **250 VAC**

Contact Retention Within Housing: **With**

All Connector Contacts: Wire-to-Board Socket, SL 156 (23)

Features

Product Type Features

Applied Pressure	Low

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Electrical Characteristics

Operating Voltage	250 VAC

Contact Features

Mating Square Post Dimension	1.14 mm[.045 in]
Contact Type	Socket
Contact Mating Area Plating Material	Tin (Sn)
Wire Contact Termination Area Plating Material	Tin
Contact Retention Within Housing	With
Contact Base Material	Brass

Contact Current Rating (Max)	6.5 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
Contact Retention Type Within Housing	Locking Lance

Dimensions

Wire Size	.2 – .9 mm²

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Signal

Packaging Features

Packaging Method	Reel
Packaging Quantity	6000

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 58614-2
PROCRIMP, DIE, SL156




TE Part # 2151033-2
OCEAN-2.0-APPLICATOR-S-070F100FA-RSA




TE Part # 2479636-1
EXTRACTION TOOL



TE Part # 58614-1
PROCRIMP, HT&D SL156



TE Part # 7-2151033-7
OCEAN_2.0_SPARE_PART_KIT-070F100F



TE Part # 90471-1
EXTRACTION TOOL, SC-156



TE Part # 5-2151033-2
OCEAN-2.0-APPLICATOR-S-070F100FA-RSA




TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 2151033-1
OCEAN-2.0-APPLICATOR-S-070F100F-RSM



TE Part # 91597-1
CCII SL-156 REC 24-18 ASSY



TE Part # 7-2266602-7
OCEAN_2.0_SPARE_PART_KIT-070F100F




TE Part # 5-2151033-1
OCEAN-2.0-APPLICATOR-S-070F100F-RSM

Also in the Series | SL-156



Connector Contacts(23)




Connector Hardware(4)



Insertion & Extraction Tools(1)



Power Contacts(13)



Rectangular Connector Housings(150)



Rectangular Power Connectors(147)



Wire-to-Board Connector Assemblies & Housings(146)

Customers Also Bought




TE Part #T4171130012-001
M12,REAR MOUNT,FEMALE, A, 12P, 0.2M WIRE

TE Part #794991-1
02P UMNL BLACK INTERFACE SEAL



TE Part #1318750-2
025/090 CAP ASSY 50P




TE Part #4-1601041-3
PC TAB STANDARD SIAMEZE



TE Part #9-1676123-6
1/2W SM M/OX 5% 7K5



TE Part #2260321-1
CAP HOUSING ASSEMBLY 130POS 0.5 /1.0



TE Part #8-2378159-2
Power Versa-Lock PLUG, 1X2 KEY H



TE Part #2261071-1
0.5/1.0/2.8 SEALED CONN 186P CAP ASSY



TE Part #2261071-2
0.5/1.0/2.8 SEALED CONN 186P CAP ASSY



TE Part #103168-6
16 MODII HDR DRST SHRD .100CL

Documents

Product Drawings

.045 POST CONTACT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_350980-2_AH.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_350980-2_AH.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_350980-2_AH.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English