Part Number : 2050328000

Product Description : CP-6.5 Wire-to-Wire Crimp Terminal, Male, 22-24 AWG, Reel

Series Number : 205032

Status : Active

Product Category : Crimp Terminals

Documents & Resources

Drawings

Drawing_2050328000_sd.pdf

Packaging Design Drawing_2050328000-PK-000.pdf

Specifications

Product Specification_2034380001-PS-000.pdf

Test Summary_2034380001-TS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	205032
Description	CP-6.5 Wire-to-Wire Crimp Terminal, Male, 22-24 AWG, Reel
Application	Power, Wire-to-Wire
Comments	See Product Specification for maximum current rating by circuit size and wire AWG
Product Family	CP Wire-to-Board and Wire-to-Wire Connector Systems
Product Name	CP-6.5
UPC	191128868082

Electrical

Current - Maximum per Contact	12.5A
Voltage - Maximum	600V AC (RMS)/DC

Physical

Durability (mating cycles max)	30
Gender	Male
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.257/g
Packaging Type	Reel
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.25-2.35
Wire Size (AWG)	22, 24
Wire Size mm^2	N/A

Use with Part(s)

Description	Part Number

CP-6.5 Dual Row Plug Housings	203438

Application Tooling

Global

Description	Part Number
Hand Crimp Tool for CP 6.5 Wire-to-Wire Male Terminals, 22-24 AWG	2002189500
Extraction Tool for CP 6.5 Wire-to-Wire Male Crimp Terminals	2002221300
FineAdjust Applicator for 3.96mm Pitch Crimp Terminal, 24 AWG	639019900
FineAdjust Applicator for 3.96 (.156") Wire-to-Wire Crimp Terminals, 22-24 AWG	639048200