




Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Strain Relief Cover**

Primary Product Color: **Natural**

Primary Product Material: **Nylon**

Number of Positions: **3**

Operating Temperature (Max): **105 °C [221 °F]**

Features

Product Type Features

Connector Cover Type	Strain Relief Cover
----------------------	---------------------

Configuration Features

Number of Positions	3
---------------------	---

Body Features

Primary Product Color	Natural
Primary Product Material	Nylon

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-20 – 105 °C[-4 – 221 °F]

Packaging Features

Packaging Method	Package
Packaging Quantity	1



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 350790-3
03P UMNL PIN HDR ASSY 94VO LF

TE Part # 1-350943-0
03P UMNL HDR ASSY R/A 94VO

TE Part # 643414-3
03P UMNL HDR ASSY POL 94VO LF

TE Part # 350825-4
03P UMNL HDR ASSY PC 94VO LF



TE Part # 350583-4
03P UMNL PIN HDR ASSY V2 LF



TE Part # 350429-1
03P UMNL PIN HDR ASSY NATL



TE Part # 643413-1
03P UMNL HDR ASSY SCKT POL



TE Part # 3-643228-0
03P UMNL HDR ASSY R/A 94VO LF




TE Part # 350760-4
03P UMNL HDR ASSY PC



TE Part # 350825-1
03P UMNL HDR ASSY PC 94VO



TE Part # 3-350943-0
03P UMNL HDR ASSY R/A 94VO LF



TE Part # 350766-1
03P UMNL PLUG HSG



TE Part # 1-480700-0
03P UMNL PLUG HSG NATL



TE Part # 350790-1
03P UMNL PIN HDR ASSY 94VO



TE Part # 350832-4
03P UMNL HDR ASSY PC 94VO LF



TE Part # 643414-1
03P UMNL HDR ASSY POL 94VO



TE Part # 350789-3
03P UMNL PIN HDR ASSY 94VO



TE Part # 643228-1
03P UMNL HDR ASSY R/A 94VO




TE Part # 350767-1
03P UMNL CAP HSG V0



TE Part # 350987-4
03P UMNL HDR ASSY LNG/TL


Also in the Series | **Universal MATE-N-LOK**



Circular Power Connectors(2)



Connector Contacts(206)



Connector Hardware(12)



Power Contacts(206)



[Rectangular Power Connectors\(642\)](#)



[Standard Circular Connectors\(1\)](#)

Customers Also Bought



TE Part #2162633002
[55A0111-26-1](#)




TE Part #HSA206N00420100000
[723 HTEC PLUG, SPEEDTEC](#)



TE Part #8296870003
[RPS-10-2/2.0-9](#)




TE Part #102398-5
[14 AMPMODU MT ASSY DR .100CL](#)



TE Part #2-746610-2
[014 DIP PLUG 100CL TIN](#)




TE Part #770425-1
[02P .093 COMM P&S PLUG .248CL](#)



TE Part #1-1393253-4
[W68-X2Q10-10=M6/M7/M9/W6/W7](#)



TE Part #1-1478008-0
[SMB R/A Plg PS 50Ohn Gold Pltd RG174A/U,](#)



TE Part #1879009-4
[SQB30 2R2 5% 6.35MM FASTON](#)



TE Part #1106411-2
[HA.10.STS.1.M20.G](#)

Documents

[Product Drawings](#)
[03P UMNL STR/REL](#)

English

[CAD Files](#)
[3D PDF](#)

3D

[Customer View Model](#)
[ENG_CVM_CVM_640714-1_W.2d_dxf.zip](#)



English

Customer View Model
[ENG_CVM_CVM_640714-1_W.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_CVM_640714-1_W.3d_stp.zip](#)

English

Customer View Model
[ENG_CVM_640714-1_C1.3d_igs.zip](#)

English

Customer View Model
[ENG_CVM_640714-1_C1.3d_stp.zip](#)

English

Customer View Model
[ENG_CVM_640714-1_C1.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

[Datasheets & Catalog Pages](#)
[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

[Product Specifications](#)
[Application Specification](#)

English

[Instruction Sheets](#)
[Instruction Sheet \(U.S.\)](#)

English