




STRATO-THERM

TE Internal #: 1577960-1

Closed Ring Tongue Terminal, 24 – 22 AWG, #4 Stud, 3.02 mm [.119 in] Stud Diameter, Closed Barrel, Straight, Nickel Plating, STRATO-THERM

[View on TE.com >](#)

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 CMA

Stud Size: #4

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#4
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Electrical Characteristics

Current Rating	1 A
----------------	-----

Contact Features

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions



Wire Size	509 CMA
Stud Diameter	3.02 mm[.119 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	20.43 mm[.804 in]
Compatible Insulation Diameter (Max)	1.9 mm[.075 in]
Compatible Insulation Diameter Range	.89 – 1.9 mm[.035 – .075 in]

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	0 – 260 °C[0 – 500 °F]

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1901611-2
CCII PIDG STRATO 24-20 ASSY

TE Part # 1901611-1
CCII PIDG STRATO 24-20 ASSY

TE Part # 576711
SAHT PIDG PEEK STRATO 24-22 DIE SET

TE Part # 576778
HHHT PIDG PEEK STRATO 24-22 ASSY SET

Also in the Series | STRATO-THERM

Crimp Wire Pins, Tabs & Ferrules(1)

Ring Terminals(85)

Splices(13)

Customers Also Bought

TE Part #T4132412041-000
M12,FRONT MOUNT,MALE,B,4P, SOLDER WIRE

TE Part #NB18742001
RNF-100-1/16-BK-STK

TE Part #879222-000
202K132-25/86-0


TE Part #NB25962001
SCL-1/4-0-STK

TE Part #5052994073
RNF-100-1/8-0-SP

TE Part #87179-1
LOCKING CLIP KEYING PLUG

TE Part #1487595-3
USB, A-B, 28/26, BLACK, .83M

TE Part #1577619-1
TERMINAL RT PIDG PEEK STRATO 24-22 AWG



Documents

Product Drawings

TERMINAL, PEEK PIDG STRATO, 24-22 AWG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1577960-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1577960-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1577960-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English